


**NOW**







The **Famepla NOW** storage solutions in this catalogue are available for shipment **within 72 hours**.



Armadi a cassetti



A leading manufacturer of metal workshop furniture Famepla was established in 1998 and is based in Pieve del Grappa (TV). The production process is managed inhouse, so that each phase of the cycle is controlled and the quality of our products can always be guaranteed. .

Thanks to the experience gained over the years, Famepla is a company capable of satisfying the needs of a wide range of customers: from the engineering sector to the aerospace and transport sector, passing through the automotive, military, medical, manufacturing and education sectors.

All products are designed to meet the needs of a very wide range of users. Design is combined with a focus on safety to support the production process within each company, in Italy as well as the rest of the world. Cabinets with drawers or with doors, workbenches, trolleys for transporting tools, shelving with shelves and plastic container structures take shape every day at our production site and guarantee a high level of performance.

Our product range includes more than 30,000 items of which more than 400 are available in stock and with fast delivery. We are present worldwide through an extensive sales network. Our customers are served directly by our structure or through our partners or authorised dealers.



i'M

## A GROUP, AN IDEOLOGY, SPECIFIC AREAS OF MEMBERSHIP

7

We are people who regard research, innovation, sustainability and the human factor as indispensable values of any business. From kindergartens to work organisation, all the way to health plans: **i'M** is a family, a laboratory of ideas where the team determines the Group's success and outlines a strategy that favours not only the economic aspect, but also an efficient style of service that knows how to meet market demands.



Investments in training and innovation enable Anicrin to design and produce in vitro diagnostic devices and plastic medical instruments for the fields of bacteriology, clinical chemistry and pharmaceuticals, dynamically responding to the needs of scientific research.



Since 1998, Famepla has been producing industrial furniture for workshops in various sectors to support the production process in every business context, both in Italy and abroad.



From Montessori educational materials to furniture for kindergartens, schools, libraries and cultural centres, GAM imagines and designs interconnected and functional learning environments to support the individual in its growth and education.



For 50 years we have been looking for ethical and sustainable solutions for the molding of plastic bins.



Banchi da lavoro

# THE MATERIAL: RECYCLED AND RECYCLABLE

For **FAMEPLA**, environmental sustainability is a responsibility and a concrete commitment. For this reason, FAMEPLA uses 100% recyclable materials to offer a product with a lower environmental impact. From the choice of wood, to metal, to recycled plastic, FAMEPLA puts ethical and social values first, favouring a production chain designed with total respect for the environment.

## METAL

We use top-quality steel for the metal structures, characterised by high wear resistance and long service life, to ensure the robustness and stability of our products. Components with a galvanised finish are made from steel sheets coated with hot-dip galvanising, giving them a very high resistance to corrosion.

## WOOD

The wooden tops are made of beech veneer. The edges of the tops are sanded on all sides. The beech veneer complies with EN 635-2 and the quality assurance complies with EN 986:2000. In addition, the formaldehyde emission class meets the requirements of the EOS Chemicals Ordinance.

## REPLAST



The REPLAST line of containers is made from post-consumer recycled plastic. The REPLAST products in this catalogue are 'Second Life Plastic' certified, i.e. they are obtained by using polymers derived from post-consumer waste, for at least 85% of the total weight.





CABINETS

|                                                                                    |     |                   |    |
|------------------------------------------------------------------------------------|-----|-------------------|----|
|   | CAS | STORAGE CABINETS  | 12 |
|   | ARM | CUPBOARDS         | 26 |
|   | PC  | COMPUTER CABINETS | 28 |
|  | SPO | LOCKERS           | 32 |

WORKSTATIONS

|                                                                                     |     |              |    |
|-------------------------------------------------------------------------------------|-----|--------------|----|
|  | BAN | WORKSTATIONS | 34 |
|-------------------------------------------------------------------------------------|-----|--------------|----|

NC

|                                                                                     |    |              |    |
|-------------------------------------------------------------------------------------|----|--------------|----|
|  | NC | TOOL STORAGE | 40 |
|-------------------------------------------------------------------------------------|----|--------------|----|

TROLLEYS


|                                                                                     |     |                  |    |
|-------------------------------------------------------------------------------------|-----|------------------|----|
|  | CAR | SHELVED TROLLEYS | 46 |
|-------------------------------------------------------------------------------------|-----|------------------|----|

SHELVING

|                                                                                    |     |                 |    |
|------------------------------------------------------------------------------------|-----|-----------------|----|
|  | SCA | ATHENA SHELVING | 48 |
|  | SCA | COMPAT SHELVING | 66 |
|  | SCA | RK SHELVING     | 74 |

CONTAINERS

|                                                                                      |    |        |     |
|--------------------------------------------------------------------------------------|----|--------|-----|
|  | UN | UNIBOX | 80  |
|  | AT | ATHENA | 88  |
|  | CO | COMPAT | 134 |
|  | ZE | ZEUS   | 144 |
|  | RK | RK     | 150 |



# STORAGE CABINETS


Drawer cabinets are ideal for small part storage, tool storage, storage for heavy items, the storage of high value and fragile items. Housing sides and bases are welded and painted with high resistance products, which are inert and environmentally friendly.

Available in different widths and heights with their internal sides slotted in increments of

25mm to allow drawers and shelves to be adjusted accordingly. The side walls of the drawers have location slots every 17mm allowing for the installation of a large range of drawer divider kits.

## DRAWERS

NOW



Drawers fitted into cabinet housings are available in 2 versions: simple or full extension with an excellent flow and slide system utilising sealed steel roller bearings and a load capacity of up to 200 kg.

The drawer front is equipped with an aluminium profile that allows the identification of the material placed inside by means of special labels.


## ACCESSORIES



Components for optimizing the sub-division of the internal drawer layout: slotted dividers, dividers, plastic boxes, troughs, foam bases etc. Easy to fit and assemble, as the drawers have internal side slots and perforated drawer bases. Ensuring high-density organization, faster retrieval and care for stored items.

## DIMENSIONS

1 unit (E) = 17 mm



As a practical grid system, FAMEPLA units enable clear assignment of housing, drawer and partition material.

A FAMEPLA unit (Eh) is 17mm as the slots in the side walls of the drawers. Drawer cabinet housings and the drawers that fit into the housing are based on the same units, even though they have different dimensions.

NOW

Drawer cabinets 27x36 Eh


564 W x 725 D x 800 H mm

| PART. NO. |                 |  | DRAWER FRONT H |        |        |        | EXTENSION  |            |  | RAL          |  |
|-----------|-----------------|------------------------------------------------------------------------------------|----------------|--------|--------|--------|------------|------------|-------------------------------------------------------------------------------------|--------------|--|
|           |                 |                                                                                    | 50 mm          | 100 mm | 150 mm | 300 mm | Simple 85% | Total 100% |                                                                                     |              |  |
| A         | S10-20800-01/75 | 5                                                                                  | 1              | 2      | 1      | 1      | ■          |            | 100                                                                                 | 7035<br>7016 |  |

A



|   | PART. NO. | DRAWER<br>FRONT H mm | COMPONENTS                                                                                                 |  |
|---|-----------|----------------------|------------------------------------------------------------------------------------------------------------|--|
|   |           |                      |                                                                                                            |  |
| 1 | S07-20023 | 50                   | 8 x trough 2 grooves Ø 70 mm<br>10 x trough divider<br>4 x trough 3 grooves Ø 45 mm<br>20 x trough divider |  |
| 2 | S07-21405 | 50                   | 12 x plastic box 150x75 mm                                                                                 |  |
|   | S07-21410 | 100                  | 6 x plastic box 150x150 mm                                                                                 |  |
| 3 | S07-23210 | 100                  | 2 x slotted partition L.612 mm                                                                             |  |
|   | S07-23215 | 150                  | 10 x aluminium divider L.149 mm                                                                            |  |



1



2



3

NOW

Drawer cabinets 36x27 Eh

717 W x 572 D x 1000 H mm

| PART. NO. |                 |  | DRAWER FRONT H |        |        |        | EXTENSION  |            |  | RAL          |  |
|-----------|-----------------|------------------------------------------------------------------------------------|----------------|--------|--------|--------|------------|------------|-------------------------------------------------------------------------------------|--------------|--|
|           |                 |                                                                                    | 50 mm          | 100 mm | 150 mm | 300 mm | Simple 85% | Total 100% |                                                                                     |              |  |
| A         | S11-31000-12/75 | 9                                                                                  | 9              |        |        |        | ■          |            | 200                                                                                 | 7035<br>7016 |  |

A



|   | PART. NO. | DRAWER<br>FRONT H mm | COMPONENTS                                                       |  |
|---|-----------|----------------------|------------------------------------------------------------------|--|
|   |           |                      |                                                                  |  |
| 1 | S07-21410 | 100                  | 12 x plastic box 150x75 mm<br>6 x plastic box 150x150 mm         |  |
| 2 | S08-33110 | 100                  | 2 x slotted partition L.459 mm<br>3 x aluminium divider L.200 mm |  |
| 3 | S08-33310 | 100                  | 3 x slotted partition L.459 mm<br>8 x aluminium divider L.149 mm |  |
| 4 | S08-33510 | 100                  | 5 x slotted partition L.459 mm<br>18 x aluminium divider L.98 mm |  |




1



2



3



4

NOW

Drawer cabinets 36x36 Eh

717 W x 725 D x 1000 H mm

|   | PART. NO.       |  | DRAWER FRONT H |        |        |        | EXTENSION  |            |  | RAL          |  |
|---|-----------------|------------------------------------------------------------------------------------|----------------|--------|--------|--------|------------|------------|-------------------------------------------------------------------------------------|--------------|--|
|   |                 |                                                                                    | 75 mm          | 100 mm | 150 mm | 200 mm | Simple 85% | Total 100% |                                                                                     |              |  |
| A | S10-31000-03/75 | 7                                                                                  | 2              | 1      | 3      | 1      | ■          |            | 100                                                                                 | 7035<br>7016 |  |
| B | S10-31000-27/75 | 9                                                                                  |                | 9      |        |        | ■          |            | 100                                                                                 | 7035<br>7016 |  |
|   | S10-31000-28/75 | 9                                                                                  |                | 9      |        |        |            | ■          | 200                                                                                 | 7035<br>7016 |  |
| C | S10-31000-32/75 | 10                                                                                 | 4              | 6      |        |        | ■          |            | 200                                                                                 | 7035<br>7016 |  |

A



B




C



|   | PART. NO. | DRAWER<br>FRONT H mm | COMPONENTS                                                        |  |
|---|-----------|----------------------|-------------------------------------------------------------------|--|
|   |           |                      |                                                                   |  |
| 1 | S07-30002 | 50                   | 16 x trough 2 grooves Ø 70 mm<br>38 x trough divider              |  |
| 2 | S07-30003 | 50                   | 16 x trough 3 grooves Ø 45 mm<br>51 x trough divider              |  |
| 3 | S07-30004 | 50                   | 16 x trough 4 grooves Ø 33 mm<br>64 x trough divider              |  |
| 4 | S07-33107 | 75                   | 2 x slotted partition L.612 mm<br>3 x aluminium divider L.200 mm  |  |
|   | S07-33110 | 100                  |                                                                   |  |
|   | S07-33115 | 150                  |                                                                   |  |
| 5 | S07-33307 | 75                   | 3 x slotted partition L.612 mm<br>15 x aluminium divider L.149 mm |  |
|   | S07-33310 | 100                  |                                                                   |  |
|   | S07-33315 | 150                  |                                                                   |  |



1




2



3



4



5

NOW

Drawer cabinets 45x27 Eh


870 W x 572 D x 1000 H mm

| PART. NO. |                 |  | DRAWER FRONT H |        |        |        | EXTENSION  |            |  | RAL          |  |
|-----------|-----------------|------------------------------------------------------------------------------------|----------------|--------|--------|--------|------------|------------|-------------------------------------------------------------------------------------|--------------|--|
|           |                 |                                                                                    | 75 mm          | 100 mm | 150 mm | 200 mm | Simple 85% | Total 100% |                                                                                     |              |  |
| A         | S11-41000-32/75 | 10                                                                                 | 4              | 6      |        |        |            | ■          | 200                                                                                 | 7035<br>7016 |  |

A



|   | PART. NO. | DRAWER<br>FRONT H mm | COMPONENTS                                                                                         |  |
|---|-----------|----------------------|----------------------------------------------------------------------------------------------------|--|
|   |           |                      |                                                                                                    |  |
| 1 | S08-43307 | 75                   | 3 x slotted partition L.459 mm<br>2 x aluminium divider L.149 mm<br>7 x aluminium divider L.200 mm |  |
|   | S08-43310 | 100                  |                                                                                                    |  |
| 2 | S08-43407 | 75                   | 4 x slotted partition L.459 mm<br>16 x aluminium divider L.149 mm                                  |  |
|   | S08-43410 | 100                  |                                                                                                    |  |



NOW

Drawer cabinets 54x27 Eh

1023 W x 572 D x 1000 H mm

| PART. NO. |                 |  | DRAWER FRONT H |        |        |        | EXTENSION                                                                           |            |  | RAL          |  |
|-----------|-----------------|------------------------------------------------------------------------------------|----------------|--------|--------|--------|-------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------|--------------|--|
|           |                 |                                                                                    | 75 mm          | 100 mm | 150 mm | 200 mm | Simple 85%                                                                          | Total 100% |                                                                                     |              |  |
| A         | S11-51000-06/75 | 7                                                                                  | 2              | 1      | 3      | 1      |  |            | 200                                                                                 | 7035<br>7016 |  |
| B         | S11-51000-32/75 | 10                                                                                 | 4              | 6      |        |        |  |            | 200                                                                                 | 7035<br>7016 |  |

A



B



|   | PART. NO. | DRAWER<br>FRONT H mm | COMPONENTS                                                                                                                                                      |  |
|---|-----------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 1 | S08-50234 | 75                   | 6 x trough 2 grooves Ø 70mm<br>6 x trough divider<br>6 x trough 3 grooves Ø 45 mm<br>10 x trough divider<br>6 x trough 4 grooves Ø 33 mm<br>15 x trough divider |  |
|   | S08-51407 | 75                   | 12 x plastic box 150x75 mm                                                                                                                                      |  |
| 2 | S08-51410 | 100                  | 12 x plastic box 150x150 mm                                                                                                                                     |  |
|   | S08-53507 | 75                   | 5 x slotted partition L.459 mm                                                                                                                                  |  |
| 3 | S08-53510 | 100                  | 12 x aluminium divider L.149 mm                                                                                                                                 |  |
|   | S08-53515 | 150                  |                                                                                                                                                                 |  |



NOW

Drawer cabinets 54x36 Eh

1023 W x 725 D x 1000 H mm

|   | PART. NO.       |  | DRAWER FRONT H |        |        |        | EXTENSION  |            |  | RAL          |  |
|---|-----------------|------------------------------------------------------------------------------------|----------------|--------|--------|--------|------------|------------|-------------------------------------------------------------------------------------|--------------|--|
|   |                 |                                                                                    | 75 mm          | 100 mm | 150 mm | 200 mm | Simple 85% | Total 100% |                                                                                     |              |  |
| A | S10-51000-08/75 | 7                                                                                  | 2              | 1      | 3      | 1      | ■          |            | 100                                                                                 | 7035<br>7016 |  |
| B | S10-51000-34/75 | 9                                                                                  |                | 9      |        |        |            | ■          | 200                                                                                 | 7035<br>7016 |  |

A



B



|   | PART. NO. | DRAWER<br>FRONT H mm | COMPONENTS                                                                                         |  |
|---|-----------|----------------------|----------------------------------------------------------------------------------------------------|--|
| 1 | S07-51207 | 75                   | 24 x plastic box 150x150 mm                                                                        |  |
|   | S07-51210 | 100                  |                                                                                                    |  |
| 2 | S07-51507 | 75                   | 20 x plastic box 75x75 mm<br>14 x plastic box 150x75 mm<br>12 x plastic box 150x150 mm             |  |
| 3 | S07-53407 | 75                   | 4 x slotted partition L.612 mm<br>2 x aluminium divider L.149 mm<br>3 x aluminium divider L.200 mm |  |
|   | S07-53410 | 100                  |                                                                                                    |  |
|   | S07-53415 | 150                  |                                                                                                    |  |



1



2



3



# CUPBOARDS

Metal cabinets with doors for workshop and office are ideal for protecting and storing away tools and documents. Sides slotted in increments of 25mm to allow drawers and shelves to be adjusted accordingly.

The 4 adjustable shelves, with a load capacity of up to 70 kg, lend themselves to a variety of uses. Customisation with an additional adjustable shelf is possible.

|             | PART. NO.       | DIMENSIONS<br>mm |       |        |  | DOORS                       | SHELVES                                                                           |                                                                                   | RAL /<br>FINISHING |  |
|-------------|-----------------|------------------|-------|--------|-----------------------------------------------------------------------------------|-----------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------|--|
|             |                 | Width            | Depth | Height |                                                                                   |                             |  |  |                    |  |
| A           | S24-32000-01/75 | 1026             | 555   | 2000   | 600                                                                               | Hinged doors                | 4                                                                                 | 70                                                                                | 7035<br>7016       |  |
| ACCESSORIES |                 |                  |       |        |                                                                                   |                             |                                                                                   |                                                                                   |                    |  |
| 1           | S24-30036       | 1000             | 500   | 35     | 70                                                                                | Additional adjustable shelf |                                                                                   |                                                                                   | GALVANI-<br>SED    |  |



A



1




# COMPUTER CABINETS

A critical part of daily working practices includes the maintenance and audit of hardware, computers and other electronic devices especially in workspaces which create dust, swarf and air pollutants.

Our wide range of PC cabinets helps combat the daily degradation and abuse these expensive and essential items receive.

## VERSIONS

NOW



PC cabinets are available in two versions:

- PC cabinet (static or mobile)
- Flat screen PC cabinet (static or mobile)

Monitor leaf door with Plexiglass window for visibility.

## ELECTRICAL SYSTEM



Socket block with 4 sockets, switch ON/OFF and connecting cable, built-in ventilator and dust filter.

## CUSTOMISATION




Possibility of customisation with adjustable shelf in addition.



Computer cabinets

Pc cabinet (static or mobile)

| PART. NO.   |                  | DIMENSIONS<br>mm |       |        |    | DESCRIPTION                                                                                                                                                                                                                                                                                                     | RAL          |  |
|-------------|------------------|------------------|-------|--------|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--|
|             |                  | Width            | Depth | Height |    |                                                                                                                                                                                                                                                                                                                 |              |  |
| A           | S17-61626-00/75  | 717              | 595   | 1625   |    | Socket block with 4 sockets<br>Switch ON/OFF and connecting cable<br>Built-in ventilator and dust filter<br>Central locking system<br>Retractable keyboard drawer with mouse holder<br>Monitor leaf door with Plexiglass window                                                                                 | 7035<br>7016 |  |
| B           | S17-61626A-05/75 | 717              | 595   | 1753   |    | Socket block with 4 sockets<br>Switch ON/OFF and connecting cable<br>Built-in ventilator and dust filter<br>Central locking system<br>Retractable keyboard drawer with mouse holder<br>Monitor leaf door with Plexiglass window<br>Adjustable shelf<br>2 Fixed and 2 swivel braked polyurethane castors Ø 100mm | 7035<br>7016 |  |
| ACCESSORIES |                  |                  |       |        |    |                                                                                                                                                                                                                                                                                                                 |              |  |
| 1           | S17-60028/07     | 658              | 467   | 25     | 70 | Additional adjustable shelf                                                                                                                                                                                                                                                                                     | 7035         |  |



Flat screen cabinet (static)

| PART. NO.   |                 | DIMENSIONS<br>mm |       |        | KG | DESCRIPTION                                                                                                                                                                                                                     | RAL          |  |
|-------------|-----------------|------------------|-------|--------|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--|
|             |                 | Width            | Depth | Height |    |                                                                                                                                                                                                                                 |              |  |
| A           | S17-41676-01/75 | 717              | 595   | 1670   |    | Socket block with 4 sockets<br>Switch ON/OFF and connecting cable<br>Built-in ventilator and dust filter<br>Drawer 75mm - Extension: 80% - Load capacity: 100kg<br>Monitor leaf door with Plexiglass window<br>Adjustable shelf | 7035<br>7016 |  |
| ACCESSORIES |                 |                  |       |        |    |                                                                                                                                                                                                                                 |              |  |
| 1           | S17-60028/07    | 658              | 467   | 25     | 70 | Additional adjustable shelf                                                                                                                                                                                                     | 7035         |  |






# LOCKERS

With personal security being a priority lockers and compartments cabinets are ideal in any private or public workplace and even schools and universities for storing personal effects and work clothing. A wide range of accessories are also available to complete your project. Lockers are made of high-quality sheet steel.

Available with 2 doors with punched slots at the top and bottom to ensure good ventilation. A pair of plinths can be added to lift the cabinet off the floor for easy floor cleaning.

| PART. NO.   |               | DIMENSIONS<br>mm |       |        |  |  | COMPONENTS               |             |                      | RAL /<br>FINISHING |  |
|-------------|---------------|------------------|-------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------|-------------|----------------------|--------------------|--|
|             |               | Width            | Depth | Height | Upper shelf                                                                       |                                                                                   | Upper shelf<br>1 divider | Garment rod | Central<br>partition |                    |  |
| A           | S88-34002C/75 | 805              | 500   | 1750   | 10                                                                                | 2                                                                                 | ■                        | ■           | ■                    | 7035<br>7016       |  |
| ACCESSORIES |               |                  |       |        |                                                                                   |                                                                                   |                          |             |                      |                    |  |
| 1           | S88-18512     | 40               | 500   | 120    | Pair of plinths                                                                   |                                                                                   |                          |             |                      | GALVANI-<br>SED    |  |



A



1



# WORKBENCHES


Our workbenches can be built as static stand-alone units, and with the simple addition of castor sets, can also be made mobile. Manufactured from high quality steel, our workbenches are highly durable, and come with 40mm thick multiplex wood worktops as

standard. Configurations with a workbench and perforated back panels create well organized and visual layout for quick ID, storage and retrieval.



2 available widths: 1500mm and 2000mm


## LOWER SHELVES



Mobile benches are fitted as standard with a 300-mm deep shelf between the legs for greater stability. Up to two shelves with a load capacity of 50 kg can be attached to static benches with two legs to support various materials.

## HOOKS FOR PERFORATED BACK PANELS

Quick-release.




| PART. NO. |                  | DIMENSIONS<br>mm |       |             | LEGS                   | TOP<br>THICKNESS<br>mm |  | DRAWERS                                                                            |                   |        |        |        |            |                                                                                     | RAL          |  |
|-----------|------------------|------------------|-------|-------------|------------------------|------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------|--------|--------|--------|------------|-------------------------------------------------------------------------------------|--------------|--|
|           |                  |                  |       |             |                        |                        |                                                                                   |  | DRAWER<br>FRONT H |        |        |        | EXTENSION  |  |              |  |
|           |                  | Width            | Depth | Height      |                        | Multiplex              |                                                                                   |  | 50 mm             | 100 mm | 150 mm | 300 mm | Simple 85% |                                                                                     |              |  |
| A         | S44-80157-001/07 | 1500             | 750   | 840         | 2 fixed                | 40                     | 800                                                                               |  |                   |        |        |        |            |                                                                                     | 7035         |  |
| B         | S44-80157-009/75 | 1500             | 750   | 840         | 2 fixed                | 40                     | 800                                                                               | 3                                                                                  |                   | 3      |        |        | ■          | 100                                                                                 | 7035<br>7016 |  |
| C         | S44-80157-007/75 | 1500             | 750   | 840         | 1 fixed                | 40                     | 1400                                                                              | 5                                                                                  | 1                 | 2      | 1      | 1      | ■          | 100                                                                                 | 7035<br>7016 |  |
| D         | S44-80157-022/75 | 1500             | 750   | 790<br>1090 | 2 height<br>adjustable | 40                     | 800                                                                               |  |                   |        |        |        |            |                                                                                     | 7035<br>7016 |  |
| E         | S43-80157-054/75 | 1500             | 750   | 840         | 2 mobile               | 40                     | 360                                                                               | 3                                                                                  |                   | 3      |        |        | ■          | 100                                                                                 | 7035<br>7016 |  |

**A** 



**B** 



**C** 



**D** 




**E** 



Partitioning and accessories 1500 x 750 mm

NOW

| PART. NO. |              | DIMENSIONS<br>mm                                                    |       |                   |  |  | DESCRIPTION                                                                                                 | RAL  |  |
|-----------|--------------|---------------------------------------------------------------------|-------|-------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|------|--|
|           |              | Width                                                               | Depth | Height            |                                                                                   |                                                                                   |                                                                                                             |      |  |
| 1         | S07-20023    |                                                                     |       | 50 mm and higher  |                                                                                   |                                                                                   | 8 x trough 2 grooves Ø 70mm<br>10 x trough divider<br>4 x trough 3 grooves Ø 45 mm<br>20 x trough divider   |      |  |
| 2         | S07-21405    |                                                                     |       | 50 mm and higher  |                                                                                   |                                                                                   | 12 x plastic box 150x75 mm<br>6 x plastic box 150x150 mm                                                    |      |  |
|           | S07-21410    |                                                                     |       | 100 mm and higher |                                                                                   |                                                                                   |                                                                                                             |      |  |
| 3         | S07-23210    |                                                                     |       | 100 mm and higher |                                                                                   |                                                                                   | 2 x slotted partition L.612 mm<br>10 x aluminium divider L.149 mm                                           |      |  |
|           | S07-23215    |                                                                     |       | 150 mm and higher |                                                                                   |                                                                                   |                                                                                                             |      |  |
| 4         | S49-15204/07 | 1500                                                                |       | 631               |                                                                                   |                                                                                   | Perforated back panel<br>2 x perforated panel - 1 x Shelf                                                   |      |  |
| 5         | S49-15301/07 | 1500                                                                |       | 935               |                                                                                   |                                                                                   | Perforated back panel<br>3 x perforated panel                                                               |      |  |
| 6         | S40-33014/07 | 1223                                                                | 300   | 30                | 50                                                                                |                                                                                   | Lower shelf                                                                                                 | 7035 |  |
| 7         | S06-97015    |                                                                     |       |                   |                                                                                   | 15                                                                                | 3 x hammer and plier holder<br>6 x spring clip<br>6 x single hook                                           |      |  |
| 8         | S06-97020    |                                                                     |       |                   |                                                                                   | 20                                                                                | 1 x hammer and plier holder<br>6 x spring clip<br>11 x single hook<br>1 x double hook<br>1 x spenner holder |      |  |
| 9         | S106-01041   | Set 4 COMPAT containers size 1 + 1 rail 445mm for perforated panels |       |                   |                                                                                   |                                                                                   |                                                                                                             |      |  |
| 10        | S106-02041   | Set 3 COMPAT containers size 2 + 1 rail 445mm for perforated panels |       |                   |                                                                                   |                                                                                   |                                                                                                             |      |  |



1



2



3




4



5



6




7



8



9



10



Load capacity



No. of hooks

Ready for shipment within 72 hours.

| PART. NO. |                  | DIMENSIONS<br>mm |       |             | LEGS                   | TOP<br>THICKNESS<br>mm |  | DRAWERS                                                                            |                   |        |        |        |            | RAL                                                                                 |              |
|-----------|------------------|------------------|-------|-------------|------------------------|------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------|--------|--------|--------|------------|-------------------------------------------------------------------------------------|--------------|
|           |                  |                  |       |             |                        |                        |                                                                                   |  | DRAWER<br>FRONT H |        |        |        | EXTENSION  |  |              |
|           |                  | Width            | Depth | Height      |                        | Multiplex              |                                                                                   |                                                                                    | 50 mm             | 100 mm | 150 mm | 300 mm | Simple 85% |                                                                                     |              |
| A         | S44-80207-001/07 | 2000             | 750   | 840         | 2 fixed                | 40                     | 400                                                                               |                                                                                    |                   |        |        |        |            |                                                                                     | 7035         |
| B         | S44-80207-009/75 | 2000             | 750   | 840         | 2 fixed                | 40                     | 400                                                                               | 3                                                                                  |                   | 3      |        |        | ■          | 100                                                                                 | 7035<br>7016 |
| C         | S44-80207-007/75 | 2000             | 750   | 840         | 1 fixed                | 40                     | 800                                                                               | 5                                                                                  | 1                 | 2      | 1      | 1      | ■          | 100                                                                                 | 7035<br>7016 |
| D         | S44-80207-022/75 | 2000             | 750   | 790<br>1090 | 2 height<br>adjustable | 40                     | 400                                                                               |                                                                                    |                   |        |        |        |            |                                                                                     | 7035<br>7016 |

A {



B {



C {




D {



# Partitioning and accessories 2000 x 750 mm

NOW

| PART. NO. |              | DIMENSIONS<br>mm                                                    |       |                   | KG | No. of hooks | DESCRIPTION                                                                                                 | RAL  |  |
|-----------|--------------|---------------------------------------------------------------------|-------|-------------------|----|--------------|-------------------------------------------------------------------------------------------------------------|------|--|
|           |              | Width                                                               | Depth | Height            |    |              |                                                                                                             |      |  |
| 1         | S07-20023    |                                                                     |       | 50 mm and higher  |    |              | 8 x trough 2 grooves Ø 70mm<br>10 x trough divider<br>4 x trough 3 grooves Ø 45 mm<br>20 x trough divider   |      |  |
| 2         | S07-21405    |                                                                     |       | 50 mm and higher  |    |              | 12 x plastic box 150x75 mm<br>6 x plastic box 150x150 mm                                                    |      |  |
|           | S07-21410    |                                                                     |       | 100 mm and higher |    |              |                                                                                                             |      |  |
| 3         | S07-23210    |                                                                     |       | 100 mm and higher |    |              | 2 x slotted partition L.612 mm<br>10 x aluminium divider L.149 mm                                           |      |  |
|           | S07-23215    |                                                                     |       | 150 mm and higher |    |              |                                                                                                             |      |  |
| 4         | S49-20203/07 | 2000                                                                |       | 631               |    |              | Perforated back panel<br>2 x perforated panel - 2 x Shelf                                                   |      |  |
| 5         | S49-20301/07 | 2000                                                                |       | 935               |    |              | Perforated back panel<br>6 x perforated panel                                                               |      |  |
| 6         | S40-33019/07 | 1723                                                                | 300   | 30                | 50 |              | Lower shelf                                                                                                 | 7035 |  |
| 7         | S06-97015    |                                                                     |       |                   |    | 15           | 3 x hammer and plier holder<br>6 x spring clip<br>6 x single hook                                           |      |  |
| 8         | S06-97020    |                                                                     |       |                   |    | 20           | 1 x hammer and plier holder<br>6 x spring clip<br>11 x single hook<br>1 x double hook<br>1 x spenner holder |      |  |
| 9         | S106-01041   | Set 4 COMPAT containers size 1 + 1 rail 445mm for perforated panels |       |                   |    |              |                                                                                                             |      |  |
| 10        | S106-02041   | Set 3 COMPAT containers size 2 + 1 rail 445mm for perforated panels |       |                   |    |              |                                                                                                             |      |  |



1



2



3




4



5



6



7



8



9



10




Load capacity



No. of hooks

Ready for shipment within 72 hours.

FAMEPLA  
MORE THAN EFFICIENCY




# CNC TROLLEYS

CNC Storage and transport systems are ideal solutions to accommodate the different types of spindles in an orderly manner, at hand and arrange them so that they are visible without taking up space. Equipped with tool holders to be attached to frames that can be fixed to trolleys or

doors cabinets. The trolleys are equipped with 2 swivel castors with brakes, 2 fixed polyurethane castors with a diameter of 100mm and a shelf with rubber. The cabinets are available with roller shutter and with hinged doors.



Trolleys



NC Roller  
shutter cabinet



NC Hinged door  
cabinet

| PART. NO. | DIMENSIONS<br>mm |                                   |        |  |  |  |                  |             |              | TOOL HOLDERS |      | RAL      |      |
|-----------|------------------|-----------------------------------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------|-------------|--------------|--------------|------|----------|------|
|           |                  |                                   |        |                                                                                   |                                                                                   |                                                                                     |                  |             |              | NR           | TYPE |          |      |
|           | Width            | Depth                             | Height |                                                                                   |                                                                                   | Fixed                                                                               | Swivel<br>braked | Diameter mm | Polyurethane |              |      |          |      |
| A         | S30-10101-704/07 | 1077                              | 508    | 826                                                                               | 360                                                                               | 3                                                                                   | 2                | 2           | 100          | ■            | 40   | ISO-SK40 | 7035 |
|           | S30-10101-705/07 | 1077                              | 508    | 826                                                                               | 360                                                                               | 3                                                                                   | 2                | 2           | 100          | ■            | 25   | ISO-SK50 | 7035 |
|           | S30-10101-708/07 | 1077                              | 508    | 826                                                                               | 360                                                                               | 3                                                                                   | 2                | 2           | 100          | ■            | 40   | HSK63    | 7035 |
|           |                  |                                   |        |                                                                                   |                                                                                   |                                                                                     |                  |             |              |              |      |          |      |
| 1         | ISO-SK40         | Holder to be screwed to the frame |        |                                                                                   |                                                                                   |                                                                                     |                  |             |              |              |      |          |      |
|           | ISO-SK50         |                                   |        |                                                                                   |                                                                                   |                                                                                     |                  |             |              |              |      |          |      |
| 2         | HSK63            | Holder with catch fastener        |        |                                                                                   |                                                                                   |                                                                                     |                  |             |              |              |      |          |      |

A {



1 {




2 {



# CNC Roller shutter cabinet

NOW

| PART. NO.          | DIMENSIONS<br>mm |       |        |  |  | TOOL HOLDERS |          | RAL  |  |
|--------------------|------------------|-------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------|----------|------|--|
|                    |                  |       |        |                                                                                   |                                                                                   | NR           | TYPE     |      |  |
|                    | Width            | Depth | Height |                                                                                   |                                                                                   |              |          |      |  |
| A S24-39200-404/07 | 1040             | 600   | 2000   | 4                                                                                 | 40                                                                                | 156          | ISO-SK40 | 7035 |  |
|                    | 1040             | 600   | 2000   | 4                                                                                 | 40                                                                                | 96           | ISO-SK50 | 7035 |  |
|                    | 1040             | 600   | 2000   | 4                                                                                 | 40                                                                                | 144          | HSK63    | 7035 |  |
| 1                  |                  |       |        |                                                                                   |                                                                                   |              |          |      |  |
|                    |                  |       |        |                                                                                   |                                                                                   |              |          |      |  |
| 2                  |                  |       |        |                                                                                   |                                                                                   |              |          |      |  |
|                    |                  |       |        |                                                                                   |                                                                                   |              |          |      |  |



A



1



2

| PART. NO. | DIMENSIONS<br>mm |                                   |        |  |  | TOOL HOLDERS |      | RAL      |              |
|-----------|------------------|-----------------------------------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------|------|----------|--------------|
|           |                  |                                   |        |                                                                                     |                                                                                     | NR           | TYPE |          |              |
|           | Width            | Depth                             | Height |                                                                                     |                                                                                     |              |      |          |              |
| A         | S24-32000-404/75 | 1026                              | 555    | 2000                                                                                | 40                                                                                  | 4            | 156  | ISO-SK40 | 7035<br>7016 |
|           | S24-32000-405/75 | 1026                              | 555    | 2000                                                                                | 40                                                                                  | 4            | 96   | ISO-SK50 | 7035<br>7016 |
|           | S24-32000-408/75 | 1026                              | 555    | 2000                                                                                | 40                                                                                  | 4            | 144  | HSK63    | 7035<br>7016 |
| 1         | ISO-SK40         | Holder to be screwed to the frame |        |                                                                                     |                                                                                     |              |      |          |              |
|           | ISO-SK50         |                                   |        |                                                                                     |                                                                                     |              |      |          |              |
| 2         | HSK63            | Holder with catch fastener        |        |                                                                                     |                                                                                     |              |      |          |              |

A



1



2







# SHELVED TROLLEYS

FAMEPLA trolleys are ideal for transporting materials of all kinds. Made of sheet steel, they are supplied with 2 swivel castors with brakes and 2 fixed polyurethane castors. The ergonomic aluminium handle provides a secure

grip. The trolley can hold up to 3 additional shelves with a load capacity of 100 kg each, up to a maximum trolley load capacity of 300 kg.

|             | PART. NO.    | DIMENSIONS<br>mm |       |        |  | COMPONENTS                  |  |                  |             |              | RAL  |  |
|-------------|--------------|------------------|-------|--------|-----------------------------------------------------------------------------------|-----------------------------|-----------------------------------------------------------------------------------|------------------|-------------|--------------|------|--|
|             |              | Width            | Depth | Height |                                                                                   |                             | Fixed                                                                             | Swivel<br>braked | Diameter mm | Polyurethane |      |  |
| A           | S79-60480/07 | 632/687          | 486   | 823    | 300                                                                               | Handle                      | 2                                                                                 | 2                | 100         | ■            | 7035 |  |
| ACCESSORIES |              |                  |       |        |                                                                                   |                             |                                                                                   |                  |             |              |      |  |
| 1           | S79-60028/07 | 626              | 480   | 35     | 100                                                                               | Additional adjustable shelf |                                                                                   |                  |             |              | 7035 |  |



A



1



# ATHENA SHELVING

The **ATHENA** shelving features galvanised rails with a load capacity of 50 kg per pair. The galvanised racks have two height dimensions (1100mm and 2000mm) and two different widths and depths depending on the size of the boxes. The side profiles are slotted in increments

of 25mm, allowing optimum adjustment of the height of the rails. The maximum load capacity of the units is 600 kg each.

## BASIC UNIT




Shelving is available in two heights: 1100mm and 2000mm, each with two different combinations of width and depth, depending on the containers to be inserted.

## ADD-ON UNIT



Using an add-on unit, a new unit can be connected to the existing one, saving space and cost of an upright.

## DIAGONAL BRACE




For safety, cross bracings must be used every third unit. All shelving systems must be secured to the floor or wall with the fastening kit.

Depth 400 mm

| PART. NO.         | UNIT  |        | DIMENSIONS<br>mm |       |        | COMPONENTS                                                                       | FINISHING  |  |
|-------------------|-------|--------|------------------|-------|--------|----------------------------------------------------------------------------------|------------|--|
|                   | Basic | Add-on | Width            | Depth | Height |                                                                                  |            |  |
| A<br>S74-24011-02 | ■     |        | 390              | 400   | 1100   | 2 uprights<br>6 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |
|                   |       | ■      | 350              | 400   | 1100   | 1 upright<br>6 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths   | GALVANIZED |  |
| B<br>S74-24020-02 | ■     |        | 390              | 400   | 2000   | 2 uprights<br>12 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |
|                   |       | ■      | 350              | 400   | 2000   | 1 uprights<br>12 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |

A



B



# ATHENA Box 400 x 120 mm h + accessories

NOW

|   | PART. NO.        | DIMENSIONS<br>mm                                           |       |        | CLOSED<br>WALLS | CLOSED<br>BASE | CLOSED<br>HANDLES | VOLUME<br>Lt | GR. | RAL  | NUMBER<br>OF BOXES |            | PACKAGING      |                 |                                                                                             |
|---|------------------|------------------------------------------------------------|-------|--------|-----------------|----------------|-------------------|--------------|-----|------|--------------------|------------|----------------|-----------------|---------------------------------------------------------------------------------------------|
|   |                  | Width                                                      | Depth | Height |                 |                |                   |              |     |      | Shelving A         | Shelving B | Qty. per pack. | Qty. per pallet |                                                                                             |
| 1 | IM AT 4312A 5401 | 400                                                        | 300   | 120    | ■               | ■              | ■                 | 10           | 817 | 7048 | 6                  | 12         | 8              | 160             | REPLAST  |
| 2 | S174-21440       | 3 pairs of guide rails kit                                 |       |        |                 |                |                   |              |     |      |                    |            |                |                 |                                                                                             |
| 3 | S74-21114        | Cross bracing for 1100mm h unit                            |       |        |                 |                |                   |              |     |      |                    |            |                |                 |                                                                                             |
|   | S74-21204        | Cross bracing for 2000mm h unit                            |       |        |                 |                |                   |              |     |      |                    |            |                |                 |                                                                                             |
| 4 | S06-00046        | Floor fastening kit with 2 steel plugs M10x110 with washer |       |        |                 |                |                   |              |     |      |                    |            |                |                 |                                                                                             |




1



2



For safety, cross bracings must be used every third unit. All shelving systems must be secured to the floor or wall with the fastening kit.



3




4

Depth 400 mm

| PART. NO. | UNIT         |        | DIMENSIONS<br>mm |       |        | COMPONENTS                                                                      | FINISHING  |  |
|-----------|--------------|--------|------------------|-------|--------|---------------------------------------------------------------------------------|------------|--|
|           | Basic        | Add-on | Width            | Depth | Height |                                                                                 |            |  |
| A         | S74-24011-03 | ■      | 390              | 400   | 1100   | 1 upright<br>5 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |
|           | S74-24011-13 | ■      | 350              | 400   | 1100   | 1 upright<br>5 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |
| B         | S74-24020-03 | ■      | 390              | 400   | 2000   | 2 uprights<br>9 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |
|           | S74-24020-13 | ■      | 350              | 400   | 2000   | 1 upright<br>12 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |

A



B



# ATHENA Box 400 x 170 mm h + accessories

NOW

|   | PART. NO.        | DIMENSIONS<br>mm                                           |       |        | CLOSED<br>WALLS | CLOSED<br>BASE | CLOSED<br>HANDLES | VOLUME<br>Lt | GR.  | RAL  | NUMBER<br>OF BOXES |            | PACKAGING      |                 |                                                                                             |
|---|------------------|------------------------------------------------------------|-------|--------|-----------------|----------------|-------------------|--------------|------|------|--------------------|------------|----------------|-----------------|---------------------------------------------------------------------------------------------|
|   |                  | Width                                                      | Depth | Height |                 |                |                   |              |      |      | Shelving A         | Shelving B | Qty. per pack. | Qty. per pallet |                                                                                             |
| 1 | IM AT 4317A 5401 | 400                                                        | 300   | 170    | ■               | ■              | ■                 | 15           | 1089 | 7048 | 5                  | 9          | 6              | 112             | REPLAST  |
| 2 | S174-21440       | 3 pairs of guide rails kit                                 |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
| 3 | S74-21114        | Cross bracing for 1100mm h unit                            |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
|   | S74-21204        | Cross bracing for 2000mm h unit                            |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
| 4 | S06-00046        | Floor fastening kit with 2 steel plugs M10x110 with washer |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |




1



2



For safety, cross bracings must be used every third unit. All shelving systems must be secured to the floor or wall with the fastening kit.



3




4

Depth 400 mm

| PART. NO.         | UNIT  |        | DIMENSIONS<br>mm |       |        | COMPONENTS                                                                      | FINISHING  |  |
|-------------------|-------|--------|------------------|-------|--------|---------------------------------------------------------------------------------|------------|--|
|                   | Basic | Add-on | Width            | Depth | Height |                                                                                 |            |  |
| A<br>S74-24011-04 | ■     |        | 390              | 400   | 1100   | 2 upright<br>3 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |
|                   |       | ■      | 350              | 400   | 1100   | 2 upright<br>3 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |
| B<br>S74-24020-04 | ■     |        | 390              | 400   | 2000   | 2 uprights<br>7 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |
|                   |       | ■      | 350              | 400   | 2000   | 1 upright<br>7 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |

A



B



# ATHENA Box 400 x 220 mm h + accessories

NOW

|   | PART. NO.        | DIMENSIONS<br>mm                                           |       |        | CLOSED<br>WALLS | CLOSED<br>BASE | CLOSED<br>HANDLES | VOLUME<br>Lt | GR.  | RAL  | NUMBER<br>OF BOXES |            | PACKAGING      |                 |                                                                                             |
|---|------------------|------------------------------------------------------------|-------|--------|-----------------|----------------|-------------------|--------------|------|------|--------------------|------------|----------------|-----------------|---------------------------------------------------------------------------------------------|
|   |                  | Width                                                      | Depth | Height |                 |                |                   |              |      |      | Shelving A         | Shelving B | Qty. per pack. | Qty. per pallet |                                                                                             |
| 1 | IM AT 4322A 5401 | 400                                                        | 300   | 220    | ■               | ■              | ■                 | 20           | 1342 | 7048 | 3                  | 7          | 4              | 80              | REPLAST  |
| 2 | S174-21440       | 3 pairs of guide rails kit                                 |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
| 3 | S74-21114        | Cross bracing for 1100mm h unit                            |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
|   | S74-21204        | Cross bracing for 2000mm h unit                            |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
| 4 | S06-00046        | Floor fastening kit with 2 steel plugs M10x110 with washer |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |




1



2



For safety, cross bracings must be used every third unit. All shelving systems must be secured to the floor or wall with the fastening kit.



3





4

Depth 400 mm

| PART. NO. | UNIT         |        | DIMENSIONS<br>mm |       |        | COMPONENTS                                                                      | FINISHING  |  |
|-----------|--------------|--------|------------------|-------|--------|---------------------------------------------------------------------------------|------------|--|
|           | Basic        | Add-on | Width            | Depth | Height |                                                                                 |            |  |
| A         | S74-24011-05 | ■      | 390              | 400   | 1100   | 2 upright<br>2 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |
|           | S74-24011-15 | ■      | 350              | 400   | 1100   | 1 upright<br>3 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |
| B         | S74-24020-05 | ■      | 390              | 400   | 2000   | 2 uprights<br>5 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |
|           | S74-24020-15 | ■      | 350              | 400   | 2000   | 1 upright<br>5 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |

A



B



# ATHENA Box 400 x 325 mm h + accessories

NOW

|   | PART. NO.        | DIMENSIONS<br>mm                                           |       |        | CLOSED<br>WALLS | CLOSED<br>BASE | CLOSED<br>HANDLES | VOLUME<br>Lt | GR.  | RAL  | NUMBER<br>OF BOXES |            | PACKAGING      |                 |                                                                                             |
|---|------------------|------------------------------------------------------------|-------|--------|-----------------|----------------|-------------------|--------------|------|------|--------------------|------------|----------------|-----------------|---------------------------------------------------------------------------------------------|
|   |                  | Width                                                      | Depth | Height |                 |                |                   |              |      |      | Shelving A         | Shelving B | Qty. per pack. | Qty. per pallet |                                                                                             |
| 1 | IM AT 4332A 5401 | 400                                                        | 300   | 325    | ■               | ■              | ■                 | 30           | 1935 | 7048 | 2                  | 5          | 2              | 56              | REPLAST  |
| 2 | S174-21440       | 3 pairs of guide rails kit                                 |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
| 3 | S74-21114        | Cross bracing for 1100mm h unit                            |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
|   | S74-21204        | Cross bracing for 2000mm h unit                            |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
| 4 | S06-00046        | Floor fastening kit with 2 steel plugs M10x110 with washer |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |




1



2



For safety, cross bracings must be used every third unit. All shelving systems must be secured to the floor or wall with the fastening kit.



3




4

Depth 600 mm

| PART. NO. | UNIT         |        | DIMENSIONS<br>mm |       |        | COMPONENTS                                                                       | FINISHING  |  |
|-----------|--------------|--------|------------------|-------|--------|----------------------------------------------------------------------------------|------------|--|
|           | Basic        | Add-on | Width            | Depth | Height |                                                                                  |            |  |
| A         | S74-26011-02 | ■      | 490              | 600   | 1100   | 2 upright<br>6 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths   | GALVANIZED |  |
|           | S74-26011-12 | ■      | 450              | 600   | 1100   | 1 upright<br>6 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths   | GALVANIZED |  |
| B         | S74-26020-02 | ■      | 490              | 600   | 2000   | 2 uprights<br>12 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |
|           | S74-26020-12 | ■      | 450              | 600   | 2000   | 1 upright<br>12 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |

A



B



# ATHENA Box 600 x 120 mm h + accessories

NOW

|   | PART. NO.        | DIMENSIONS<br>mm                                           |       |        | CLOSED<br>WALLS | CLOSED<br>BASE | CLOSED<br>HANDLES | VOLUME<br>Lt | GR.  | RAL  | NUMBER<br>OF BOXES |            | PACKAGING      |                 |                                                                                             |
|---|------------------|------------------------------------------------------------|-------|--------|-----------------|----------------|-------------------|--------------|------|------|--------------------|------------|----------------|-----------------|---------------------------------------------------------------------------------------------|
|   |                  | Width                                                      | Depth | Height |                 |                |                   |              |      |      | Shelving A         | Shelving B | Qty. per pack. | Qty. per pallet |                                                                                             |
| 1 | IM AT 6412A 5401 | 600                                                        | 400   | 120    | ■               | ■              | ■                 | 20           | 1710 | 7048 | 6                  | 12         | 4              | 80              | REPLAST  |
| 2 | S174-21660       | 3 pairs of guide rails kit                                 |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
| 3 | S74-21116        | Cross bracing for 1100mm h unit                            |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
|   | S74-21206        | Cross bracing for 2000mm h unit                            |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
| 4 | S06-00046        | Floor fastening kit with 2 steel plugs M10x110 with washer |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |




1



2



For safety, cross bracings must be used every third unit. All shelving systems must be secured to the floor or wall with the fastening kit.



3




4

Depth 600 mm

| PART. NO. | UNIT         |        | DIMENSIONS<br>mm |       |        | COMPONENTS                                                                      | FINISHING  |  |
|-----------|--------------|--------|------------------|-------|--------|---------------------------------------------------------------------------------|------------|--|
|           | Basic        | Add-on | Width            | Depth | Height |                                                                                 |            |  |
| A         | S74-26011-03 | ■      | 490              | 600   | 1100   | 2 upright<br>5 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |
|           | S74-26011-13 | ■      | 450              | 600   | 1100   | 1 upright<br>5 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |
| B         | S74-26020-03 | ■      | 490              | 600   | 2000   | 2 uprights<br>9 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |
|           | S74-26020-13 | ■      | 450              | 600   | 2000   | 1 upright<br>9 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |

A



B



# ATHENA Box 600 x 170 mm h + accessories

NOW

|   | PART. NO.        | DIMENSIONS<br>mm                                           |       |        | CLOSED<br>WALLS | CLOSED<br>BASE | CLOSED<br>HANDLES | VOLUME<br>Lt | GR.  | RAL  | NUMBER<br>OF BOXES |            | PACKAGING      |                 |                                                                                             |
|---|------------------|------------------------------------------------------------|-------|--------|-----------------|----------------|-------------------|--------------|------|------|--------------------|------------|----------------|-----------------|---------------------------------------------------------------------------------------------|
|   |                  | Width                                                      | Depth | Height |                 |                |                   |              |      |      | Shelving A         | Shelving B | Qty. per pack. | Qty. per pallet |                                                                                             |
| 1 | IM AT 6417A 5401 | 600                                                        | 400   | 170    | ■               | ■              | ■                 | 30           | 2230 | 7048 | 5                  | 9          | 3              | 56              | REPLAST  |
| 2 | S174-21660       | 3 pairs of guide rails kit                                 |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
| 3 | S74-21116        | Cross bracing for 1100mm h unit                            |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
|   | S74-21206        | Cross bracing for 2000mm h unit                            |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
| 4 | S06-00046        | Floor fastening kit with 2 steel plugs M10x110 with washer |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |




1



2



For safety, cross bracings must be used every third unit. All shelving systems must be secured to the floor or wall with the fastening kit.



3




4


Depth 600 mm

| PART. NO. | UNIT         |        | DIMENSIONS<br>mm |       |        | COMPONENTS                                                                      | FINISHING  |  |
|-----------|--------------|--------|------------------|-------|--------|---------------------------------------------------------------------------------|------------|--|
|           | Basic        | Add-on | Width            | Depth | Height |                                                                                 |            |  |
| A         | S74-26011-04 | ■      | 490              | 600   | 1100   | 2 upright<br>3 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |
|           | S74-26011-14 | ■      | 450              | 600   | 1100   | 1 upright<br>3 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |
| B         | S74-26020-04 | ■      | 490              | 600   | 2000   | 2 uprights<br>7 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |
|           | S74-26020-14 | ■      | 450              | 600   | 2000   | 1 upright<br>7 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |

A



B



# ATHENA Box 600 x 220 mm h + accessories

NOW

|   | PART. NO.        | DIMENSIONS<br>mm                                           |       |        | CLOSED<br>WALLS | CLOSED<br>BASE | CLOSED<br>HANDLES | VOLUME<br>Lt | GR.  | RAL  | NUMBER<br>OF BOXES |            | PACKAGING      |                 |         |
|---|------------------|------------------------------------------------------------|-------|--------|-----------------|----------------|-------------------|--------------|------|------|--------------------|------------|----------------|-----------------|---------|
|   |                  | Width                                                      | Depth | Height |                 |                |                   |              |      |      | Shelving A         | Shelving B | Qty. per pack. | Qty. per pallet |         |
| 1 | IM AT 6422A 5401 | 600                                                        | 400   | 220    | ■               | ■              | ■                 | 40           | 2702 | 7048 | 3                  | 7          | 2              | 40              | REPLAST |
| 2 | S174-21660       | 3 pairs of guide rails kit                                 |       |        |                 |                |                   |              |      |      |                    |            |                |                 |         |
| 3 | S74-21116        | Cross bracing for 1100mm h unit                            |       |        |                 |                |                   |              |      |      |                    |            |                |                 |         |
|   | S74-21206        | Cross bracing for 2000mm h unit                            |       |        |                 |                |                   |              |      |      |                    |            |                |                 |         |
| 4 | S06-00046        | Floor fastening kit with 2 steel plugs M10x110 with washer |       |        |                 |                |                   |              |      |      |                    |            |                |                 |         |




1



2



For safety, cross bracings must be used every third unit. All shelving systems must be secured to the floor or wall with the fastening kit.



3




4

Shelving without boxes


Depth 600 mm

| PART. NO. | UNIT         |        | DIMENSIONS<br>mm |       |        | COMPONENTS                                                                      | FINISHING  |  |
|-----------|--------------|--------|------------------|-------|--------|---------------------------------------------------------------------------------|------------|--|
|           | Basic        | Add-on | Width            | Depth | Height |                                                                                 |            |  |
| A         | S74-26011-05 | ■      | 490              | 600   | 1100   | 2 upright<br>2 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |
|           | S74-26011-15 | ■      | 450              | 600   | 1100   | 1 upright<br>2 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |
| B         | S74-26020-05 | ■      | 490              | 600   | 2000   | 2 uprights<br>5 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |
|           | S74-26020-15 | ■      | 450              | 600   | 2000   | 1 upright<br>5 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |

A



B



# ATHENA Box 600 x 325 mm h + accessories

NOW

|   | PART. NO.        | DIMENSIONS<br>mm                                           |       |        | CLOSED<br>WALLS | CLOSED<br>BASE | CLOSED<br>HANDLES | VOLUME<br>Lt | GR.  | RAL  | NUMBER<br>OF BOXES |            | PACKAGING      |                 |                                                                                             |
|---|------------------|------------------------------------------------------------|-------|--------|-----------------|----------------|-------------------|--------------|------|------|--------------------|------------|----------------|-----------------|---------------------------------------------------------------------------------------------|
|   |                  | Width                                                      | Depth | Height |                 |                |                   |              |      |      | Shelving A         | Shelving B | Qty. per pack. | Qty. per pallet |                                                                                             |
| 1 | IM AT 6432A 5401 | 600                                                        | 400   | 325    | ■               | ■              | ■                 | 60           | 3313 | 7048 | 2                  | 5          | 3              | 40              | REPLAST  |
| 2 | S174-21660       | 3 pairs of guide rails kit                                 |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
| 3 | S74-21116        | Cross bracing for 1100mm h unit                            |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
|   | S74-21206        | Cross bracing for 2000mm h unit                            |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |
| 4 | S06-00046        | Floor fastening kit with 2 steel plugs M10x110 with washer |       |        |                 |                |                   |              |      |      |                    |            |                |                 |                                                                                             |




1



2




For safety, cross bracings must be used every third unit. All shelving systems must be secured to the floor or wall with the fastening kit.



3



4



# COMPAT SHELVING

The **COMPAT** shelving features galvanised rails with a load capacity of 50 kg per pair. The galvanised racks have two height dimensions (1100mm and 2000mm) and two different widths and depths depending on the size of the boxes.

The side profiles are slotted in increments of 25mm, allowing optimum adjustment of the height of the rails. The maximum load capacity of the units is 600 kg each.

## BASIC UNIT




Shelving is available in two heights: 1100mm and 2000mm, each with two different combinations of width and depth, depending on the containers to be inserted.

## ADD-ON UNIT



Using an add-on unit, a new unit can be connected to the existing one, saving space and cost of an upright.

## DIAGONAL BRACE




For safety, cross bracings must be used every third unit. All shelving systems must be secured to the floor or wall with the fastening kit.

Depth 350 mm

| PART. NO. | UNIT         |        | DIMENSIONS<br>mm |       |        | COMPONENTS                                                                       | FINISHING  |  |
|-----------|--------------|--------|------------------|-------|--------|----------------------------------------------------------------------------------|------------|--|
|           | Basic        | Add-on | Width            | Depth | Height |                                                                                  |            |  |
| A         | S74-23511-02 | ■      | 302              | 350   | 1100   | 2 uprights<br>5 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |
|           | S74-23511-12 | ■      | 262              | 350   | 1100   | 1 uprights<br>5 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths  | GALVANIZED |  |
| B         | S74-23520-02 | ■      | 302              | 350   | 2000   | 2 uprights<br>10 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |
|           | S74-23520-12 | ■      | 262              | 350   | 2000   | 1 uprights<br>10 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |

A



B



# COMPAT Box 200 x 145 mm h + accessories

NOW

|   | PART. NO.       | DIMENSIONS<br>mm                                           |       |        | RIBBED<br>BOTTOM | VOLUME<br>Lt | GR. | RAL  | NUMBER<br>OF BOXES |            | PACKAGING      |                 |           |
|---|-----------------|------------------------------------------------------------|-------|--------|------------------|--------------|-----|------|--------------------|------------|----------------|-----------------|-----------|
|   |                 | Width                                                      | Depth | Height |                  |              |     |      | Shelving A         | Shelving B | Qty. per pack. | Qty. per pallet |           |
| 1 | IM CO C3A2 5401 | 200                                                        | 350   | 145    | ■                | 9,4          | 625 | 7048 | 5                  | 10         | 21             | 252             | REPLAST # |
| 2 | S174-21335      | 3 pairs of guide rails kit                                 |       |        |                  |              |     |      |                    |            |                |                 |           |
| 3 | S74-21113       | Cross bracing for 1100mm h unit                            |       |        |                  |              |     |      |                    |            |                |                 |           |
|   | S74-21203       | Cross bracing for 2000mm h unit                            |       |        |                  |              |     |      |                    |            |                |                 |           |
| 4 | S06-00046       | Floor fastening kit with 2 steel plugs M10x110 with washer |       |        |                  |              |     |      |                    |            |                |                 |           |




1



2



For safety, cross bracings must be used every third unit. All shelving systems must be secured to the floor or wall with the fastening kit.



3




4

Depth 350 mm

| PART. NO. | UNIT         |        | DIMENSIONS<br>mm |       |        | COMPONENTS                                                                      | FINISHING  |  |
|-----------|--------------|--------|------------------|-------|--------|---------------------------------------------------------------------------------|------------|--|
|           | Basic        | Add-on | Width            | Depth | Height |                                                                                 |            |  |
| A         | S74-23511-03 | ■      | 302              | 350   | 1100   | 2 uprights<br>4 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |
|           | S74-23511-13 | ■      | 262              | 350   | 1100   | 1 uprights<br>4 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |
| B         | S74-23520-03 | ■      | 302              | 350   | 2000   | 2 uprights<br>8 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |
|           | S74-23520-13 | ■      | 262              | 350   | 2000   | 1 uprights<br>8 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |

A



B



# COMPAT Box 200 x 200 mm h + accessories

NOW

|   | PART. NO.       | DIMENSIONS<br>mm                                           |       |        | RIBBED<br>BOTTOM | VOLUME<br>Lt | GR. | RAL  | NUMBER<br>OF BOXES |            | PACKAGING      |                 |           |
|---|-----------------|------------------------------------------------------------|-------|--------|------------------|--------------|-----|------|--------------------|------------|----------------|-----------------|-----------|
|   |                 | Width                                                      | Depth | Height |                  |              |     |      | Shelving A         | Shelving B | Qty. per pack. | Qty. per pallet |           |
| 1 | IM CO C003 5401 | 200                                                        | 350   | 200    | ■                | 12.5         | 819 | 7048 | 4                  | 8          | 15             | 180             | REPLAST # |
| 2 | S174-21335      | 3 pairs of guide rails kit                                 |       |        |                  |              |     |      |                    |            |                |                 |           |
| 2 | S74-21113       | Cross bracing for 1100mm h unit                            |       |        |                  |              |     |      |                    |            |                |                 |           |
|   | S74-21203       | Cross bracing for 2000mm h unit                            |       |        |                  |              |     |      |                    |            |                |                 |           |
| 3 | S06-00046       | Floor fastening kit with 2 steel plugs M10x110 with washer |       |        |                  |              |     |      |                    |            |                |                 |           |




1



2



For safety, cross bracings must be used every third unit. All shelving systems must be secured to the floor or wall with the fastening kit.



3




4

Depth 500 mm

| PART. NO. | UNIT         |        | DIMENSIONS<br>mm |       |        | COMPONENTS                                                                      | FINISHING  |  |
|-----------|--------------|--------|------------------|-------|--------|---------------------------------------------------------------------------------|------------|--|
|           | Basic        | Add-on | Width            | Depth | Height |                                                                                 |            |  |
| A         | S74-25011-03 | ■      | 402              | 500   | 1100   | 2 uprights<br>4 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |
|           | S74-25011-13 | ■      | 462              | 500   | 1100   | 1 uprights<br>4 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |
| B         | S74-25020-03 | ■      | 402              | 500   | 2000   | 2 uprights<br>8 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |
|           | S74-25020-13 | ■      | 462              | 500   | 2000   | 1 uprights<br>8 pairs of guide rails<br>1 upper shelf<br>1 pair of base plinths | GALVANIZED |  |

A



B



# COMPAT Box 300 x 200 mm h + accessories

NOW

|   | PART. NO.       | DIMENSIONS<br>mm                                           |       |        | RIBBED<br>BOTTOM | VOLUME<br>Lt | GR.  | RAL  | NUMBER<br>OF BOXES |            | PACKAGING      |                 |         |
|---|-----------------|------------------------------------------------------------|-------|--------|------------------|--------------|------|------|--------------------|------------|----------------|-----------------|---------|
|   |                 | Width                                                      | Depth | Height |                  |              |      |      | Shelving A         | Shelving B | Qty. per pack. | Qty. per pallet |         |
| 1 | IM CO C004 5401 | 300                                                        | 500   | 200    | ■                | 28           | 1395 | 7048 | 4                  | 8          | 10             | 80              | REPLAST |
| 2 | S174-21550      | 3 pairs of guide rails kit                                 |       |        |                  |              |      |      |                    |            |                |                 |         |
| 3 | S74-21115       | Cross bracing for 1100mm h unit                            |       |        |                  |              |      |      |                    |            |                |                 |         |
|   | S74-21205       | Cross bracing for 2000mm h unit                            |       |        |                  |              |      |      |                    |            |                |                 |         |
| 4 | S06-00046       | Floor fastening kit with 2 steel plugs M10x110 with washer |       |        |                  |              |      |      |                    |            |                |                 |         |




1



2




For safety, cross bracings must be used every third unit. All shelving systems must be secured to the floor or wall with the fastening kit.



3



4



# RK SHELVING


Shelving for **RK** series containers have two depths according to the containers to be accommodated. There are 14 shelves with a load capacity of 50 kg, resulting in a total span capacity of 500 kg.

The basic unit includes diagonal brace and must be fixed to the ground by fixing kit.

## BASIC UNIT

## ADD-ON UNIT


NOW



The shelves are available in two depths 625mm and 425mm, depending on the containers to be inserted.

Using an add-on unit, a new unit can be connected to the existing one, saving space and cost of an upright.

## DIAGONAL BRACE



For safety, cross bracings must be used every third unit. All shelving systems must be secured to the floor or wall with the fastening kit.

Depth 425 mm

| PART. NO. |              | UNIT  |        | DIMENSIONS<br>mm |       |        | COMPONENTS                                                               |  KG | FINISHING  |  |
|-----------|--------------|-------|--------|------------------|-------|--------|--------------------------------------------------------------------------|----------------------------------------------------------------------------------------|------------|--|
|           |              | Basic | Add-on | Width            | Depth | Height |                                                                          | Shelf capacity                                                                         |            |  |
| A         | S72-34020-01 | ■     |        | 1100             | 425   | 1997   | 2 uprights<br>15 adjustable shelves<br>14 shelf stops<br>1 cross bracing | 50                                                                                     | GALVANIZED |  |
|           | S72-34020-11 |       | ■      | 1060             | 425   | 1997   | 1 upright<br>15 adjustable shelves<br>14 shelf stops                     | 50                                                                                     | GALVANIZED |  |


A




# RK Box 425 mm h + accessories

NOW

|   | PART. NO.       | DIMENSIONS<br>mm                                           |       |        | SMOOTH<br>BOTTOM | RK QUANTITY<br>PER SHELF | VOLUME<br>Lt | GR. | RAL /<br>FINISHING | PACKAGING      |                 |         |
|---|-----------------|------------------------------------------------------------|-------|--------|------------------|--------------------------|--------------|-----|--------------------|----------------|-----------------|---------|
|   |                 | Width                                                      | Depth | Height |                  |                          |              |     |                    | Qty. per pack. | Qty. per pallet |         |
| 1 | IM RK 3012 5401 | 120                                                        | 300   | 100    | ■                | 8                        | 2            | 374 | 7048               | 32             | 512             | REPLAST |
| 2 | IM RK 3016 5401 | 160                                                        | 300   | 100    | ■                | 6                        | 3            | 387 | 7048               | 24             | 384             | REPLAST |
| 3 | IM RK 4012 5401 | 120                                                        | 400   | 100    | ■                | 8                        | 3            | 458 | 7048               | 32             | 384             | REPLAST |
| 4 | IM RK 4016 5401 | 160                                                        | 400   | 100    | ■                | 6                        | 5            | 468 | 7048               | 24             | 288             | REPLAST |
| 5 | IM RK 4024 5401 | 240                                                        | 400   | 100    |                  | 4                        | 9            | 673 | 7048               | 16             | 192             |         |
| 6 | IM RK S120 1099 | Galvanised shelf stop 120mm                                |       |        |                  |                          |              |     |                    |                |                 |         |
|   | IM RK S160 1099 | Galvanised shelf stop 160mm                                |       |        |                  |                          |              |     |                    |                |                 |         |
| 7 | S72-21302       | Cross bracing for 1997mm h unit                            |       |        |                  |                          |              |     |                    |                |                 |         |
| 8 | S06-00046       | Floor fastening kit with 2 steel plugs M10x110 with washer |       |        |                  |                          |              |     |                    |                |                 |         |



⚠ For safety, cross bracings must be used every second unit. All shelving systems must be secured to the floor with fixing kit.



Depth 625 mm

| PART. NO. |              | UNIT  |        | DIMENSIONS<br>mm |       |        | COMPONENTS                                                                                                          |  KG | FINISHING  |  |
|-----------|--------------|-------|--------|------------------|-------|--------|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|------------|--|
|           |              | Basic | Add-on | Width            | Depth | Height |                                                                                                                     | Shelf capacity                                                                         |            |  |
| A         | S72-36020-01 | ■     |        | 1100             | 625   | 1997   | 2 uprights<br>15 adjustable shelves<br>15 reinforcement profiles one per shelf<br>14 shelf stops<br>1 cross bracing | 50                                                                                     | GALVANIZED |  |
|           | S72-36020-11 |       | ■      | 1060             | 625   | 1997   | 1 upright<br>15 adjustable shelves<br>15 reinforcement profiles one per shelf<br>14 shelf stops                     | 50                                                                                     | GALVANIZED |  |

A






# RK Box 625 mm h + accessories

NOW

|   | PART. NO.       | DIMENSIONS<br>mm                                           |       |        | SMOOTH<br>BOTTOM | RK QUANTITY<br>PER SHELF | VOLUME<br>Lt | GR. | RAL /<br>FINISHING | PACKAGING      |                 |         |
|---|-----------------|------------------------------------------------------------|-------|--------|------------------|--------------------------|--------------|-----|--------------------|----------------|-----------------|---------|
|   |                 | Width                                                      | Depth | Height |                  |                          |              |     |                    | Qty. per pack. | Qty. per pallet |         |
| 1 | IM RK 5012 5401 | 120                                                        | 500   | 100    | ■                | 8                        | 4            | 552 | 7048               | 32             | 256             | REPLAST |
| 2 | IM RK 5016 5401 | 160                                                        | 500   | 100    | ■                | 6                        | 5,5          | 564 | 7048               | 24             | 192             | REPLAST |
| 3 | IM RK 5024 5401 | 240                                                        | 500   | 100    | ■                | 4                        | 9            | 800 | 7048               | 16             | 128             | REPLAST |
| 4 | IM RK 6016 5401 | 160                                                        | 600   | 100    | ■                | 6                        | 7            | 692 | 7048               | 24             | 192             | REPLAST |
| 5 | IM RK S120 1099 | Galvanised shelf stop 120mm                                |       |        |                  |                          |              |     |                    |                |                 |         |
|   | IM RK S160 1099 | Galvanised shelf stop 160mm                                |       |        |                  |                          |              |     |                    |                |                 |         |
| 6 | S72-21302       | Cross bracing for 1997mm h unit                            |       |        |                  |                          |              |     |                    |                |                 |         |
| 7 | S06-00046       | Floor fastening kit with 2 steel plugs M10x110 with washer |       |        |                  |                          |              |     |                    |                |                 |         |



For safety, cross bracings must be used every second unit. All shelving systems must be secured to the floor with fixing kit.





# UNIBOX

The **UNIBOX** series of tilt bins consists of grey ABS structures and high mechanical tilt bins in transparent polystyrene.

Available in models of different depths and height, they share a standard 600 mm width that allows stacking in a wide range of combinations.

## TILT BINS

**NOW**



The drawers, made in high mechanical strength transparent polystyrene, are housed in the ABS container, designed to be positioned on Unibox shelves and in trolleys or fixed to the wall with racks.

## STACKING



Unibox tilt bins are available in different depths and heights but have a standard width of 600 mm. This feature means that modules of the same depth or lesser depth can be stacked, allowing a wide range of combinations.

## TILTED OPENING



Equipped with a handy tilting door opening, Unibox tilt bins offer excellent access and visual identification of products stored.

|                                                                                            | PART. NO. | DIMENSIONS |       |        |   | INCLUDED ACCESSORIES |       | DRAWER DIMENSIONS |       |        | RAL  | PACKAGING      |                 |  |
|--------------------------------------------------------------------------------------------|-----------|------------|-------|--------|---|----------------------|-------|-------------------|-------|--------|------|----------------|-----------------|--|
|                                                                                            |           | Width      | Depth | Height |   | Label cover          | Label | Width             | Depth | Height |      | Qty. per pack. | Qty. per pallet |  |
|  <b>A</b> | S99-60907 | 600        | 51    | 77     | 9 | ■                    | ■     | 59                | 44    | 65     | 7035 | 1              | 468             |  |
|  <b>B</b> | S99-60607 | 600        | 91    | 112    | 6 | ■                    | ■     | 87                | 66    | 100    | 7035 | 1              | 216             |  |
|  <b>C</b> | S99-60507 | 600        | 133   | 164    | 5 | ■                    | ■     | 113               | 100   | 150    | 7035 | 1              | 120             |  |
|  <b>D</b> | S99-60407 | 600        | 170   | 206    | 4 | ■                    | ■     | 142               | 130   | 194    | 7035 | 1              | 80              |  |
|  <b>E</b> | S99-60307 | 600        | 200   | 240    | 3 | ■                    | ■     | 190               | 146   | 225    | 7035 | 1              | 56              |  |



#### A - 9 drawers

|                          |                                                                                                                                                                               |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pieces per pack / pallet |  1  468 |
| Package dimensions       | 615 x 75 x 90 H mm                                                                                                                                                            |
| Pallet dimensions        | 1300 x 1000 x 1600 H mm                                                                                                                                                       |
|                          | Sheet of 9 labels included                                                                                                                                                    |

#### B - 6 drawers

|                          |                                                                                                                                                                                   |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pieces per pack / pallet |  1  216 |
| Package dimensions       | 615 x 110 x 125 H mm                                                                                                                                                              |
| Pallet dimensions        | 1300 x 1000 x 1600 H mm                                                                                                                                                           |
|                          | Sheet of 6 labels included                                                                                                                                                        |

#### C - 5 drawers

|                          |                                                                                                                                                                                   |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pieces per pack / pallet |  1  120 |
| Package dimensions       | 615 x 155 x 180 H mm                                                                                                                                                              |
| Pallet dimensions        | 1300 x 1000 x 2000 H mm                                                                                                                                                           |
|                          | Sheet of 5 labels included                                                                                                                                                        |

#### D - 4 drawers

|                          |                                                                                                                                                                                  |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pieces per pack / pallet |  1  80 |
| Package dimensions       | 615 x 185 x 220 H mm                                                                                                                                                             |
| Pallet dimensions        | 1300 x 1000 x 2000 H mm                                                                                                                                                          |
|                          | Sheet of 4 labels included                                                                                                                                                       |

#### E - 3 drawers


|                          |                                                                                                                                                                                  |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pieces per pack / pallet |  1  56 |
| Package dimensions       | 615 x 215 x 255 H mm                                                                                                                                                             |
| Pallet dimensions        | 1300 x 1000 x 2000 H mm                                                                                                                                                          |
|                          | Sheet of 3 labels included                                                                                                                                                       |

Ready for shipping within 72 hours



|   | PART. NO.  | WIDTH | DEPTH | HEIGHT | RAL  | PACKAGING      |                 |  |
|---|------------|-------|-------|--------|------|----------------|-----------------|--|
|   |            |       |       |        |      | Qty. per pack. | Qty. per pallet |  |
| A | S 99-62157 | 600   | 25    | 1500   | 7035 | 1              |                 |  |
| B | S 99-62177 | 600   | 25    | 1750   | 7035 | 1              |                 |  |
| C | S 99-62197 | 600   | 25    | 1950   | 7035 | 1              |                 |  |

A



B



C




Ready for shipping within 72 hours

# Free standing rack

NOW

Depth 325 mm

|   | PART. NO. | WIDTH | DEPTH | HEIGHT | RAL  | PACKAGING      |                 |  |
|---|-----------|-------|-------|--------|------|----------------|-----------------|--|
|   |           |       |       |        |      | Qty. per pack. | Qty. per pallet |  |
| A | S99-63157 | 600   | 325   | 1500   | 7035 | 1              |                 |  |
| B | S99-63177 | 600   | 325   | 1750   | 7035 | 1              |                 |  |
| C | S99-63197 | 600   | 325   | 1950   | 7035 | 1              |                 |  |



A



B



C

Free standing rack with containers

Depth 325 mm

| ARTICLE        | WIDTH | DEPTH | HEIGHT | INCLUDED ACCESSORIES | RAL  | COMPONENTS                                                                          |                  | PACKAGING     |                |  |
|----------------|-------|-------|--------|----------------------|------|-------------------------------------------------------------------------------------|------------------|---------------|----------------|--|
|                |       |       |        |                      |      |  | UNIBOX PART. NO. |               |                |  |
|                |       |       |        |                      |      |                                                                                     |                  | Qty per pack. | Qty per pallet |  |
| A S99-63177-03 | 600   | 325   | 1750   | UNIBOX               | 7035 | 2                                                                                   | S99-60907        | 1             |                |  |
|                |       |       |        |                      |      | 3                                                                                   | S99-60607        |               |                |  |
|                |       |       |        |                      |      | 3                                                                                   | S99-60507        |               |                |  |
|                |       |       |        |                      |      | 2                                                                                   | S99-60407        |               |                |  |
|                |       |       |        |                      |      | 1                                                                                   | S99-60307        |               |                |  |
| B S99-63197-01 | 600   | 325   | 1950   | UNIBOX               | 7035 | 6                                                                                   | S99-60907        | 1             |                |  |
|                |       |       |        |                      |      | 9                                                                                   | S99-60607        |               |                |  |
|                |       |       |        |                      |      | 1                                                                                   | S99-60507        |               |                |  |
|                |       |       |        |                      |      | 1                                                                                   | S99-60407        |               |                |  |
| C S99-63197-03 | 600   | 325   | 1950   | UNIBOX               | 7035 | 2                                                                                   | S99-60907        | 1             |                |  |
|                |       |       |        |                      |      | 3                                                                                   | S99-60607        |               |                |  |
|                |       |       |        |                      |      | 3                                                                                   | S99-60507        |               |                |  |
|                |       |       |        |                      |      | 3                                                                                   | S99-60407        |               |                |  |
|                |       |       |        |                      |      | 1                                                                                   | S99-60307        |               |                |  |
| D S99-63197-05 | 600   | 325   | 1950   | UNIBOX               | 7035 | 7                                                                                   | S99-60607        | 1             |                |  |
|                |       |       |        |                      |      | 4                                                                                   | S99-60507        |               |                |  |
|                |       |       |        |                      |      | 2                                                                                   | S99-60407        |               |                |  |

A



B



C



D



Ready for shipping within 72 hours

Complete trolley

NOW

| ARTICLE        | WIDTH | DEPTH | HEIGHT | INCLUDED ACCESSORIES  | RAL  | COMPONENTS                                                                        |                  |  | PACKAGING     |                |  |
|----------------|-------|-------|--------|-----------------------|------|-----------------------------------------------------------------------------------|------------------|------------------------------------------------------------------------------------|---------------|----------------|--|
|                |       |       |        |                       |      |  | UNIBOX PART. NO. |                                                                                    | Qty per pack. | Qty per pallet |  |
| A S99-64147-01 | 660   | 750   | 1365   | UNIBOX HANDLE CASTORS | 7035 | 2                                                                                 | S99-60907        | 300                                                                                | 1             |                |  |
|                |       |       |        |                       |      | 6                                                                                 | S99-60607        |                                                                                    |               |                |  |
|                |       |       |        |                       |      | 4                                                                                 | S99-60507        |                                                                                    |               |                |  |
|                |       |       |        |                       |      | 2                                                                                 | S99-60407        |                                                                                    |               |                |  |
|                |       |       |        |                       |      | 2                                                                                 | S99-60307        |                                                                                    |               |                |  |
| B S99-64147-03 | 660   | 750   | 1365   | UNIBOX HANDLE CASTORS | 7035 | 4                                                                                 | S99-60607        | 300                                                                                | 1             |                |  |
|                |       |       |        |                       |      | 4                                                                                 | S99-60507        |                                                                                    |               |                |  |
|                |       |       |        |                       |      | 4                                                                                 | S99-60407        |                                                                                    |               |                |  |
|                |       |       |        |                       |      | 2                                                                                 | S99-60307        |                                                                                    |               |                |  |
| C S99-64147-07 | 660   | 750   | 1365   | UNIBOX HANDLE CASTORS | 7035 | 6                                                                                 | S99-60607        | 300                                                                                | 1             |                |  |
|                |       |       |        |                       |      | 8                                                                                 | S99-60507        |                                                                                    |               |                |  |
|                |       |       |        |                       |      | 2                                                                                 | S99-60407        |                                                                                    |               |                |  |
| D S99-64147-09 | 660   | 750   | 1365   | UNIBOX HANDLE CASTORS | 7035 | 14                                                                                | S99-60507        | 300                                                                                | 1             |                |  |
| E S99-64147-11 | 660   | 750   | 1365   | UNIBOX HANDLE CASTORS | 7035 | 20                                                                                | S99-60607        | 300                                                                                | 1             |                |  |



A



B



C



D



E

 No. of containers

FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

FAMEPLA  
MORE THAN EFFICIENCY



# ATHENA

The variety of materials and sizes of the **ATHENA** series of boxes make them suitable for use in all sectors, with optimal adaptability to storage and distribution requirements. They are stackable with and without lids and conform to euro-pallet sizes.

Edges and reinforcements are designed to give the boxes structural strength to withstand the

heaviest loads.

The bases and walls of the boxes can be closed or perforated.

The handles can also be in open or closed mode. The varied composition of these elements permits a wide range of solutions and does not exclude the option of customised solutions.

## HANDLES

NOW

closed handle



## WALLS

closed walls




## BASES

closed base



800x600 mm  
base for accessories



with crossbars



with feet



with wheels



## LIDS

hinged



with handles



Use of the lid does not exclude the option of stacking the boxes

## CLOSING CLIPS

The Athena series box lid in the hinge and handle version can be closed with a sliding nylon fastener.



closing with lead



## PARTITIONED BOXES




Partitions offer a systematic way to divide Athena series boxes into two or more compartments, depending on the solution chosen. A handy dust LID is available in transparent polystyrene, fitted with a lifting grip.



## COMB DIVIDERS

NOW





To organise and protect particularly delicate articles or materials that must not come into contact with other products during handling and storage, the box can be partitioned by means of comb dividers.

They are of plastic or ESD construction and are available in five heights; the dividers feature slots positioned 20 mm apart, allowing the systematic and variable subdivision of the interior space of the boxes according to the user's needs.

Dividers can be made to measure to satisfy any requirement.

## INTERMEDIATE SHELF

Made of plastic, the intermediate shelf acts as a separator if the box has to be divided into more than one layer. The side grooves on the lid facilitate gripping and removal.



## DOCUMENT HOLDER SPRING

The Document holder spring snaps onto the long or short side of the Athena box and can be used to secure transport notes or other documents.





Ready for shipping within 72 hours

200 x 150 mm    H 150 mm

NOW

| ARTICLE               | WALLS  |            |  | BASE   |            |            | HANDLES |      | GR. | PACKAGING      |                 |  |
|-----------------------|--------|------------|--|--------|------------|------------|---------|------|-----|----------------|-----------------|--|
|                       | Closed | Perforated |  | Closed | Perforated | Reinforced | Closed  | Open |     | Qty. per pack. | Qty. per pallet |  |
| A    IM AT 2115A 5401 | ■      |            |  | ■      |            |            | ■       |      | 311 | 24             | 480             |  |

REPLAST

ATHENA

93



DATASHEET

| A                                |                                                                                                                                                                                |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Stacked edge height              | 139 mm                                                                                                                                                                         |
| Usable stacked height / with lid | 135 mm                                                                                                                                                                         |
| Usable internal dimensions       | 158 x 109 x 146 H mm                                                                                                                                                           |
| Volume                           | 3 L                                                                                                                                                                            |
| Pieces per package / pallet      |  24  480 |
| Package dimensions               | 620 x 420 x 448 H mm                                                                                                                                                           |
| Pallet dimensions                | 1200 x 800 x 2246 H mm                                                                                                                                                         |

FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



300 x 200 mm H 120 mm

A

Closed base  
Load capacity 15 kg



1



2



3



| ARTICLE                    | WALLS  |            |  | BASE   |            |            | HANDLES |      | GR. | PACKAGING      |                 |  |
|----------------------------|--------|------------|--|--------|------------|------------|---------|------|-----|----------------|-----------------|--|
|                            | Closed | Perforated |  | Closed | Perforated | Reinforced | Closed  | Open |     | Qty. per pack. | Qty. per pallet |  |
| REPLAST A IM AT 3212A 5401 | ■      |            |  | ■      |            |            | ■       |      | 451 | 16             | 320             |  |
| ACCESSORIES                |        |            |  |        |            |            |         |      |     |                |                 |  |
| REPLAST 1 IM AT 32HG 5401  |        |            |  |        |            |            |         |      | 150 | 10             | 2560            |  |
| 2 IM SPRING 0099           |        |            |  |        |            |            |         |      |     | 10             |                 |  |
| 3 IM AT LOCK 8113          |        |            |  |        |            |            |         |      |     | 10             |                 |  |

A

|                                  |                        |
|----------------------------------|------------------------|
| Stacked edge height              | 109 mm                 |
| Usable stacked height / with lid | 105 mm / 107 mm        |
| Usable internal dimensions       | 259 x 160 x 116 H mm   |
| Volume                           | 5 L                    |
| Pieces per package / pallet      | 16  320                |
| Package dimensions               | 620 x 420 x 467 H mm   |
| Pallet dimensions                | 1200 x 800 x 2341 H mm |

1

|                           |                         |
|---------------------------|-------------------------|
| Hinged lid                | 300 x 200 mm            |
| Pieces per pack. / dims.  | 10/300 x 200 x 100 mm   |
| Pieces per pallet / dims. | 2560/1200x800x1000 H mm |

2

|                        |    |
|------------------------|----|
| Document holder spring |    |
| Pieces per package     | 10 |

3

|                    |    |
|--------------------|----|
| Pair closing clips |    |
| Pieces per package | 10 |

DATASHEET

Ready for shipping within 72 hours



FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

300 x 200 mm H 170 mm

NOW

| ARTICLE            | WALLS                  |            |  | BASE   |            |            | HANDLES |      | GR. | PACKAGING      |                 |  |
|--------------------|------------------------|------------|--|--------|------------|------------|---------|------|-----|----------------|-----------------|--|
|                    | Closed                 | Perforated |  | Closed | Perforated | Reinforced | Closed  | Open |     | Qty. per pack. | Qty. per pallet |  |
| A IM AT 3217A 5401 | ■                      |            |  | ■      |            |            | ■       |      | 644 | 12             | 224             |  |
| ACCESSORIES        |                        |            |  |        |            |            |         |      |     |                |                 |  |
| 1 IM AT 32HG 5401  |                        |            |  |        |            |            |         |      | 157 | 10             | 2560            |  |
| 2 IM SPRING 0099   | Document holder spring |            |  |        |            |            |         |      |     | 10             |                 |  |
| 3 IM AT LOCK 8113  | Pair closing clips     |            |  |        |            |            |         |      |     | 10             |                 |  |

REPLAST

REPLAST



A  
Closed base  
Load capacity 15 kg



1



2



3



DATASHEET

|                                  |                         |
|----------------------------------|-------------------------|
| A                                |                         |
| Stacked edge height              | 159 mm                  |
| Usable stacked height / with lid | 155 mm / 157 mm         |
| Usable internal dimensions       | 259 x 160 x 166 H mm    |
| Volume                           | 7 L                     |
| Pieces per package / pallet      | 12  224                 |
| Package dimensions               | 620 x 420 x 508 H mm    |
| Pallet dimensions                | 1200 x 800 x 2387 H mm  |
| 1                                |                         |
| Hinged lid                       | 300 x 200 mm            |
| Pieces per pack. / dims.         | 10/300 x 200 x 100 mm   |
| Pieces per pallet / dims.        | 2560/1200x800x1000 H mm |
| 2                                |                         |
| Document holder spring           |                         |
| Pieces per package               | 10                      |
| 3                                |                         |
| Pair closing clips               |                         |
| Pieces per package               | 10                      |

FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

FAMEPLA  
MORE THAN EFFICIENCY



400 x 300 mm H 55 mm

|         | ARTICLE           | WALLS  |            |  | BASE   |            |            | HANDLES |      | GR. | PACKAGING      |                 |  |
|---------|-------------------|--------|------------|--|--------|------------|------------|---------|------|-----|----------------|-----------------|--|
|         |                   | Closed | Perforated |  | Closed | Perforated | Reinforced | Closed  | Open |     | Qty. per pack. | Qty. per pallet |  |
| REPLAST | A IMAT 4305A 5401 | ■      |            |  | ■      |            |            | ■       |      | 510 | 20             | 400             |  |



Closed base  
Load capacity 15 kg



A

|                                  |                        |
|----------------------------------|------------------------|
| Stacked edge height              | 44 mm                  |
| Usable stacked height / with lid | 40 mm / 42 mm          |
| Usable internal dimensions       | 355 x 255 x 51 H mm    |
| Volume                           | 3.8 L                  |
| Pieces per package / pallet      | 20  400                |
| Package dimensions               | 620 x 420 x 471 H mm   |
| Pallet dimensions                | 1200 x 800 x 2361 H mm |

DATASHEET

400 x 300 mm H 55 mm

NOW

|   | ARTICLE         | SEPARATE LID       | HINGED LID | GR. | PACKAGING      |                 |  |
|---|-----------------|--------------------|------------|-----|----------------|-----------------|--|
|   |                 |                    |            |     | Qty. per pack. | Qty. per pallet |  |
| 1 | IM AT 43SE 5401 | ■                  |            | 336 | 10             | 480             |  |
| 2 | IM AT 43HG 5401 |                    | ■          | 355 | 10             | 640             |  |
| 3 | IM AT LOCK 8113 | Pair closing clips |            |     | 10             |                 |  |

REPLAST

REPLAST



DATASHEET

1

|                           |                              |
|---------------------------|------------------------------|
| Separate lid              | 400 x 300 mm                 |
| Pieces per pack. / dims.  | 10 / 400 x 300 x 100 H mm    |
| Pieces per pallet / dims. | 480 / 1200 x 800 x 1000 H mm |

2

|                           |                              |
|---------------------------|------------------------------|
| Hinged lid                | 400 x 300 mm                 |
| Pieces per pack. / dims.  | 10 / 400 x 300 x 100 H mm    |
| Pieces per pallet / dims. | 640 / 1200 x 800 x 1000 H mm |

3

|                    |    |
|--------------------|----|
| Pair closing clips |    |
| Pieces per package | 10 |

FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



400 x 300 mm H 75 mm

|         | ARTICLE          | WALLS  |            |  | BASE   |            |            | HANDLES |      | GR. | PACKAGING      |                 |  |
|---------|------------------|--------|------------|--|--------|------------|------------|---------|------|-----|----------------|-----------------|--|
|         |                  | Closed | Perforated |  | Closed | Perforated | Reinforced | Closed  | Open |     | Qty. per pack. | Qty. per pallet |  |
| REPLAST | A IMAT 4308A5401 | ■      |            |  | ■      |            |            | ■       |      | 540 | 14             | 280             |  |



Closed base  
Load capacity 15 kg



A

|                                  |                        |
|----------------------------------|------------------------|
| Stacked edge height              | 64 mm                  |
| Usable stacked height / with lid | 60 mm / 62 mm          |
| Usable internal dimensions       | 355 x 255 x 71 H mm    |
| Volume                           | 6 L                    |
| Pieces per package / pallet      | 14  280                |
| Package dimensions               | 620 x 420 x 479 H mm   |
| Pallet dimensions                | 1200 x 800 x 2401 H mm |

DATASHEET

Ready for shipping within 72 hours



FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 75 mm

NOW

|   | ARTICLE         | SEPARATE LID           | HINGED LID | GR. | PACKAGING      |                 |  |
|---|-----------------|------------------------|------------|-----|----------------|-----------------|--|
|   |                 |                        |            |     | Qty. per pack. | Qty. per pallet |  |
| 1 | IM AT 43SE 5401 | ■                      |            | 336 | 10             | 480             |  |
| 2 | IM AT 43HG 5401 |                        | ■          | 355 | 10             | 640             |  |
| 3 | IM SPRING 0099  | Document holder spring |            |     | 10             |                 |  |
| 4 | IM AT LOCK 8113 | Pair closing clips     |            |     | 10             |                 |  |

REPLAST

REPLAST



DATASHEET

1

|                           |                              |
|---------------------------|------------------------------|
| Separate lid              | 400 x 300 mm                 |
| Pieces per pack. / dims.  | 10 / 400 x 300 x 100 H mm    |
| Pieces per pallet / dims. | 480 / 1200 x 800 x 1000 H mm |

2

|                           |                              |
|---------------------------|------------------------------|
| Hinged lid                | 400 x 300 mm                 |
| Pieces per pack. / dims.  | 10 / 400 x 300 x 100 H mm    |
| Pieces per pallet / dims. | 640 / 1200 x 800 x 1000 H mm |

3

|                        |    |
|------------------------|----|
| Document holder spring |    |
| Pieces per package     | 10 |

4

|                    |    |
|--------------------|----|
| Pair closing clips |    |
| Pieces per package | 10 |

FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

FAMEPLA  
MORE THAN EFFICIENCY



400 x 300 mm H 120 mm

|         | ARTICLE            | WALLS  |            |  | BASE   |            |            | HANDLES |      | GR. | PACKAGING      |                 |  |
|---------|--------------------|--------|------------|--|--------|------------|------------|---------|------|-----|----------------|-----------------|--|
|         |                    | Closed | Perforated |  | Closed | Perforated | Reinforced | Closed  | Open |     | Qty. per pack. | Qty. per pallet |  |
| REPLAST | A IM AT 4312A 5401 | ■      |            |  | ■      |            |            | ■       |      | 817 | 8              | 160             |  |



Closed base  
Load capacity 15 kg



A

|                                  |                        |
|----------------------------------|------------------------|
| Stacked edge height              | 109 mm                 |
| Usable stacked height / with lid | 105 mm / 107 mm        |
| Usable internal dimensions       | 355 x 255 x 116 H mm   |
| Volume                           | 10 L                   |
| Pieces per package / pallet      | 8  160                 |
| Package dimensions               | 620 x 420 x 467 H mm   |
| Pallet dimensions                | 1200 x 800 x 2341 H mm |

DATASHEET

400 x 300 mm H 120 mm

NOW

|   | ARTICLE         | SEPARATE LID           | HINGED LID | GR. | PACKAGING      |                 |  |
|---|-----------------|------------------------|------------|-----|----------------|-----------------|--|
|   |                 |                        |            |     | Qty. per pack. | Qty. per pallet |  |
| 1 | IM AT 43SE 5401 | ■                      |            | 336 | 10             | 480             |  |
| 2 | IM AT 43HG 5401 |                        | ■          | 355 | 10             | 640             |  |
| 3 | IM SPRING 0099  | Document holder spring |            |     | 10             |                 |  |
| 4 | IM AT LOCK 8113 | Pair closing clips     |            |     | 10             |                 |  |

REPLAST

REPLAST



DATASHEET

1

|                           |                              |
|---------------------------|------------------------------|
| Separate lid              | 400 x 300 mm                 |
| Pieces per pack. / dims.  | 10 / 400 x 300 x 100 H mm    |
| Pieces per pallet / dims. | 480 / 1200 x 800 x 1000 H mm |

2

|                           |                              |
|---------------------------|------------------------------|
| Hinged lid                | 400 x 300 mm                 |
| Pieces per pack. / dims.  | 10 / 400 x 300 x 100 H mm    |
| Pieces per pallet / dims. | 640 / 1200 x 800 x 1000 H mm |

3

|                        |    |
|------------------------|----|
| Document holder spring |    |
| Pieces per package     | 10 |

4

|                    |    |
|--------------------|----|
| Pair closing clips |    |
| Pieces per package | 10 |

FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

FAMEPLA  
MORE THAN EFFICIENCY



400 x 300 mm H 170 mm

|            | ARTICLE          | WALLS  |            |  | BASE   |            |            | HANDLES |      | GR.  | PACKAGING      |                 |  |
|------------|------------------|--------|------------|--|--------|------------|------------|---------|------|------|----------------|-----------------|--|
|            |                  | Closed | Perforated |  | Closed | Perforated | Reinforced | Closed  | Open |      | Qty. per pack. | Qty. per pallet |  |
| REPLAST  A | IM AT 4317A 5401 | ■      |            |  | ■      |            |            | ■       |      | 1089 | 6              | 112             |  |



Closed base  
Load capacity 15 kg



A


|                                  |                        |
|----------------------------------|------------------------|
| Stacked edge height              | 159 mm                 |
| Usable stacked height / with lid | 155 mm / 157 mm        |
| Usable internal dimensions       | 355 x 255 x 166 H mm   |
| Volume                           | 15 L                   |
| Pieces per package / pallet      | 6  112                 |
| Package dimensions               | 620 x 420 x 508 H mm   |
| Pallet dimensions                | 1200 x 800 x 2387 H mm |

DATASHEET

|   | ARTICLE          | SEPARATE LID           | HINGED LID | GR. | PACKAGING      |                 |  |
|---|------------------|------------------------|------------|-----|----------------|-----------------|--|
|   |                  |                        |            |     | Qty. per pack. | Qty. per pallet |  |
| 1 | IM AT 43SE 5401  | ■                      |            | 336 | 10             | 480             |  |
| 2 | IM AT 43HG 5401  |                        | ■          | 355 | 10             | 640             |  |
| 3 | IM SPRING 0099   | Document holder spring |            |     | 10             |                 |  |
| 4 | IM AT LOCK 8113  | Pair closing clips     |            |     | 10             |                 |  |
| 5 | IM AT LH43 5107  | Label holders          |            |     | 10             |                 |  |
| 6 | IM LB 14581 0425 | A4 sheet with 4 labels |            |     | 25             |                 |  |

REPLAST

REPLAST



DATASHEET

|                        |                           |                              |
|------------------------|---------------------------|------------------------------|
| Separate lid           |                           | 400 x 300 mm                 |
| 1                      | Pieces per pack. / dims.  | 10 / 400 x 300 x 100 H mm    |
|                        | Pieces per pallet / dims. | 480 / 1200 x 800 x 1000 H mm |
| Hinged lid             |                           | 400 x 300 mm                 |
| 2                      | Pieces per pack. / dims.  | 10 / 400 x 300 x 100 H mm    |
|                        | Pieces per pallet / dims. | 640 / 1200 x 800 x 1000 H mm |
| Document holder spring |                           |                              |
| 3                      | Pieces per package        | 10                           |
| Pair closing clips     |                           |                              |
| 4                      | Pieces per package        | 10                           |
| Label holders          |                           | 150 x 85 H mm                |
| 5                      | Pieces per package        | 10                           |
| A4 sheet with 4 labels |                           | 145 x 81 mm                  |
| 6                      | Pieces per package        | 25                           |



400 x 300 mm H 220 mm

|            | ARTICLE         | WALLS  |            |  | BASE   |            |            | HANDLES |      | GR.  | PACKAGING      |                 |  |
|------------|-----------------|--------|------------|--|--------|------------|------------|---------|------|------|----------------|-----------------|--|
|            |                 | Closed | Perforated |  | Closed | Perforated | Reinforced | Closed  | Open |      | Qty. per pack. | Qty. per pallet |  |
| REPLAST  A | IMAT 4322A 5401 | ■      |            |  | ■      |            |            | ■       |      | 1342 | 4              | 80              |  |

A

Closed base  
Load capacity 15 kg



A

|                                  |                        |
|----------------------------------|------------------------|
| Stacked edge height              | 209 mm                 |
| Usable stacked height / with lid | 205 mm / 207 mm        |
| Usable internal dimensions       | 355 x 255 x 216 H mm   |
| Volume                           | 20 L                   |
| Pieces per package / pallet      | 4  80                  |
| Package dimensions               | 620 x 420 x 449 H mm   |
| Pallet dimensions                | 1200 x 800 x 2251 H mm |

DATASHEET

Ready for shipping within 72 hours



FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


400 x 300 mm H 220 mm

NOW

|   | ARTICLE          | SEPARATE LID           | HINGED LID | GR. | PACKAGING      |                 |  |
|---|------------------|------------------------|------------|-----|----------------|-----------------|--|
|   |                  |                        |            |     | Qty. per pack. | Qty. per pallet |  |
| 1 | IM AT 43SE 5401  | ■                      |            | 336 | 10             | 480             |  |
| 2 | IM AT 43HG 5401  |                        | ■          | 355 | 10             | 640             |  |
| 3 | IM SPRING 0099   | Document holder spring |            |     | 10             |                 |  |
| 4 | IM AT LOCK 8113  | Pair closing clips     |            |     | 10             |                 |  |
| 5 | IM AT LH43 5107  | Label holders          |            |     | 10             |                 |  |
| 6 | IM LB 14581 0425 | A4 sheet with 4 labels |            |     | 25             |                 |  |

REPLAST

REPLAST



DATASHEET

|                        |                           |                              |
|------------------------|---------------------------|------------------------------|
| Separate lid           |                           | 400 x 300 mm                 |
| 1                      | Pieces per pack. / dims.  | 10 / 400 x 300 x 100 H mm    |
|                        | Pieces per pallet / dims. | 480 / 1200 x 800 x 1000 H mm |
| Hinged lid             |                           | 400 x 300 mm                 |
| 2                      | Pieces per pack. / dims.  | 10 / 400 x 300 x 100 H mm    |
|                        | Pieces per pallet / dims. | 640 / 1200 x 800 x 1000 H mm |
| Document holder spring |                           |                              |
| 3                      | Pieces per package        | 10                           |
| Pair closing clips     |                           |                              |
| 4                      | Pieces per package        | 10                           |
| Label holders          |                           | 150 x 85 H mm                |
| 5                      | Pieces per package        | 10                           |
| A4 sheet with 4 labels |                           | 145 x 81 mm                  |
| 6                      | Pieces per package        | 25                           |

FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

FAMEPLA  
MORE THAN EFFICIENCY



400 x 300 mm H 325 mm

| ARTICLE                  | WALLS  |            |  | BASE   |            |            | HANDLES |      | GR.  | PACKAGING     |                 |  |
|--------------------------|--------|------------|--|--------|------------|------------|---------|------|------|---------------|-----------------|--|
|                          | Closed | Perforated |  | Closed | Perforated | Reinforced | Closed  | Open |      | Qty. per pack | Qty. per pallet |  |
| REPLAST A IMAT 4332A5401 | ■      |            |  | ■      |            |            | ■       |      | 1935 | 2             | 56              |  |



Closed base  
Load capacity 15 kg



A

|                                  |                        |
|----------------------------------|------------------------|
| Stacked edge height              | 314 mm                 |
| Usable stacked height / with lid | 310 mm / 312 mm        |
| Usable internal dimensions       | 355 x 255 x 321 H mm   |
| Volume                           | 30 L                   |
| Pieces per package / pallet      | 2  56                  |
| Package dimensions               | 620 x 420 x 345 H mm   |
| Pallet dimensions                | 1200 x 800 x 2359 H mm |

DATASHEET

Ready for shipping within 72 hours



FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



400 x 300 mm H 325 mm

NOW

|   | ARTICLE          | SEPARATE LID           | HINGED LID | GR. | PACKAGING      |                 |  |
|---|------------------|------------------------|------------|-----|----------------|-----------------|--|
|   |                  |                        |            |     | Qty. per pack. | Qty. per pallet |  |
| 1 | IM AT 43SE 5401  | ■                      |            | 336 | 10             | 480             |  |
| 2 | IM AT 43HG 5401  |                        | ■          | 355 | 10             | 640             |  |
| 3 | IM SPRING 0099   | Document holder spring |            |     | 10             |                 |  |
| 4 | IM AT LOCK 8113  | Pair closing clips     |            |     | 10             |                 |  |
| 5 | IM AT LH43 5107  | Label holders          |            |     | 10             |                 |  |
| 6 | IM LB 14581 0425 | A4 sheet with 4 labels |            |     | 25             |                 |  |

REPLAST

REPLAST



DATASHEET

|                        |                           |                              |
|------------------------|---------------------------|------------------------------|
| Separate lid           |                           | 400 x 300 mm                 |
| 1                      | Pieces per pack. / dims.  | 10 / 400 x 300 x 100 H mm    |
|                        | Pieces per pallet / dims. | 480 / 1200 x 800 x 1000 H mm |
| Hinged lid             |                           | 400 x 300 mm                 |
| 2                      | Pieces per pack. / dims.  | 10 / 400 x 300 x 100 H mm    |
|                        | Pieces per pallet / dims. | 640 / 1200 x 800 x 1000 H mm |
| Document holder spring |                           |                              |
| 3                      | Pieces per package        | 10                           |
| Pair closing clips     |                           |                              |
| 4                      | Pieces per package        | 10                           |
| Label holders          |                           | 150 x 85 H mm                |
| 5                      | Pieces per package        | 10                           |
| A4 sheet with 4 labels |                           | 145 x 81 mm                  |
| 6                      | Pieces per package        | 25                           |

FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

FAMEPLA  
MORE THAN EFFICIENCY

|         | ARTICLE           | 1<br>PARTITION  | 2<br>PARTITIONS | 4<br>PARTITIONS | GR. | PACKA-<br>GING |                 |  |
|---------|-------------------|-----------------|-----------------|-----------------|-----|----------------|-----------------|--|
|         |                   |                 |                 |                 |     | Qty. per pack. | Qty. per pallet |  |
| REPLAST | 1 IM AT 43S1 5407 | ■               |                 |                 | 230 | 20             | 320             |  |
| REPLAST | 2 IM AT 43S2 5407 |                 | ■               |                 | 246 | 20             | 320             |  |
| REPLAST | 3 IM AT 43S4 5407 |                 |                 | ■               | 272 | 20             | 320             |  |
| 4       | IM AT LID4 6896   | Transparent lid |                 |                 | 118 | 20             |                 |  |

1



Subdivision with 1 and 2 compartments

2



Subdivision with 1 and 4 compartments



Subdivision with 2 and 4 compartments

3



4



Ready for shipping within 72 hours

## 1

|                             |                        |     |
|-----------------------------|------------------------|-----|
| Partitioned box 1 partition | 256 x 178 x 90 H mm    |     |
| Pieces per pack / pallet    | 20                     | 320 |
| Package dimensions          | 565 x 375 x 460 H mm   |     |
| Pallet dimensions           | 1200 x 800 x 1990 H mm |     |

## 2

|                              |                        |     |
|------------------------------|------------------------|-----|
| Partitioned box 2 partitions | 256 x 178 x 90 H mm    |     |
| Pieces per pack / pallet     | 20                     | 320 |
| Package dimensions           | 565 x 375 x 460 H mm   |     |
| Pallet dimensions            | 1200 x 800 x 1990 H mm |     |

## 3

|                              |                        |     |
|------------------------------|------------------------|-----|
| Partitioned box 4 partitions | 256 x 178 x 90 H mm    |     |
| Pieces per pack / pallet     | 20                     | 320 |
| Package dimensions           | 565 x 375 x 460 H mm   |     |
| Pallet dimensions            | 1200 x 800 x 1990 H mm |     |







## 4

|                             |                      |  |
|-----------------------------|----------------------|--|
| Transparent polystyrene lid |                      |  |
| Pieces per pack / pallet    | 20                   |  |
| Package dimensions          | 265 x 195 x 180 H mm |  |

400 x 300 mm

NOW

| ARTICLE |                    | H 45 | H 70 | H 90 | H 120 | H 180 | H 220 | PACKA-<br>GING |                 |
|---------|--------------------|------|------|------|-------|-------|-------|----------------|-----------------|
|         |                    |      |      |      |       |       |       | Qty. per pack. | Qty. per pallet |
| 1       | IM DI 2554524 6801 | ■    |      |      |       |       |       | 10             |                 |
|         | IM DI 3554524 6801 | ■    |      |      |       |       |       | 10             |                 |
| 2       | IM DI 2557024 6801 |      | ■    |      |       |       |       | 10             |                 |
|         | IM DI 3557024 6801 |      | ■    |      |       |       |       | 10             |                 |
| 3       | IM DI 2559024 6801 |      |      | ■    |       |       |       | 10             |                 |
|         | IM DI 3559024 6801 |      |      | ■    |       |       |       | 10             |                 |
| 4       | IM DI 2551224 6801 |      |      |      | ■     |       |       | 10             |                 |
|         | IM DI 3551224 6801 |      |      |      | ■     |       |       | 10             |                 |
| 5       | IM DI 2551824 6801 |      |      |      |       | ■     |       | 10             |                 |
|         | IM DI 3551824 6801 |      |      |      |       | ■     |       | 10             |                 |
| 6       | IM DI 2552224 6801 |      |      |      |       |       | ■     | 10             |                 |
|         | IM DI 3552224 6801 |      |      |      |       |       | ■     | 10             |                 |
| 7       | IM DI 43SHT 5101   |      |      |      |       |       |       | 10             |                 |



DATASHEET

|                                           |                                                             |          |
|-------------------------------------------|-------------------------------------------------------------|----------|
| 1                                         | Comb divider 255 x 45 H mm per box<br>400 x 300 x 75 H mm   | 10 items |
|                                           | Comb divider 355 x 45 H mm per box<br>400 x 300 x 75 H mm   | 10 items |
| 2                                         | Comb divider 255 x 70 H mm per box<br>400 x 300 x 120 H mm  | 10 items |
|                                           | Comb divider 355 x 70 H mm per box<br>400 x 300 x 120 H mm  | 10 items |
| 3                                         | Comb divider 255 x 90 H mm per box<br>400 x 300 x 120 H mm  | 10 items |
|                                           | Comb divider 355 x 90 H mm per box<br>400 x 300 x 120 H mm  | 10 items |
| 4                                         | Comb divider 255 x 120 H mm per box<br>400 x 300 x 170 H mm | 10 items |
|                                           | Comb divider 355 x 120 H mm per box<br>400 x 300 x 170 H mm | 10 items |
| 5                                         | Comb divider 255 x 180 H mm per box<br>400 x 300 x 220 H mm | 10 items |
|                                           | Comb divider 355 x 180 H mm per box<br>400 x 300 x 220 H mm | 10 items |
| 6                                         | Comb divider 255 x 220 H mm per box<br>400 x 300 x 270 H mm | 10 items |
|                                           | Comb divider 355 x 220 H mm per box<br>400 x 300 x 270 H mm | 10 items |
| 7                                         |                                                             |          |
| Intermediate partition shelf 355 x 255 mm |                                                             | 10 items |



600 x 400 mm H 75 mm

| ARTICLE                | WALLS  |            |  | BASE   |            |            | HANDLES |      | GR.  | PACKAGING      |                 |  |
|------------------------|--------|------------|--|--------|------------|------------|---------|------|------|----------------|-----------------|--|
|                        | Closed | Perforated |  | Closed | Perforated | Reinforced | Closed  | Open |      | Qty. per pack. | Qty. per pallet |  |
| REPLAST  IMAT6408A5401 | ■      |            |  | ■      |            |            | ■       |      | 1371 | 7              | 140             |  |



Closed base  
Load capacity 20 kg



A

|                                  |                        |
|----------------------------------|------------------------|
| Stacked edge height              | 64 mm                  |
| Usable stacked height / with lid | 60 mm / 62 mm          |
| Usable internal dimensions       | 555 x 355 x 71 H mm    |
| Volume                           | 10 L                   |
| Pieces per package / pallet      | 7  140                 |
| Package dimensions               | 620 x 420 x 479 H mm   |
| Pallet dimensions                | 1200 x 800 x 2401 H mm |

DATASHEET


600 x 400 mm H 75 mm

NOW

|   | ARTICLE         | SEPARATE LID           | HINGED LID | GR. | PACKAGING      |                 |  |
|---|-----------------|------------------------|------------|-----|----------------|-----------------|--|
|   |                 |                        |            |     | Qty. per pack. | Qty. per pallet |  |
| 1 | IM AT 64SE 5401 | ■                      |            | 752 | 10             | 240             |  |
| 2 | IM AT 64HG 5401 |                        | ■          | 732 | 10             | 320             |  |
| 3 | IM SPRING 0099  | Document holder spring |            |     | 10             |                 |  |
| 4 | IM AT LOOK 8113 | Pair closing clips     |            |     | 10             |                 |  |

REPLAST

REPLAST



DATASHEET

|                           |                              |
|---------------------------|------------------------------|
| 1                         |                              |
| Separate lid              | 600 x 400 mm                 |
| Pieces per pack. / dims.  | 10 / 600 x 400 x 100 H mm    |
| Pieces per pallet / dims. | 240 / 1200 x 800 x 1000 H mm |
| 2                         |                              |
| Hinged lid                | 600 x 400 mm                 |
| Pieces per pack. / dims.  | 10 / 600 x 400 x 100 H mm    |
| Pieces per pallet / dims. | 320 / 1200 x 800 x 1000 H mm |
| 3                         |                              |
| Document holder spring    |                              |
| Pieces per package        | 10                           |
| 4                         |                              |
| Pair closing clips        |                              |
| Pieces per package        | 10                           |

FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

FAMEPLA  
MORE THAN EFFICIENCY



600 x 400 mm H 120 mm

|         | ARTICLE            | WALLS  |            |  | BASE   |            |            | HANDLES |      | GR.  | PACKAGING      |                 |  |
|---------|--------------------|--------|------------|--|--------|------------|------------|---------|------|------|----------------|-----------------|--|
|         |                    | Closed | Perforated |  | Closed | Perforated | Reinforced | Closed  | Open |      | Qty. per pack. | Qty. per pallet |  |
| REPLAST | A IM AT 6412A 5401 | ■      |            |  | ■      |            |            | ■       |      | 1710 | 4              | 80              |  |



Closed base  
Load capacity 20 kg



A


|                                  |                        |
|----------------------------------|------------------------|
| Stacked edge height              | 109 mm                 |
| Usable stacked height / with lid | 105 mm / 107 mm        |
| Usable internal dimensions       | 555 x 355 x 116 H mm   |
| Volume                           | 20 L                   |
| Pieces per package / pallet      | 4  80                  |
| Package dimensions               | 620 x 420 x 467 H mm   |
| Pallet dimensions                | 1200 x 800 x 2341 H mm |

DATASHEET

|   | ARTICLE         | SEPARATE LID           | HINGED LID | GR. | PACKAGING      |                 |  |
|---|-----------------|------------------------|------------|-----|----------------|-----------------|--|
|   |                 |                        |            |     | Qty. per pack. | Qty. per pallet |  |
| 1 | IM AT 64SE 5401 | ■                      |            | 752 | 10             | 240             |  |
| 2 | IM AT 64HG 5401 |                        | ■          | 732 | 10             | 320             |  |
| 3 | IM SPRING 0099  | Document holder spring |            |     | 10             |                 |  |
| 4 | IM AT LOOK 8113 | Pair closing clips     |            |     | 10             |                 |  |

REPLAST

REPLAST



DATASHEET

|                           |                              |
|---------------------------|------------------------------|
| 1                         |                              |
| Separate lid              | 600 x 400 mm                 |
| Pieces per pack. / dims.  | 10 / 600 x 400 x 100 H mm    |
| Pieces per pallet / dims. | 240 / 1200 x 800 x 1000 H mm |
| 2                         |                              |
| Hinged lid                | 600 x 400 mm                 |
| Pieces per pack. / dims.  | 10 / 600 x 400 x 100 H mm    |
| Pieces per pallet / dims. | 320 / 1200 x 800 x 1000 H mm |
| 3                         |                              |
| Document holder spring    |                              |
| Pieces per package        | 10                           |
| 4                         |                              |
| Pair closing clips        |                              |
| Pieces per package        | 10                           |

NOW

600 x 400 mm H 170 mm

| ARTICLE                   | WALLS  |            |  | BASE   |            |            | HANDLES |      | GR.  | PACKAGING      |                 |  |
|---------------------------|--------|------------|--|--------|------------|------------|---------|------|------|----------------|-----------------|--|
|                           | Closed | Perforated |  | Closed | Perforated | Reinforced | Closed  | Open |      | Qty. per pack. | Qty. per pallet |  |
| REPLAST A IM AT6417A 5401 | ■      |            |  | ■      |            |            | ■       |      | 2230 | 3              | 56              |  |

A

Closed base  
Load capacity 20 kg



A

|                                  |                                                                                                                                                                                  |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Stacked edge height              | 159 mm                                                                                                                                                                           |
| Usable stacked height / with lid | 155 mm / 157 mm                                                                                                                                                                  |
| Usable internal dimensions       | 555 x 355 x 166 H mm                                                                                                                                                             |
| Volume                           | 30 L                                                                                                                                                                             |
| Pieces per package / pallet      |  3  56 |
| Package dimensions               | 620 x 420 x 508 H mm                                                                                                                                                             |
| Pallet dimensions                | 1200 x 800 x 2387 H mm                                                                                                                                                           |



DATASHEET

Ready for shipping within 72 hours

|   | ARTICLE          | SEPARATE LID           | HINGED LID | GR. | PACKAGING      |                 |  |
|---|------------------|------------------------|------------|-----|----------------|-----------------|--|
|   |                  |                        |            |     | Qty. per pack. | Qty. per pallet |  |
| 1 | IM AT 64SE 5401  | ■                      |            | 752 | 10             | 240             |  |
| 2 | IM AT 64HG 5401  |                        | ■          | 732 | 10             | 320             |  |
| 3 | IM SPRING 0099   | Document holder spring |            |     | 10             |                 |  |
| 4 | IM AT LOOK 8113  | Pair closing clips     |            |     | 10             |                 |  |
| 5 | IM AT LH64 5107  | Label holders          |            |     | 10             |                 |  |
| 6 | IM LB 21081 0325 | A4 sheet with 4 labels |            |     | 25             |                 |  |

REPLAST

REPLAST



DATASHEET

|                        |                           |                              |
|------------------------|---------------------------|------------------------------|
| Separate lid           |                           | 600 x 400 mm                 |
| 1                      | Pieces per pack. / dims.  | 10 / 400 x 30 x 100 H mm     |
|                        | Pieces per pallet / dims. | 240 / 1200 x 800 x 1000 H mm |
| Hinged lid             |                           | 600 x 400 mm                 |
| 2                      | Pieces per pack. / dims.  | 10 / 400 x 300 x 100 H mm    |
|                        | Pieces per pallet / dims. | 320 / 1200 x 800 x 1000 H mm |
| Document holder spring |                           |                              |
| 3                      | Pieces per package        | 10                           |
| Pair closing clips     |                           |                              |
| 4                      | Pieces per package        | 10                           |
| Label holders          |                           | 215 x 85 H mm                |
| 5                      | Pieces per package        | 10                           |
| A4 sheet with 4 labels |                           | 210 x 81 H mm                |
| 6                      | Pieces per package        | 25                           |



600 x 400 mm H 220 mm

| ARTICLE                   | WALLS  |            |  | BASE   |            |            | HANDLES |      | GR.  | PACKAGING      |                 |  |
|---------------------------|--------|------------|--|--------|------------|------------|---------|------|------|----------------|-----------------|--|
|                           | Closed | Perforated |  | Closed | Perforated | Reinforced | Closed  | Open |      | Qty. per pack. | Qty. per pallet |  |
| REPLAST A IM AT6422A 5401 | ■      |            |  | ■      |            |            | ■       |      | 2702 | 2              | 40              |  |



Closed base  
Load capacity 20 kg



A



|                                  |                        |
|----------------------------------|------------------------|
| Stacked edge height              | 209 mm                 |
| Usable stacked height / with lid | 205 mm / 207 mm        |
| Usable internal dimensions       | 555 x 355 x 216 H mm   |
| Volume                           | 40 L                   |
| Pieces per package / pallet      | 2  40                  |
| Package dimensions               | 620 x 420 x 449 H mm   |
| Pallet dimensions                | 1200 x 800 x 2251 H mm |

DATASHEET

|   | ARTICLE          | SEPARATE LID           | HINGED LID | GR. | PACKAGING      |                 |  |
|---|------------------|------------------------|------------|-----|----------------|-----------------|--|
|   |                  |                        |            |     | Qty. per pack. | Qty. per pallet |  |
| 1 | IM AT 64SE 5401  | ■                      |            | 752 | 10             | 240             |  |
| 2 | IM AT 64HG 5401  |                        | ■          | 732 | 10             | 320             |  |
| 3 | IM SPRING 0099   | Document holder spring |            |     | 10             |                 |  |
| 4 | IM AT LOOK 8113  | Pair closing clips     |            |     | 10             |                 |  |
| 5 | IM AT LH64 5107  | Label holders          |            |     | 10             |                 |  |
| 6 | IM LB 21081 0325 | A4 sheet with 4 labels |            |     | 25             |                 |  |

REPLAST

REPLAST



DATASHEET

|                        |                           |                              |
|------------------------|---------------------------|------------------------------|
| Separate lid           |                           | 600 x 400 mm                 |
| 1                      | Pieces per pack. / dims.  | 10 / 600 x 400 x 100 H mm    |
|                        | Pieces per pallet / dims. | 240 / 1200 x 800 x 1000 H mm |
| Hinged lid             |                           | 600 x 400 mm                 |
| 2                      | Pieces per pack. / dims.  | 10 / 600 x 400 x 100 H mm    |
|                        | Pieces per pallet / dims. | 320 / 1200 x 800 x 1000 H mm |
| Document holder spring |                           |                              |
| 3                      | Pieces per package        | 10                           |
| Pair closing clips     |                           |                              |
| 4                      | Pieces per package        | 10                           |
| Label holders          |                           | 215 x 85 H mm                |
| 5                      | Pieces per package        | 10                           |
| A4 sheet with 4 labels |                           | 210 x 81 H mm                |
| 6                      | Pieces per package        | 25                           |



600 x 400 mm H 280 mm

| ARTICLE                   | WALLS  |            |  | BASE   |            |            | HANDLES |      | GR.  | PACKAGING      |                 |  |
|---------------------------|--------|------------|--|--------|------------|------------|---------|------|------|----------------|-----------------|--|
|                           | Closed | Perforated |  | Closed | Perforated | Reinforced | Closed  | Open |      | Qty. per pack. | Qty. per pallet |  |
| REPLAST A IM AT6428A 5401 | ■      |            |  | ■      |            |            | ■       |      | 2995 | 2              | 32              |  |

A

Closed base  
Load capacity 20 kg



A

|                                  |                                                                                                                                                                                  |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Stacked edge height              | 269 mm                                                                                                                                                                           |
| Usable stacked height / with lid | 265 mm / 267 mm                                                                                                                                                                  |
| Usable internal dimensions       | 555 x 355 x 276 H mm                                                                                                                                                             |
| Volume                           | 53 L                                                                                                                                                                             |
| Pieces per package / pallet      |  2  32 |
| Package dimensions               | 620 x 420 x 569 H mm                                                                                                                                                             |
| Pallet dimensions                | 1200 x 800 x 2313 H mm                                                                                                                                                           |

DATASHEET

Ready for shipping within 72 hours





FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

|   | ARTICLE          | SEPARATE LID           | HINGED LID | GR. | PACKAGING      |                 |  |
|---|------------------|------------------------|------------|-----|----------------|-----------------|--|
|   |                  |                        |            |     | Qty. per pack. | Qty. per pallet |  |
| 1 | IM AT 64SE 5401  | ■                      |            | 752 | 10             | 240             |  |
| 2 | IM AT 64HG 5401  |                        | ■          | 732 | 10             | 320             |  |
| 3 | IM SPRING 0099   | Document holder spring |            |     | 10             |                 |  |
| 4 | IM AT LOOK 8113  | Pair closing clips     |            |     | 10             |                 |  |
| 5 | IM AT LH64 5107  | Label holders          |            |     | 10             |                 |  |
| 6 | IM LB 21081 0325 | A4 sheet with 4 labels |            |     | 25             |                 |  |

REPLAST

REPLAST



DATASHEET

|                        |                           |                              |
|------------------------|---------------------------|------------------------------|
| Separate lid           |                           | 600 x 400 mm                 |
| 1                      | Pieces per pack. / dims.  | 10 / 600 x 400 x 100 H mm    |
|                        | Pieces per pallet / dims. | 240 / 1200 x 800 x 1000 H mm |
| Hinged lid             |                           | 600 x 400 mm                 |
| 2                      | Pieces per pack. / dims.  | 10 / 600 x 400 x 100 H mm    |
|                        | Pieces per pallet / dims. | 320 / 1200 x 800 x 1000 H mm |
| Document holder spring |                           |                              |
| 3                      | Pieces per package        | 10                           |
| Pair closing clips     |                           |                              |
| 4                      | Pieces per package        | 10                           |
| Label holders          |                           | 215 x 85 H mm                |
| 5                      | Pieces per package        | 10                           |
| A4 sheet with 4 labels |                           | 210 x 81 H mm                |
| 6                      | Pieces per package        | 25                           |



600 x 400 mm H 325 mm

| ARTICLE                   | WALLS  |            |  | BASE   |            |            | HANDLES |      | GR.  | PACKAGING      |                 |  |
|---------------------------|--------|------------|--|--------|------------|------------|---------|------|------|----------------|-----------------|--|
|                           | Closed | Perforated |  | Closed | Perforated | Reinforced | Closed  | Open |      | Qty. per pack. | Qty. per pallet |  |
| REPLAST A IM AT6432A 5401 | ■      |            |  | ■      |            |            | ■       |      | 3313 | 3              | 40              |  |

A

Closed base  
Load capacity 20 kg



A

|                                  |                                                                                                                                                                                  |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Stacked edge height              | 314 mm                                                                                                                                                                           |
| Usable stacked height / with lid | 310 mm / 312 mm                                                                                                                                                                  |
| Usable internal dimensions       | 555 x 355 x 321 H mm                                                                                                                                                             |
| Volume                           | 60 L                                                                                                                                                                             |
| Pieces per package / pallet      |  3  40 |
| Package dimensions               | 620 x 420 x 670 H mm                                                                                                                                                             |
| Pallet dimensions                | 1200 x 800 x 2410 H mm                                                                                                                                                           |

DATASHEET

Ready for shipping within 72 hours



FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



600 x 400 mm H 325 mm

NOW

|   | ARTICLE          | SEPARATE LID           | HINGED LID | GR. | PACKAGING      |                 |  |
|---|------------------|------------------------|------------|-----|----------------|-----------------|--|
|   |                  |                        |            |     | Qty. per pack. | Qty. per pallet |  |
| 1 | IM AT 64SE 5401  | ■                      |            | 752 | 10             | 240             |  |
| 2 | IM AT 64HG 5401  |                        | ■          | 732 | 10             | 320             |  |
| 3 | IM SPRING 0099   | Document holder spring |            |     | 10             |                 |  |
| 4 | IM AT LOOK 8113  | Pair closing clips     |            |     | 10             |                 |  |
| 5 | IM AT LH64 5107  | Label holders          |            |     | 10             |                 |  |
| 6 | IM LB 21081 0325 | A4 sheet with 4 labels |            |     | 25             |                 |  |

REPLAST

REPLAST



DATASHEET

|                        |                           |                              |
|------------------------|---------------------------|------------------------------|
| Separate lid           |                           | 600 x 400 mm                 |
| 1                      | Pieces per pack. / dims.  | 10 / 600 x 400 x 100 H mm    |
|                        | Pieces per pallet / dims. | 240 / 1200 x 800 x 1000 H mm |
| Hinged lid             |                           | 600 x 400 mm                 |
| 2                      | Pieces per pack. / dims.  | 10 / 600 x 400 x 100 H mm    |
|                        | Pieces per pallet / dims. | 320 / 1200 x 800 x 1000 H mm |
| Document holder spring |                           |                              |
| 3                      | Pieces per package        | 10                           |
| Pair closing clips     |                           |                              |
| 4                      | Pieces per package        | 10                           |
| Label holders          |                           | 215 x 85 H mm                |
| 5                      | Pieces per package        | 10                           |
| A4 sheet with 4 labels |                           | 210 x 81 H mm                |
| 6                      | Pieces per package        | 25                           |

FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

FAMEPLA  
MORE THAN EFFICIENCY



600 x 400 mm

1



2



3



4



5



|         | ARTICLE           | 1<br>PARTITION  | 2<br>PARTITIONS | 4<br>PARTITIONS | GR. | PACKA-<br>GING |                 |  |
|---------|-------------------|-----------------|-----------------|-----------------|-----|----------------|-----------------|--|
|         |                   |                 |                 |                 |     | Qty. per pack  | Qty. per pallet |  |
| REPLAST | 1 IM AT 64S1 5407 | ■               |                 |                 | 428 | 10             | 160             |  |
| REPLAST | 2 IM AT 64S2 5407 |                 | ■               |                 | 460 | 10             | 160             |  |
| REPLAST | 3 IM AT 64S4 5407 |                 |                 | ■               | 489 | 10             | 160             |  |
| REPLAST | 4 IM AT 64S0 5407 | ■               |                 |                 | 345 | 20             | 320             |  |
|         | 5 IM AT LID6 6896 | Transparent lid |                 |                 |     |                | 20              |  |



Subdivision with 1 and 2 compartments



Subdivision with 1 and 4 compartments



Subdivision with 2 and 4 compartments

|   |                              |                        |
|---|------------------------------|------------------------|
| 1 | Partitioned box 1 partition  | 357 x 278 x 90 H mm    |
|   | Pieces per pack / pallet     | 10 160                 |
|   | Package dimensions           | 565 x 375 x 460 H mm   |
|   | Pallet dimensions            | 1200 x 800 x 1990 H mm |
| 2 | Partitioned box 2 partitions | 357 x 278 x 90 H mm    |
|   | Pieces per pack / pallet     | 10 160                 |
|   | Package dimensions           | 565 x 375 x 460 H mm   |
|   | Pallet dimensions            | 1200 x 800 x 1990 H mm |
| 3 | Partitioned box 4 partitions | 357 x 278 x 90 H mm    |
|   | Pieces per pack / pallet     | 10 160                 |
|   | Package dimensions           | 565 x 375 x 460 H mm   |
|   | Pallet dimensions            | 1200 x 800 x 1990 H mm |
| 4 | Partitioned box 1 partition  | 277 x 177 x 99 H mm    |
|   | Pieces per pack / pallet     | 20 320                 |
|   | Package dimensions           | 565 x 375 x 460 H mm   |
|   | Pallet dimensions            | 1200 x 800 x 1990 H mm |
| 5 | Transparent polystyrene lid  |                        |
|   | Pieces per pack / pallet     | 20                     |
|   | Package dimensions           | 365 x 295 x 180 H mm   |

DATASHEET

Ready for shipping within 72 hours









FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm

NOW

| ARTICLE |                    | H 45 | H 70 | H 90 | H 120 | H 180 | H 220 | PACKA-<br>GING |                 |
|---------|--------------------|------|------|------|-------|-------|-------|----------------|-----------------|
|         |                    |      |      |      |       |       |       | Qty. per pack. | Qty. per pallet |
| 1       | IM DI 3554524 6801 | ■    |      |      |       |       |       | 10             |                 |
|         | IM DI 5554524 6801 | ■    |      |      |       |       |       | 10             |                 |
| 2       | IM DI 3557024 6801 |      | ■    |      |       |       |       | 10             |                 |
|         | IM DI 5557024 6801 |      | ■    |      |       |       |       | 10             |                 |
| 3       | IM DI 3559024 6801 |      |      | ■    |       |       |       | 10             |                 |
|         | IM DI 5559024 6801 |      |      | ■    |       |       |       | 10             |                 |
| 4       | IM DI 3551224 6801 |      |      |      | ■     |       |       | 10             |                 |
|         | IM DI 5551224 6801 |      |      |      | ■     |       |       | 10             |                 |
| 5       | IM DI 3551824 6801 |      |      |      |       | ■     |       | 10             |                 |
|         | IM DI 5551824 6801 |      |      |      |       | ■     |       | 10             |                 |
| 6       | IM DI 3552224 6801 |      |      |      |       |       | ■     | 10             |                 |
|         | IM DI 5552224 6801 |      |      |      |       |       | ■     | 10             |                 |
| 7       | IM DI 64SHT 5101   |      |      |      |       |       |       | 10             |                 |



DATASHEET

|                                           |                                                             |          |
|-------------------------------------------|-------------------------------------------------------------|----------|
| 1                                         | Comb divider 355 x 45 H mm per box<br>600 x 400 x 75 H mm   | 10 items |
|                                           | Comb divider 555 x 45 H mm per box<br>600 x 400 x 75 H mm   | 10 items |
| 2                                         | Comb divider 355 x 70 H mm per box<br>600 x 400 x 120 H mm  | 10 items |
|                                           | Comb divider 555 x 70 H mm per box<br>600 x 400 x 120 H mm  | 10 items |
| 3                                         | Comb divider 355 x 90 H mm per box<br>600 x 400 x 120 H mm  | 10 items |
|                                           | Comb divider 555 x 90 H mm per box<br>600 x 400 x 120 H mm  | 10 items |
| 4                                         | Comb divider 355 x 120 H mm per box<br>600 x 400 x 170 H mm | 10 items |
|                                           | Comb divider 555 x 90 H mm per box<br>600 x 400 x 170 H mm  | 10 items |
| 5                                         | Comb divider 355 x 180 H mm per box<br>600 x 400 x 220 H mm | 10 items |
|                                           | Comb divider 555 x 180 H mm per box<br>600 x 400 x 220 H mm | 10 items |
| 6                                         | Comb divider 355 x 220 H mm per box<br>600 x 400 x 280 H mm | 10 items |
|                                           | Comb divider 555 x 220 H mm per box<br>600 x 400 x 280 H mm | 10 items |
| 7                                         |                                                             |          |
| Intermediate partition shelf 555 x 355 mm |                                                             | 10 items |

FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

A

Reinforced base  
Load capacity 60 kg

1



Order 4 feet

2



Order 2 crossbars

3

Order 4 wheels  
IM AT WRCT 100 /125  
or alternatively those on  
the opposite pageAccessories supplied mounted  
When fitted with wheels, the boxes are not stackable

Ready for shipping within 72 hours

|             | ARTICLE            | WALLS                                                           |            | BASE   |            |            | HANDLES |      | GR.  | PACKAGING      |                 |  |
|-------------|--------------------|-----------------------------------------------------------------|------------|--------|------------|------------|---------|------|------|----------------|-----------------|--|
|             |                    | Closed                                                          | Perforated | Closed | Perforated | Reinforced | Closed  | Open |      | Qty. per pack. | Qty. per pallet |  |
| REPLAST     | A IM AT 8612C 5401 | ■                                                               |            |        |            | ■          | ■       |      | 3614 | 4              | 40              |  |
| ACCESSORIES |                    |                                                                 |            |        |            |            |         |      |      |                |                 |  |
| REPLAST     | 1 IM AT FEET 5401  | Foot - Order 4 pieces                                           |            |        |            |            |         |      | 142  | 1              |                 |  |
| REPLAST     | 2 IM AT RUNN 5401  | Crossbar to be slotted under the feet AT FEET<br>Order 2 pieces |            |        |            |            |         |      | 400  | 1              |                 |  |
| 3           | IM AT WRCT 100     | Swivel wheel D. 100 mm in rubber                                |            |        |            |            |         |      |      | 1              |                 |  |
|             | IM AT WRCT 125     | Swivel wheel D. 125 mm in rubber                                |            |        |            |            |         |      |      | 1              |                 |  |



All accessories include fixing screws when required

## A

|                                  |                        |
|----------------------------------|------------------------|
| Stacked edge height              | 105 mm                 |
| Usable stacked height / with lid | 86 mm / 93 mm          |
| Usable internal dimensions       | 755 x 555 x 101 H mm   |
| Volume                           | 49 L                   |
| Pieces per package / pallet      | 4  40                  |
| Package dimensions               | 820 x 620 x 455 H mm   |
| Pallet dimensions                | 1200 x 800 x 2265 H mm |

## 1

|                         |          |
|-------------------------|----------|
| Feet with fixing screws | 100 H mm |
| Pieces per package      | 1        |

## 2


|                    |         |
|--------------------|---------|
| Crossbar           | 25 H mm |
| Pieces per package | 1       |

## 3

|                        |                     |
|------------------------|---------------------|
| Swivel wheel in rubber | diameter 100/125 mm |
| Pieces per package     | 1                   |

|   | ARTICLE         | SEPARATE LID                                      | GR.  | PACKAGING     |                 |  |
|---|-----------------|---------------------------------------------------|------|---------------|-----------------|--|
|   |                 |                                                   |      | Qty. per pack | Qty. per pallet |  |
| 1 | IM AT 86SE 5401 | ■                                                 | 2067 | 5             | 60              |  |
| 2 | IM SPRING 0099  | Document holder spring                            |      | 10            |                 |  |
| 3 | IM AT WRBT 100  | Swivel wheel in rubber w/brake D. 100 mm          |      | 1             |                 |  |
|   | IM AT WRBT 125  | Swivel wheel in rubber w/brake D. 125 mm          |      | 1             |                 |  |
| 4 | IM AT WRCF 100  | Swivel wheel in rubber D. 100 mm                  |      | 1             |                 |  |
|   | IM AT WRCF 125  | Swivel wheel in rubber D. 125 mm                  |      | 1             |                 |  |
| 5 | IM AT WNBT 100  | Swivel wheel in nylon w/brake D. 100 mm           |      | 1             |                 |  |
|   | IM AT WNBT 125  | Swivel wheel in nylon w/brake D. 125 mm           |      | 1             |                 |  |
| 6 | IM AT WNCF 100  | Fixed wheel in nylon D. 100 mm                    |      | 1             |                 |  |
|   | IM AT WNCF 125  | Fixed wheel in nylon D. 125 mm                    |      | 1             |                 |  |
| 7 | IM AT WHBT 125  | Swivel wheel non-marking rubber w/brake D. 125 mm |      | 1             |                 |  |
| 8 | IM AT WHCF 125  | Fixed wheel non-marking rubber D. 125 mm          |      | 1             |                 |  |

REPLAST



All accessories include fixing screws when required

|   |                                                                                    |                       |
|---|------------------------------------------------------------------------------------|-----------------------|
| 1 | Separate lid                                                                       | 800 x 600 mm          |
|   | Pieces per pack / pallet                                                           | 5 60                  |
|   | Package dimensions                                                                 | 800 x 600 x 150 H mm  |
|   | Pallet dimensions                                                                  | 1200 x 800 x 860 H mm |
| 2 | Document holder spring                                                             |                       |
|   | Pieces per package                                                                 | 10                    |
| 3 | Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm                     |                       |
|   | Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm                     |                       |
| 4 | Rubber fixed wheel diameter 100 mm - footprint 128 mm H                            |                       |
|   | Rubber fixed wheel diameter 125 mm - footprint 155 mm H                            |                       |
| 5 | Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm                |                       |
|   | Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm                |                       |
| 6 | Fixed wheel in nylon diameter 100 mm footprint 128 mm H                            |                       |
|   | Fixed wheel in nylon diameter 125 mm footprint 155 mm H                            |                       |
| 7 | Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm |                       |
| 8 | Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm             |                       |


FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

**A**

Reinforced base  
Load capacity 60 kg




**1**




Order 4 feet

**2**



Order 2 crossbars

**3**



Order 4 wheels  
IM AT WRCT 100 /125  
or alternatively those on  
the opposite page

Accessories supplied mounted

Ready for shipping within 72 hours

|             | ARTICLE            | WALLS                                                           |            | BASE   |            |            | HANDLES |      | GR.  | PACKAGING      |                 |  |
|-------------|--------------------|-----------------------------------------------------------------|------------|--------|------------|------------|---------|------|------|----------------|-----------------|--|
|             |                    | Closed                                                          | Perforated | Closed | Perforated | Reinforced | Closed  | Open |      | Qty. per pack. | Qty. per pallet |  |
| REPLAST     | A IM AT 8617C 5401 | ■                                                               |            |        |            | ■          | ■       |      | 3975 | 3              | 28              |  |
| ACCESSORIES |                    |                                                                 |            |        |            |            |         |      |      |                |                 |  |
| REPLAST     | 1 IM AT FEET 5401  | Foot - Order 4 pieces                                           |            |        |            |            |         |      | 142  | 1              |                 |  |
| REPLAST     | 2 IM AT RUNN 5401  | Crossbar to be slotted under the feet AT FEET<br>Order 2 pieces |            |        |            |            |         |      | 400  | 1              |                 |  |
| 3           | IM AT WRCT 100     | Swivel wheel D. 100 mm in rubber                                |            |        |            |            |         |      |      | 1              |                 |  |
|             | IM AT WRCT 125     | Swivel wheel D. 125 mm in rubber                                |            |        |            |            |         |      |      | 1              |                 |  |

All accessories include fixing screws when required

**A**

|                                  |                        |
|----------------------------------|------------------------|
| Stacked edge height              | 155 mm                 |
| Usable stacked height / with lid | 136 mm / 143 mm        |
| Usable internal dimensions       | 755 x 555 x 151 H mm   |
| Volume                           | 69 L                   |
| Pieces per package / pallet      | 3  28                  |
| Package dimensions               | 820 x 620 x 500 H mm   |
| Pallet dimensions                | 1200 x 800 x 2335 H mm |

**1**

|                         |          |
|-------------------------|----------|
| Feet with fixing screws | 100 H mm |
| Pieces per package      | 1        |

**2**


|                    |         |
|--------------------|---------|
| Crossbar           | 25 H mm |
| Pieces per package | 1       |

**3**

|                        |                     |
|------------------------|---------------------|
| Swivel wheel in rubber | diameter 100/125 mm |
| Pieces per package     | 1                   |

|    | ARTICLE          | SEPARATE LID                                      | GR.  | PACKAGING     |                 |  |
|----|------------------|---------------------------------------------------|------|---------------|-----------------|--|
|    |                  |                                                   |      | Qty. per pack | Qty. per pallet |  |
| 1  | IM AT 86SE 5401  | ■                                                 | 2067 | 5             | 60              |  |
| 2  | IM SPRING 0099   | Document holder spring                            |      | 10            |                 |  |
| 3  | IM AT LH64 5107  | Label holders                                     |      | 10            |                 |  |
| 4  | IM LB 21081 0325 | A4 sheet with 3 labels                            |      | 25            |                 |  |
| 5  | IM AT WRBT 100   | Swivel wheel in rubber w/brake D. 100 mm          |      | 1             |                 |  |
|    | IM AT WRBT 125   | Swivel wheel in rubber w/brake D. 125 mm          |      | 1             |                 |  |
| 6  | IM AT WRCF 100   | Swivel wheel in rubber D. 100 mm                  |      | 1             |                 |  |
|    | IM AT WRCF 125   | Swivel wheel in rubber D. 125 mm                  |      | 1             |                 |  |
| 7  | IM AT WNBT 100   | Swivel wheel in nylon w/brake D. 100 mm           |      | 1             |                 |  |
|    | IM AT WNBT 125   | Swivel wheel in nylon w/brake D. 125 mm           |      | 1             |                 |  |
| 8  | IM AT WNCF 100   | Fixed wheel in nylon D. 100 mm                    |      | 1             |                 |  |
|    | IM AT WNCF 125   | Fixed wheel in nylon D. 125 mm                    |      | 1             |                 |  |
| 9  | IM AT WHBT 125   | Swivel wheel non-marking rubber w/brake D. 125 mm |      | 1             |                 |  |
| 10 | IM AT WHCF 125   | Fixed wheel non-marking rubber D. 125 mm          |      | 1             |                 |  |


REPLAST



All accessories include fixing screws when required

DATASHEET

|    |                                                                                    |                       |
|----|------------------------------------------------------------------------------------|-----------------------|
| 1  | Separate lid                                                                       | 800 x 600 mm          |
|    | Pieces per pack / pallet                                                           | 5 60                  |
|    | Package dimensions                                                                 | 800 x 600 x 150 H mm  |
|    | Pallet dimensions                                                                  | 1200 x 800 x 860 H mm |
| 2  | Document holder spring                                                             |                       |
|    | Pieces per package                                                                 | 10                    |
| 3  | Label holders                                                                      | 215 x 85 H mm         |
|    | Pieces per package                                                                 | 10                    |
| 4  | A4 sheet with 3 labels                                                             | 210 x 81 H mm         |
|    | Pieces per package                                                                 | 25                    |
| 5  | Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm                     |                       |
|    | Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm                     |                       |
| 6  | Rubber fixed wheel diameter 100 mm - footprint 128 mm H                            |                       |
|    | Rubber fixed wheel diameter 125 mm - footprint 155 mm H                            |                       |
| 7  | Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm                |                       |
|    | Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm                |                       |
| 8  | Fixed wheel in nylon diameter 100 mm footprint 128 mm H                            |                       |
|    | Fixed wheel in nylon diameter 125 mm footprint 155 mm H                            |                       |
| 9  | Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm |                       |
| 10 | Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm             |                       |



FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



800 x 600 mm H 220 mm




Reinforced base  
Load capacity 60 kg



Order 4 feet



Order 2 crossbars



Order 4 wheels  
IM AT WRCT 100 /125  
or alternatively those on  
the opposite page

Accessories supplied mounted

Ready for shipping within 72 hours



FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

|             | ARTICLE            | WALLS                                                           |            | BASE   |            |            | HANDLES |      | GR.  | PACKAGING      |                 |  |
|-------------|--------------------|-----------------------------------------------------------------|------------|--------|------------|------------|---------|------|------|----------------|-----------------|--|
|             |                    | Closed                                                          | Perforated | Closed | Perforated | Reinforced | Closed  | Open |      | Qty. per pack. | Qty. per pallet |  |
| REPLAST     | A IM AT 8622C 5401 | ■                                                               |            |        |            | ■          | ■       |      | 4795 | 2              | 20              |  |
| ACCESSORIES |                    |                                                                 |            |        |            |            |         |      |      |                |                 |  |
| REPLAST     | 1 IM AT FEET 5401  | Foot - Order 4 pieces                                           |            |        |            |            |         |      | 142  | 1              |                 |  |
| REPLAST     | 2 IM AT RUNN 5401  | Crossbar to be slotted under the feet AT FEET<br>Order 2 pieces |            |        |            |            |         |      | 400  | 1              |                 |  |
| 3           | IM AT WRCT 100     | Swivel wheel D. 100 mm in rubber                                |            |        |            |            |         |      |      | 1              |                 |  |
|             | IM AT WRCT 125     | Swivel wheel D. 125 mm in rubber                                |            |        |            |            |         |      |      | 1              |                 |  |


All accessories include fixing screws when required

| A                                |                        |
|----------------------------------|------------------------|
| Stacked edge height              | 205 mm                 |
| Usable stacked height / with lid | 186 mm / 193 mm        |
| Usable internal dimensions       | 755 x 555 x 201 H mm   |
| Volume                           | 90 L                   |
| Pieces per package / pallet      | 2  20                  |
| Package dimensions               | 820 x 620 x 445h H mm  |
| Pallet dimensions                | 1200 x 800 x 2215 H mm |
| 1                                |                        |
| Feet with fixing screws          | 100 H mm               |
| Pieces per package               | 1                      |
| 2                                |                        |
| Crossbar                         | 25 H mm                |
| Pieces per package               | 1                      |
| 3                                |                        |
| Swivel wheel in rubber           | diameter 100/125 mm    |
| Pieces per package               | 1                      |

DATASHEET

|    | ARTICLE          | SEPARATE LID                                      | GR.  | PACKAGING     |                 |  |
|----|------------------|---------------------------------------------------|------|---------------|-----------------|--|
|    |                  |                                                   |      | Qty. per pack | Qty. per pallet |  |
| 1  | IM AT 86SE 5401  | ■                                                 | 2067 | 5             | 60              |  |
| 2  | IM SPRING 0099   | Document holder spring                            |      | 10            |                 |  |
| 3  | IM AT LH64 5107  | Label holders                                     |      | 10            |                 |  |
| 4  | IM LB 21081 0325 | A4 sheet with 3 labels                            |      | 25            |                 |  |
| 5  | IM AT WRBT 100   | Swivel wheel in rubber w/brake D. 100 mm          |      | 1             |                 |  |
|    | IM AT WRBT 125   | Swivel wheel in rubber w/brake D. 125 mm          |      | 1             |                 |  |
| 6  | IM AT WRCF 100   | Swivel wheel in rubber D. 100 mm                  |      | 1             |                 |  |
|    | IM AT WRCF 125   | Swivel wheel in rubber D. 125 mm                  |      | 1             |                 |  |
| 7  | IM AT WNBT 100   | Swivel wheel in nylon w/brake D. 100 mm           |      | 1             |                 |  |
|    | IM AT WNBT 125   | Swivel wheel in nylon w/brake D. 125 mm           |      | 1             |                 |  |
| 8  | IM AT WNCF 100   | Fixed wheel in nylon D. 100 mm                    |      | 1             |                 |  |
|    | IM AT WNCF 125   | Fixed wheel in nylon D. 125 mm                    |      | 1             |                 |  |
| 9  | IM AT WHBT 125   | Swivel wheel non-marking rubber w/brake D. 125 mm |      | 1             |                 |  |
| 10 | IM AT WHCF 125   | Fixed wheel non-marking rubber D. 125 mm          |      | 1             |                 |  |


REPLAST



All accessories include fixing screws when required

DATASHEET




|    |                                                                                    |                       |
|----|------------------------------------------------------------------------------------|-----------------------|
| 1  | Separate lid                                                                       | 800 x 600 mm          |
|    | Pieces per pack / pallet                                                           | 5 60                  |
|    | Package dimensions                                                                 | 800 x 600 x 150 H mm  |
|    | Pallet dimensions                                                                  | 1200 x 800 x 860 H mm |
| 2  | Document holder spring                                                             |                       |
|    | Pieces per package                                                                 | 10                    |
| 3  | Label holders                                                                      | 215 x 85 H mm         |
|    | Pieces per package                                                                 | 10                    |
| 4  | A4 sheet with 3 labels                                                             | 210 x 81 H mm         |
|    | Pieces per package                                                                 | 25                    |
| 5  | Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm                     |                       |
|    | Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm                     |                       |
| 6  | Rubber fixed wheel diameter 100 mm - footprint 128 mm H                            |                       |
|    | Rubber fixed wheel diameter 125 mm - footprint 155 mm H                            |                       |
| 7  | Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm                |                       |
|    | Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm                |                       |
| 8  | Fixed wheel in nylon diameter 100 mm footprint 128 mm H                            |                       |
|    | Fixed wheel in nylon diameter 125 mm footprint 155 mm H                            |                       |
| 9  | Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm |                       |
| 10 | Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm             |                       |



FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



800 x 600 mm H 320 mm



Accessories supplied mounted

Ready for shipping within 72 hours



FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


|             | ARTICLE            | WALLS                                                           |            | BASE   |            |            | HANDLES |      | GR.  | PACKAGING      |                 |  |
|-------------|--------------------|-----------------------------------------------------------------|------------|--------|------------|------------|---------|------|------|----------------|-----------------|--|
|             |                    | Closed                                                          | Perforated | Closed | Perforated | Reinforced | Closed  | Open |      | Qty. per pack. | Qty. per pallet |  |
| REPLAST     | A IM AT 8632C 5401 | ■                                                               |            |        |            | ■          | ■       |      | 5665 | 2              | 14              |  |
| ACCESSORIES |                    |                                                                 |            |        |            |            |         |      |      |                |                 |  |
| REPLAST     | 1 IM AT FEET 5401  | Foot - Order 4 pieces                                           |            |        |            |            |         |      | 142  | 1              |                 |  |
| REPLAST     | 2 IM AT RUNN 5401  | Crossbar to be slotted under the feet AT FEET<br>Order 2 pieces |            |        |            |            |         |      | 400  | 1              |                 |  |
| 3           | IM AT WRCT 100     | Swivel wheel D. 100 mm in rubber                                |            |        |            |            |         |      |      | 1              |                 |  |
|             | IM AT WRCT 125     | Swivel wheel D. 125 mm in rubber                                |            |        |            |            |         |      |      | 1              |                 |  |

All accessories include fixing screws when required

| A                                |                        |
|----------------------------------|------------------------|
| Stacked edge height              | 310 mm                 |
| Usable stacked height / with lid | 291 mm / 298 mm        |
| Usable internal dimensions       | 755 x 555 x 306 H mm   |
| Volume                           | 130 L                  |
| Pieces per package / pallet      | 2  14                  |
| Package dimensions               | 820 x 620 x 655 H mm   |
| Pallet dimensions                | 1200 x 800 x 2335 H mm |
| 1                                |                        |
| Feet with fixing screws          | 100 H mm               |
| Pieces per package               | 1                      |
| 2                                |                        |
| Crossbar                         | 25 H mm                |
| Pieces per package               | 1                      |
| 3                                |                        |
| Swivel wheel in rubber           | diameter 100/125 mm    |
| Pieces per package               | 1                      |

|    | ARTICLE          | SEPARATE LID                                      | GR.  | PACKAGING     |                 |  |
|----|------------------|---------------------------------------------------|------|---------------|-----------------|--|
|    |                  |                                                   |      | Qty. per pack | Qty. per pallet |  |
| 1  | IM AT 86SE 5401  | ■                                                 | 2067 | 5             | 60              |  |
| 2  | IM SPRING 0099   | Document holder spring                            |      | 10            |                 |  |
| 3  | IM AT LH64 5107  | Label holders                                     |      | 10            |                 |  |
| 4  | IM LB 21081 0325 | A4 sheet with 3 labels                            |      | 25            |                 |  |
| 5  | IM AT WRBT 100   | Swivel wheel in rubber w/brake D. 100 mm          |      | 1             |                 |  |
|    | IM AT WRBT 125   | Swivel wheel in rubber w/brake D. 125 mm          |      | 1             |                 |  |
| 6  | IM AT WRCF 100   | Swivel wheel in rubber D. 100 mm                  |      | 1             |                 |  |
|    | IM AT WRCF 125   | Swivel wheel in rubber D. 125 mm                  |      | 1             |                 |  |
| 7  | IM AT WNBT 100   | Swivel wheel in nylon w/brake D. 100 mm           |      | 1             |                 |  |
|    | IM AT WNBT 125   | Swivel wheel in nylon w/brake D. 125 mm           |      | 1             |                 |  |
| 8  | IM AT WNCF 100   | Fixed wheel in nylon D. 100 mm                    |      | 1             |                 |  |
|    | IM AT WNCF 125   | Fixed wheel in nylon D. 125 mm                    |      | 1             |                 |  |
| 9  | IM AT WHBT 125   | Swivel wheel non-marking rubber w/brake D. 125 mm |      | 1             |                 |  |
| 10 | IM AT WHCF 125   | Fixed wheel non-marking rubber D. 125 mm          |      | 1             |                 |  |


REPLAST



All accessories include fixing screws when required

DATASHEET




|    |                                                                                    |                       |
|----|------------------------------------------------------------------------------------|-----------------------|
| 1  | Separate lid                                                                       | 800 x 600 mm          |
|    | Pieces per pack / pallet                                                           | 5 60                  |
|    | Package dimensions                                                                 | 800 x 600 x 150 H mm  |
|    | Pallet dimensions                                                                  | 1200 x 800 x 860 H mm |
| 2  | Document holder spring                                                             |                       |
|    | Pieces per package                                                                 | 10                    |
| 3  | Label holders                                                                      | 215 x 85 H mm         |
|    | Pieces per package                                                                 | 10                    |
| 4  | A4 sheet with 3 labels                                                             | 210 x 81 H mm         |
|    | Pieces per package                                                                 | 25                    |
| 5  | Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm                     |                       |
|    | Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm                     |                       |
| 6  | Rubber fixed wheel diameter 100 mm - footprint 128 mm H                            |                       |
|    | Rubber fixed wheel diameter 125 mm - footprint 155 mm H                            |                       |
| 7  | Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm                |                       |
|    | Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm                |                       |
| 8  | Fixed wheel in nylon diameter 100 mm footprint 128 mm H                            |                       |
|    | Fixed wheel in nylon diameter 125 mm footprint 155 mm H                            |                       |
| 9  | Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm |                       |
| 10 | Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm             |                       |



FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



800 x 600 mm H 430 mm



Accessories supplied mounted

Ready for shipping within 72 hours



FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

|             | ARTICLE | WALLS      |            | BASE                                                         |            |            | HANDLES |      | GR.  | PACKAGING      |                 |  |
|-------------|---------|------------|------------|--------------------------------------------------------------|------------|------------|---------|------|------|----------------|-----------------|--|
|             |         | Closed     | Perforated | Closed                                                       | Perforated | Reinforced | Closed  | Open |      | Qty. per pack. | Qty. per pallet |  |
| REPLAST     | A       | IMAT8643C  | 5401       | ■                                                            |            |            | ■       | ■    | 6518 | 1              | 10              |  |
| ACCESSORIES |         |            |            |                                                              |            |            |         |      |      |                |                 |  |
| REPLAST     | 1       | IM AT FEET | 5401       | Foot - Order 4 pieces                                        |            |            |         |      | 142  | 1              |                 |  |
| REPLAST     | 2       | IM AT RUNN | 5401       | Crossbar to be slotted under the feet AT FEET Order 2 pieces |            |            |         |      | 400  | 1              |                 |  |
| 3           |         | IM AT WRCT | 100        | Swivel wheel D. 100 mm in rubber                             |            |            |         |      |      | 1              |                 |  |
|             |         | IM AT WRCT | 125        | Swivel wheel D. 125 mm in rubber                             |            |            |         |      |      | 1              |                 |  |


All accessories include fixing screws when required

| A                                |                        |
|----------------------------------|------------------------|
| Stacked edge height              | 415 mm                 |
| Usable stacked height / with lid | 396 mm / 403 mm        |
| Usable internal dimensions       | 755 x 555 x 411 H mm   |
| Volume                           | 175 L                  |
| Pieces per package / pallet      | 1  10                  |
| Package dimensions               | 820 x 620 x 450 H mm   |
| Pallet dimensions                | 1200 x 800 x 2240 H mm |
| 1                                |                        |
| Feet with fixing screws          | 100 H mm               |
| Pieces per package               | 1                      |
| 2                                |                        |
| Crossbar                         | 25 H mm                |
| Pieces per package               | 1                      |
| 3                                |                        |
| Swivel wheel in rubber           | diameter 100/125 mm    |
| Pieces per package               | 1                      |

DATASHEET

|    | ARTICLE          | SEPARATE LID                                      | GR.  | PACKAGING     |                 |  |
|----|------------------|---------------------------------------------------|------|---------------|-----------------|--|
|    |                  |                                                   |      | Qty. per pack | Qty. per pallet |  |
| 1  | IM AT 86SE 5401  | ■                                                 | 2067 | 5             | 60              |  |
| 2  | IM SPRING 0099   | Document holder spring                            |      | 10            |                 |  |
| 3  | IM AT LH64 5107  | Label holders                                     |      | 10            |                 |  |
| 4  | IM LB 21081 0325 | A4 sheet with 3 labels                            |      | 25            |                 |  |
| 5  | IM AT WRBT 100   | Swivel wheel in rubber w/brake D. 100 mm          |      | 1             |                 |  |
|    | IM AT WRBT 125   | Swivel wheel in rubber w/brake D. 125 mm          |      | 1             |                 |  |
| 6  | IM AT WRCF 100   | Swivel wheel in rubber D. 100 mm                  |      | 1             |                 |  |
|    | IM AT WRCF 125   | Swivel wheel in rubber D. 125 mm                  |      | 1             |                 |  |
| 7  | IM AT WNBT 100   | Swivel wheel in nylon w/brake D. 100 mm           |      | 1             |                 |  |
|    | IM AT WNBT 125   | Swivel wheel in nylon w/brake D. 125 mm           |      | 1             |                 |  |
| 8  | IM AT WNCF 100   | Fixed wheel in nylon D. 100 mm                    |      | 1             |                 |  |
|    | IM AT WNCF 125   | Fixed wheel in nylon D. 125 mm                    |      | 1             |                 |  |
| 9  | IM AT WHBT 125   | Swivel wheel non-marking rubber w/brake D. 125 mm |      | 1             |                 |  |
| 10 | IM AT WHCF 125   | Fixed wheel non-marking rubber D. 125 mm          |      | 1             |                 |  |


REPLAST



All accessories include fixing screws when required

DATASHEET

|    |                                                                                    |                       |
|----|------------------------------------------------------------------------------------|-----------------------|
| 1  | Separate lid                                                                       | 800 x 600 mm          |
|    | Pieces per pack / pallet                                                           | 5 60                  |
|    | Package dimensions                                                                 | 800 x 600 x 150 H mm  |
|    | Pallet dimensions                                                                  | 1200 x 800 x 860 H mm |
| 2  | Document holder spring                                                             |                       |
|    | Pieces per package                                                                 | 10                    |
| 3  | Label holders                                                                      | 215 x 85 H mm         |
|    | Pieces per package                                                                 | 10                    |
| 4  | A4 sheet with 3 labels                                                             | 210 x 81 H mm         |
|    | Pieces per package                                                                 | 25                    |
| 5  | Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm                     |                       |
|    | Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm                     |                       |
| 6  | Rubber fixed wheel diameter 100 mm - footprint 128 mm H                            |                       |
|    | Rubber fixed wheel diameter 125 mm - footprint 155 mm H                            |                       |
| 7  | Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm                |                       |
|    | Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm                |                       |
| 8  | Fixed wheel in nylon diameter 100 mm footprint 128 mm H                            |                       |
|    | Fixed wheel in nylon diameter 125 mm footprint 155 mm H                            |                       |
| 9  | Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm |                       |
| 10 | Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm             |                       |



FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



# COMPAT

The **COMPAT** container series is the ideal solution to any storage problems in the warehouse, workshop or on assembly lines. They allow you to have the contents always at hand and in full view, making them easily extractable.

These containers can be stacked securely and safely and the material is just as easily accessible even when they are one on top of the other.

## BASES

NOW

smooth base



ribbed base



base ribbed at 45°  
with crossbar



## CROSSBAR



The largest containers are equipped with a front crossbar that helps prevent any deformation of the side walls due to large loads and to facilitate grip.

## HANDLES




Lifting and transport are aided by convenient handles that allow for quick grip even with gloves.

## SIDE REINFORCEMENT



Lateral reinforcement on the base allows the containers to be stacked safely even when fully loaded.

## ACCESSORIES



The containers can be divided longitudinally and transversely for load units with multiple products inside them.






Practical transparent doors protect against dust.



Internal partition with removable boxes




|         | ARTICLE           | SMOOTH<br>BASE | SIZE 01 | SIZE 0 | GR. | PACKA-<br>GING |                 |
|---------|-------------------|----------------|---------|--------|-----|----------------|-----------------|
|         |                   |                |         |        |     | Qty. per pack  | Qty. per pallet |
|         |                   | Closed         |         |        |     |                |                 |
| REPLAST | A IM CO Z001 5401 | ■              | ■       |        | 19  | 100            |                 |
| REPLAST | B IM CO Z000 5401 | ■              |         | ■      | 40  | 98             |                 |
|         | C IM LB 4911 8001 | ■              |         | ■      |     | 1              |                 |



| A                             |                      |
|-------------------------------|----------------------|
| Volume                        | 0,08 L               |
| Pieces per pack               | 📦 100                |
| Package dimensions            | 350 x 270 x 170 H mm |
| B                             |                      |
| Volume                        | 0,25 L               |
| Pieces per pack               | 📦 98                 |
| Package dimensions            | 470 x 300 x 350 H mm |
| C                             |                      |
| Sheet of 80 labels for size 0 | 49 x 11 H mm         |

Ready for shipping within 72 hours



|   | ARTICLE          | SMOOTH<br>BASE | SIZE 1 | SIZE 2 | GR. | PACKAGING      |                 |         |
|---|------------------|----------------|--------|--------|-----|----------------|-----------------|---------|
|   |                  |                |        |        |     | Qty. per pack. | Qty. per pallet |         |
|   |                  | Closed         |        |        |     |                |                 |         |
| A | IM CO C001 5401  | ■              | ■      |        | 82  | 50             | 1750            | REPLAST |
| B | IM CO C002 5401  | ■              |        | ■      | 224 | 54             | 1080            | REPLAST |
| C | IM CO C1S2 5407  |                | ■      |        | 40  | 25             |                 | REPLAST |
|   | IM CO C2S2 5407  |                |        | ■      | 100 | 25             |                 | REPLAST |
| D | IM CO C1S4 5407  |                | ■      |        | 50  | 25             |                 | REPLAST |
|   | IM CO C2S4 5407  |                |        | ■      | 120 | 25             |                 | REPLAST |
| E | IM LB 7520 3601  |                | ■      |        |     | 1              |                 |         |
|   | IM LB 10433 1601 |                |        | ■      |     | 1              |                 |         |



DATASHEET

| A                                 |                         |
|-----------------------------------|-------------------------|
| Volume                            | 1 L                     |
| Pieces per pack / pallet          | 50  1750                |
| Package dimensions                | 520 x 350 x 370 H mm    |
| Pallet dimensions                 | 1300 x 1100 x 2000 H mm |
| B                                 |                         |
| Volume                            | 3.8 L                   |
| Pieces per pack / pallet          | 54  1080                |
| Package dimensions                | 720 x 460 x 500 H mm    |
| Pallet dimensions                 | 1450 x 1200 x 2100 H mm |
| C                                 |                         |
| Divider 2 compartments for size 1 |                         |
| Divider 2 compartments for size 2 |                         |
| D                                 |                         |
| Divider 4 compartments for size 1 |                         |
| Divider 4 compartments for size 2 |                         |
| E                                 |                         |
| Sheet of 36 labels for size 1     | 75 x 20 H mm            |
| Sheet of 16 labels for size 2     | 104 x 33 H mm           |



|         | ARTICLE           | RIBBED<br>BASE | SIZE<br>3A2 | SIZE 3 | GR. | PACKAGING     |                 |  |
|---------|-------------------|----------------|-------------|--------|-----|---------------|-----------------|--|
|         |                   |                |             |        |     | Qty. per pack | Qty. per pallet |  |
| REPLAST | A IM CO C3A2 5401 | ■              | ■           |        | 625 | 21            | 252             |  |
| REPLAST | B IM CO C003 5401 | ■              |             | ■      | 819 | 15            | 180             |  |



| A                        |                         |
|--------------------------|-------------------------|
| Volume                   | 9,4 L                   |
| Pieces per pack / pallet | 21  252                 |
| Package dimensions       | 360 x 640 x 980 H mm    |
| Pallet dimensions        | 1300 x 1000 x 2000 H mm |
| B                        |                         |
| Volume                   | 12,5 L                  |
| Pieces per pack / pallet | 15  180                 |
| Package dimensions       | 360 x 640 x 980 H mm    |
| Pallet dimensions        | 1300 x 1000 x 2000 H mm |

Ready for shipping within 72 hours

|   | ARTICLE         | SIZE 3A2 | SIZE 3 | GR. | PACKAGING      |                 |  |
|---|-----------------|----------|--------|-----|----------------|-----------------|--|
|   |                 |          |        |     | Qty. per pack. | Qty. per pallet |  |
| A | IM CD C3A2 7107 | ■        |        | 108 | 10             |                 |  |
|   | IM CD C003 7107 |          | ■      | 160 | 10             |                 |  |
| B | IM CW C3A2 6896 | ■        |        | 28  | 10             |                 |  |
|   | IM CW C003 6896 |          | ■      | 40  | 10             |                 |  |
| C | IM LB 7731 1801 | ■        |        |     | 1              |                 |  |
|   | IM LB 7742 1201 |          | ■      |     | 1              |                 |  |



DATASHEET

A

|                                  |                |
|----------------------------------|----------------|
| Plastic longit. divider size 3A2 | 300 x 105 H mm |
| Plastic longit. divider size 3   | 305 x 160 H mm |
| Pieces per pack                  | 📦 10           |




B

|                     |      |
|---------------------|------|
| Dust cover size 3A2 |      |
| Dust cover size 3   |      |
| Pieces per pack     | 📦 10 |

C

|                                 |            |
|---------------------------------|------------|
| Sheet of 18 labels for size 3A2 | 77 x 31 mm |
| Sheet of 12 labels for size 3   | 77 x 42 mm |
| Pieces per pack                 | 📦 1        |

|         | ARTICLE           | RIBBED<br>BASE | SIZE<br>4A2 | SIZE<br>4 | SIZE<br>4A5 | GR.  | PACKA-<br>GING |                 |
|---------|-------------------|----------------|-------------|-----------|-------------|------|----------------|-----------------|
|         |                   |                |             |           |             |      | Qty. per pack. | Qty. per pallet |
| REPLAST | A IM CO C4A2 5401 | ■              | ■           |           |             | 1277 | 14             | 112             |
| REPLAST | B IM CO C004 5401 | ■              |             | ■         |             | 1395 | 10             | 80              |
| REPLAST | C IM CO C4A5 5401 | ■              |             |           | ■           | 1958 | 6              | 46              |




| A                        |                         |
|--------------------------|-------------------------|
| Volume                   | 20 L                    |
| Pieces per pack / pallet | 14  112                 |
| Package dimensions       | 640 x 520 x 900 H mm    |
| Pallet dimensions        | 1300 x 1000 x 2150 H mm |

| B                        |                         |
|--------------------------|-------------------------|
| Volume                   | 28 L                    |
| Pieces per pack / pallet | 10  80                  |
| Package dimensions       | 640 x 520 x 980 H mm    |
| Pallet dimensions        | 1300 x 1000 x 2150 H mm |

| C                        |                         |
|--------------------------|-------------------------|
| Volume                   | 42 L                    |
| Pieces per pack / pallet | 6  48                   |
| Package dimensions       | 640 x 520 x 900 H mm    |
| Pallet dimensions        | 1300 x 1000 x 2150 H mm |

Ready for shipping within 72 hours



|   | ARTICLE         | SIZE 4A2 | SIZE 4 | SIZE 4A5 | GR. | PACKAGING      |                 |  |
|---|-----------------|----------|--------|----------|-----|----------------|-----------------|--|
|   |                 |          |        |          |     | Qty. per pack. | Qty. per pallet |  |
| A | IM CD C004 7107 |          | ■      |          | 236 | 10             |                 |  |
|   | IM CD C4A5 7107 |          |        | ■        | 390 | 10             |                 |  |
| B | IM CW C004 6896 |          | ■      |          | 66  | 10             |                 |  |
|   | IM CW C4A5 6896 |          |        | ■        | 92  | 10             |                 |  |
| C | IM LB 7731 1801 | ■        |        |          |     | 1              |                 |  |
|   | IM LB 7742 1201 |          | ■      | ■        |     | 1              |                 |  |



DATASHEET

| A                                   |                |
|-------------------------------------|----------------|
| Plastic longit. divider size 4      | 460 x 160 H mm |
| Plastic longit. divider size 4a5    | 460 x 250 H mm |
| Pieces per pack                     | 📦 10           |
| B                                   |                |
| Dust cover size 4                   |                |
| Dust cover size 4A5                 |                |
| Pieces per pack                     | 📦 10           |
| C                                   |                |
| Sheet of 18 labels for size 4A2     | 77 x 31 mm     |
| Sheet of 12 labels for size 4 - 4A5 | 77 x 42 mm     |
| Pieces per pack                     | 📦 1            |




| ARTICLE |                   | RIBBED<br>BASE 45° | SIZE 5P4 | SIZE 5 | GR.  | PACKA-<br>GING |                 |  |
|---------|-------------------|--------------------|----------|--------|------|----------------|-----------------|--|
|         |                   |                    |          |        |      | Qty. per pack  | Qty. per pallet |  |
| REPLAST | A IM CO Z5P4 5401 | ■                  | ■        |        | 3522 | 18             | 42              |  |
| REPLAST | A IM CO Z005 5401 | ■                  |          | ■      | 4575 | 12             | 28              |  |



| A                        |                         |
|--------------------------|-------------------------|
| Volume                   | 63 L                    |
| Pieces per pack / pallet | 18  42                  |
| Package dimensions       | 1400 x 1100 x 1050 H mm |
| Pallet dimensions        | 1400 x 1100 x 2100 H mm |
| B                        |                         |
| Volume                   | 88 L                    |
| Pieces per pack / pallet | 12  28                  |
| Package dimensions       | 1450 x 1000 x 1050 H mm |
| Pallet dimensions        | 1450x 1000 x 2100 H mm  |

Ready for shipping within 72 hours

| ARTICLE |                  | SIZE 5P4 | SIZE 5 | GR. | PACKAGING      |                 |  |
|---------|------------------|----------|--------|-----|----------------|-----------------|--|
|         |                  |          |        |     | Qty. per pack. | Qty. per pallet |  |
| A       | IM LB 12739 1001 | ■        | ■      |     | 1              |                 |  |
| B       | IM LB 18985 0301 | ■        | ■      |     | 1              |                 |  |
| C       | IM ZE Z002 5401  | ■        | ■      | 264 | 54             | 1080            |  |



DATASHEET

A

|                                       |             |
|---------------------------------------|-------------|
| Sheet 10 upper labels for size 5P4- 5 | 127 x 39 mm |
| Pieces per pack                       | 1           |

B

|                                      |             |
|--------------------------------------|-------------|
| Sheet 3 lower labels for size 5P4- 5 | 189 x 85 mm |
| Pieces per pack                      | 1           |

C

|                                                                              |                         |
|------------------------------------------------------------------------------|-------------------------|
| Box for division into 6 compartments size 5P4 and into 8 compartments size 5 | 200 x 140 x 130 H mm    |
| Volume                                                                       | 88 L                    |
| Pieces per pack / pallet                                                     | 54 1080                 |
| Package dimensions                                                           | 640 x 460 x 500 H mm    |
| Pallet dimensions                                                            | 1400 x 1100 x 1660 H mm |



# ZEUS

The **ZEUS** box series meets the most exacting needs for goods containment, handling and storage.

Manageable, lightweight and easy to clean thanks to a perfectly smooth interior, they

have a sturdy edge that allows stable and safe stacking.

Stackability combined with high storage capacity results in ideal use of space.

## BASES

NOW

smooth base



ribbed base



base ribbed at 45°  
with crossbar



## SIDE REINFORCEMENT



Lateral reinforcement on the base allows the boxes to be stacked safely even when fully loaded.

## HANDLES - WALLS

closed handle  
closed walls





Ready for shipping within 72 hours

Size 701 - Size 702 - Size 272-2

NOW

| ARTICLE |                 | SMOOTH<br>BASE | SIZE<br>701 | SIZE<br>702 | SIZE<br>272-2 | GR. | PACKAGING     |                 |         |
|---------|-----------------|----------------|-------------|-------------|---------------|-----|---------------|-----------------|---------|
|         |                 |                |             |             |               |     | Qty. per pack | Qty. per pallet |         |
| A       | IM ZE Z701 5401 | ■              | ■           |             |               | 69  | 50            | 1600            | REPLAST |
| B       | IM ZE Z702 5401 | ■              |             | ■           |               | 111 | 30            | 960             | REPLAST |
| C       | IM ZE Z002 5401 | ■              |             |             | ■             | 276 | 54            | 1080            | REPLAST |

Size 701  
144 x 91 x 70 H mm



Smooth base  
Portata 1 kg



Size 702  
144 x 139 x 70 H mm



Smooth base  
Portata 2 kg



Size 272-2  
211 x 148 x 126 H mm



Smooth base  
Load capacity 5 kg



DATASHEET

A

|                                |                         |
|--------------------------------|-------------------------|
| Stacked edge height            | 65 mm                   |
| Usable stacked height / Volume | 63 mm / 0,9 L           |
| Dimensions                     | 144 x 91 x 70 H mm      |
| Usable internal dimensions     | 123 x 81 x 68 H mm      |
| Pieces per pack / pallet       | 50  1600                |
| Package dimensions             | 470 x 300 x 350 H mm    |
| Pallet dimensions              | 1200 x 1000 x 1550 H mm |

B

|                                |                         |
|--------------------------------|-------------------------|
| Stacked edge height            | 65 mm                   |
| Usable stacked height / Volume | 63 mm / 1,4 L           |
| Dimensions                     | 144 x 139 x 70 H mm     |
| Usable internal dimensions     | 124 x 126 x 68 H mm     |
| Pieces per pack / pallet       | 30  960                 |
| Package dimensions             | 470 x 300 x 350 H mm    |
| Pallet dimensions              | 1200 x 1000 x 1550 H mm |

C

|                                |                         |
|--------------------------------|-------------------------|
| Stacked edge height            | 112 mm                  |
| Usable stacked height / Volume | 110 mm / 3,6 L          |
| Dimensions                     | 211 x 148 x 126 H mm    |
| Usable internal dimensions     | 187 x 125 x 124 H mm    |
| Pieces per pack / pallet       | 54  1080                |
| Package dimensions             | 720 x 460 x 500 H mm    |
| Pallet dimensions              | 1450 x 1200 x 2100 H mm |

FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



Size 272-3A2 - Size 272-4A2 - Size 272-4

**A** **Size 272-3A2**  
310 x 210 x 145 H mm

Ribbed base  
Load capacity 15 kg





**B** **Size 272-4A2**  
465 x 315 x 120 H mm

Ribbed base  
Load capacity 15 kg



**C** **Size 272-4**  
465 x 315 x 200 H mm

Ribbed base  
Load capacity 20 kg



Ready for shipping within 72 hours



FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

|         | ARTICLE           | RIBBED<br>BASE | SIZE<br>272-3A2 | SIZE<br>272-4A2 | SIZE<br>272-4 | GR.  | PACKA-<br>GING |                 |
|---------|-------------------|----------------|-----------------|-----------------|---------------|------|----------------|-----------------|
|         |                   |                |                 |                 |               |      | Qty. per pack  | Qty. per pallet |
| REPLAST | A IM ZE Z3A2 5401 | ■              | ■               |                 |               | 545  | 21             | 252             |
| REPLAST | B IM ZE Z4A2 5401 | ■              |                 | ■               |               | 1016 | 16             | 128             |
| REPLAST | C IM ZE Z004 5401 | ■              |                 |                 | ■             | 1327 | 10             | 80              |
|         | IM LB 18292 0301  |                |                 | ■               |               |      | 1              |                 |
|         | IM LB 18985 0301  |                |                 |                 | ■             |      | 1              |                 |

| A                                  |                         |
|------------------------------------|-------------------------|
| Stacked edge height                | 132 mm                  |
| Usable stacked height / Volume     | 130 mm / 8,7 L          |
| Dimensions                         | 310 x 210 x 145 H mm    |
| Usable internal dimensions         | 284 x 184 x 142 H mm    |
| Pieces per pack / pallet           | 21  252                 |
| Package dimensions                 | 360 x 640 x 980 H mm    |
| Pallet dimensions                  | 1350 x 1100 x 2110 H mm |
| B                                  |                         |
| Stacked edge height                | 107 mm                  |
| Usable stacked height / Volume     | 105 mm / 16,2 L         |
| Dimensions                         | 465 x 315 x 120 H mm    |
| Usable internal dimensions         | 423 x 275 x 118 H mm    |
| Pieces per pack / pallet           | 16  128                 |
| Package dimensions                 | 640 x 520 x 900 H mm    |
| Pallet dimensions                  | 1300 x 1000 x 2150 H mm |
| C                                  |                         |
| Stacked edge height                | 183 mm                  |
| Usable stacked height / Volume     | 181 mm / 27 L           |
| Dimensions                         | 465 x 315 x 200 H mm    |
| Usable internal dimensions         | 423 x 277 x 195 H mm    |
| Pieces per pack / pallet           | 10  80                  |
| Package dimensions                 | 640 x 520 x 980 H mm    |
| Pallet dimensions                  | 1300 x 1000 x 2150 H mm |
| D                                  |                         |
| Sheet of 3 labels for size 272-4A2 | 182 x 92 H mm           |
| Sheet of 3 labels for size 272-4   | 189 x 85 H mm           |

Size 272-4A5 - Size 272-5

NOW

| ARTICLE |                  | RIBBED<br>BASE 45° | SIZE<br>272-4A5 | SIZE<br>272-5 | GR.  | PACKA-<br>GING |                 |  |
|---------|------------------|--------------------|-----------------|---------------|------|----------------|-----------------|--|
|         |                  |                    |                 |               |      | Qty. per pack  | Qty. per pallet |  |
| A       | IM ZE Z4A5 5401  | ■                  | ■               |               | 1906 | 6              | 48              |  |
| B       | IM ZE Z005 5401  | ■                  |                 | ■             | 4551 | 3              | 28              |  |
| C       | IM LB 18985 0301 |                    | ■               | ■             |      | 1              |                 |  |

REPLAST

REPLAST

Size 272-4A5  
465 x 315 x 300 H mm



A

Ribbed base 45°  
Load capacity 35 kg



Size 272-5  
655 x 470 x 300 H mm




B

Ribbed base 45°  
Load capacity 35 kg



C



DATASHEET

A

|                                |                         |
|--------------------------------|-------------------------|
| Stacked edge height            | 285 mm                  |
| Usable stacked height / Volume | 283 mm / 40,5 L         |
| Dimensions                     | 465 x 315 x 300 H mm    |
| Usable internal dimensions     | 426 x 276 x 297 H mm    |
| Pieces per pack / pallet       | 6 48                    |
| Package dimensions             | 640 x 520 x 900 H mm    |
| Pallet dimensions              | 1300 x 1000 x 2150 H mm |

B

|                                |                         |
|--------------------------------|-------------------------|
| Stacked edge height            | 278 mm                  |
| Usable stacked height / Volume | 276 mm / 85 L           |
| Dimensions                     | 655 x 470 x 300 H mm    |
| Usable internal dimensions     | 604 x 429 x 297 H mm    |
| Pieces per pack / pallet       | 3 28                    |
| Package dimensions             | 675 x 490 x 900 H mm    |
| Pallet dimensions              | 1300 x 1000 x 2150 H mm |

C

|                                              |               |
|----------------------------------------------|---------------|
| Sheet of 3 labels for size 272-4A5 and 272-5 | 189 x 85 H mm |
|----------------------------------------------|---------------|

150



**RK**

Everything in order and clearly visible for flexible and functional storage: this is the result of the design and construction of the **RK** series of polypropylene boxes and their dedicated shelving system.

Available in eleven different sizes to meet every need, the drawers are ideal for spare parts dealers on account of their resistance to oils and their internal divisibility.

## WALLS

NOW



Made of top quality polypropylene, the RK boxes have walls strengthened with special ribbing to protect against shocks.

## LABELS



Fitted with labels available in various sizes matching each box size.



## HANDLES




A special handle can be supplied on request for easy lifting and transportation of the RK boxes.

## BASE

smooth base



## DIVIDERS



Made of transparent polystyrene, the dividers allow the inside of the boxes to be partitioned into several compartments.

Depth 300 mm

Width 120 - 160 mm H 100

|         | ARTICLE          | BASE<br>WALLS<br>HANDLES | TRANSVERSE<br>DIVIDERS<br>APPLICABLE | LONGITUDINAL<br>DIVIDERS<br>APPLICABLE | GR. | PACKA-<br>GING |                |  |
|---------|------------------|--------------------------|--------------------------------------|----------------------------------------|-----|----------------|----------------|--|
|         |                  |                          |                                      |                                        |     | Qty per pack   | Qty per pallet |  |
|         |                  | Closed                   |                                      |                                        |     |                |                |  |
| REPLAST | A IMRK 3012 5401 | ■                        | 4                                    | 1                                      | 340 | 32             | 512            |  |
| REPLAST | B IMRK 3016 5401 | ■                        | 4                                    | 1                                      | 387 | 24             | 384            |  |

A



B



A

|                            |                                                                                                                                                                                    |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Usable internal dimensions | 257 x 95 x 97 H mm                                                                                                                                                                 |
| Pieces per pack / pallet   |  32  512 |
| Package dimensions         | 970 x 310 x 385 H mm                                                                                                                                                               |
| Pallet dimensions          | 1300 x 1000 x 1700 H mm                                                                                                                                                            |

B

|                            |                                                                                                                                                                                    |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Usable internal dimensions | 257 x 136 x 97 H mm                                                                                                                                                                |
| Pieces per pack / pallet   |  24  384 |
| Package dimensions         | 970 x 310 x 390 H mm                                                                                                                                                               |
| Pallet dimensions          | 1300 x 1000 x 1700 H mm                                                                                                                                                            |


DATASHEET

Depth 300 mm

NOW

Width 120 - 160 mm

|   | ARTICLE          | DESCRIPTION                  | GR. | PACKA-<br>GING |                 |         |
|---|------------------|------------------------------|-----|----------------|-----------------|---------|
|   |                  |                              |     | Qty. per pack. | Qty. per pallet |         |
| C | IM RK H120 5401  | Handle grip for width 120 mm | 18  | 1              |                 | REPLAST |
|   | IM RK H160 5401  | Handle grip for width 160 mm | 19  | 1              |                 | REPLAST |
| D | IM RK D120 6896  | Divider for width 120 mm     | 22  | 1              |                 |         |
|   | IM RK D160 6896  | Divider for width 160 mm     | 28  | 1              |                 |         |
| E | IM LB 08024 2401 | Divider label 120 mm         |     | 1              |                 |         |
|   | IM LB 12124 1601 | Divider label 160 mm         |     | 1              |                 |         |
| F | IM LB 08142 1201 | Front Label for W=120 mm     |     | 1              |                 |         |
|   | IM LB 12144 0801 | Front Label for W=160 mm     |     | 1              |                 |         |



DATASHEET

|                                |               |
|--------------------------------|---------------|
| C                              |               |
| Handle for RK 3012             | 70 x 90 H mm  |
| Handle for RK 3016             | 110 x 90 H mm |
| D                              |               |
| Divider size RK 3012           | 100 x 90 H mm |
| Divider size RK 3016           | 145 x 90 H mm |
| E                              |               |
| Sheet of 24 labels for RK D120 | 80 x 24 mm    |
| Sheet of 16 labels for RK D160 | 121 x 24 mm   |
| F                              |               |
| Sheet of 12 labels for RK 3012 | 81 x 42 mm    |
| Sheet of 8 labels for RK 3016  | 121 x 44 mm   |

FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 400 mm

Width 120 - 160 - 240 mm H 100

|         | ARTICLE          | BASE<br>WALLS<br>HANDLES | TRANSVERSE<br>DIVIDERS<br>APPLICABLE | LONGITUDINAL<br>DIVIDERS<br>APPLICABLE | GR. | PACKA-<br>GING |                |  |
|---------|------------------|--------------------------|--------------------------------------|----------------------------------------|-----|----------------|----------------|--|
|         |                  |                          |                                      |                                        |     | Qty per pack   | Qty per pallet |  |
|         |                  | Closed                   |                                      |                                        |     |                |                |  |
| REPLAST | A IMRK 4012 5401 | ■                        | 6                                    | 1                                      | 458 | 32             | 384            |  |
| REPLAST | B IMRK 4016 5401 | ■                        | 6                                    | 1                                      | 468 | 24             | 288            |  |
| REPLAST | C IMRK 4024 5401 | ■                        | 6                                    | 3                                      | 673 | 16             | 192            |  |

A



B



C



Ready for shipping within 72 hours

A

|                            |                                                                                                                                                                                    |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Usable internal dimensions | 357 x 95 x 97 H mm                                                                                                                                                                 |
| Pieces per pack / pallet   |  32  384 |
| Package dimensions         | 970 x 415 x 400 H mm                                                                                                                                                               |
| Pallet dimensions          | 1300 x 1000 x 1700 H mm                                                                                                                                                            |

B

|                            |                                                                                                                                                                                    |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Usable internal dimensions | 357 x 136 x 97 H mm                                                                                                                                                                |
| Pieces per pack / pallet   |  24  288 |
| Package dimensions         | 970 x 415 x 400 H mm                                                                                                                                                               |
| Pallet dimensions          | 1300 x 1000 x 1700 H mm                                                                                                                                                            |

C


|                            |                                                                                                                                                                                    |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Usable internal dimensions | 357 x 215 x 97 H mm                                                                                                                                                                |
| Pieces per pack / pallet   |  16  192 |
| Package dimensions         | 970 x 415 x 400 H mm                                                                                                                                                               |
| Pallet dimensions          | 1300 x 1000 x 1700 H mm                                                                                                                                                            |

Depth 400 mm

NOW

Width 120 - 160 - 240 mm

|   | ARTICLE          | DESCRIPTION                               | GR. | PACKA-<br>GING |                 |         |
|---|------------------|-------------------------------------------|-----|----------------|-----------------|---------|
|   |                  |                                           |     | Qty. per pack. | Qty. per pallet |         |
| D | IM RK H120 5401  | Handle grip for width 120 mm              | 18  | 1              |                 | REPLAST |
|   | IM RK H160 5401  | Handle grip for width 160 mm              | 19  | 1              |                 | REPLAST |
|   | IM RK H240 5401  | Handle faocilitated grip for width 240 mm | 22  | 1              |                 | REPLAST |
| E | IM RK D120 6896  | Divider for width 120 mm                  | 22  | 1              |                 |         |
|   | IM RK D160 6896  | Divider for width 160 mm                  | 28  | 1              |                 |         |
|   | IM RK D240 6896  | Divider for width 240 mm                  | 50  | 1              |                 |         |
| F | IM LB 08024 2401 | Divider label 120 mm                      |     | 1              |                 |         |
|   | IM LB 12124 1601 | Divider label 160 - 240 mm                |     | 1              |                 |         |
| G | IM LB 08142 1201 | Front Label for W=120 mm                  |     | 1              |                 |         |
|   | IM LB 12144 0801 | Front Label for W=160 mm                  |     | 1              |                 |         |
|   | IM LB 20043 0601 | Front Label for W=240 mm                  |     | 1              |                 |         |



DATASHEET

| D                                      |               |
|----------------------------------------|---------------|
| Handle for RK 4012                     | 70 x 90 H mm  |
| Handle for RK 4016                     | 110 x 90 H mm |
| Handle for RK 4024                     | 120 x 80 H mm |
| E                                      |               |
| Divider size RK 4012                   | 100 x 90 H mm |
| Divider size RK 4016                   | 145 x 90 H mm |
| Divider size RK 4024                   | 225 x 90 H mm |
| F                                      |               |
| Sheet of 24 labels for RK D120         | 80 x 24 mm    |
| Sheet of 16 labels for RK D160/RK D240 | 121 x 24 mm   |
| G                                      |               |
| Sheet of 12 labels for RK 4012         | 81 x 42 mm    |
| Sheet of 8 labels for RK 4016          | 121 x 44 mm   |
| Sheet of 6 labels for RK 4024          | 200 x 43 mm   |

# Depth 500 mm

Width 120 - 160 - 240 mm H 100

|         | ARTICLE          | BASE WALLS HANDLES | TRANSVERSE DIVIDERS APPLICABLE | LONGITUDINAL DIVIDERS APPLICABLE | GR. | PACKAGING    |                |
|---------|------------------|--------------------|--------------------------------|----------------------------------|-----|--------------|----------------|
|         |                  | Closed             |                                |                                  |     | Qty per pack | Qty per pallet |
| REPLAST | A IMRK 5012 5401 | ■                  | 8                              | 1                                | 552 | 32           | 256            |
| REPLAST | B IMRK 5016 5401 | ■                  | 8                              | 1                                | 564 | 24           | 192            |
| REPLAST | C IMRK 5024 5401 | ■                  | 8                              | 3                                | 800 | 16           | 128            |

A



B



C



## A

|                            |                         |
|----------------------------|-------------------------|
| Usable internal dimensions | 457 x 95 x 97 H mm      |
| Pieces per pack / pallet   | 📦 32 🚚 256              |
| Package dimensions         | 970 x 515 x 390 H mm    |
| Pallet dimensions          | 1050 x 1000 x 1700 H mm |

## B

|                            |                         |
|----------------------------|-------------------------|
| Usable internal dimensions | 457 x 136 x 97 H mm     |
| Pieces per pack / pallet   | 📦 24 🚚 192              |
| Package dimensions         | 970 x 515 x 390 H mm    |
| Pallet dimensions          | 1050 x 1000 x 1700 H mm |

## C

|                            |                         |
|----------------------------|-------------------------|
| Usable internal dimensions | 457 x 215 x 97 H mm     |
| Pieces per pack / pallet   | 📦 16 🚚 128              |
| Package dimensions         | 970 x 515 x 390 H mm    |
| Pallet dimensions          | 1050 x 1000 x 1700 H mm |

DATASHEET


Ready for shipping within 72 hours

Depth 500 mm

NOW

Width 120 - 160 - 240 mm

|   | ARTICLE          | DESCRIPTION                  | GR. | PACKA-<br>GING |                 |         |
|---|------------------|------------------------------|-----|----------------|-----------------|---------|
|   |                  |                              |     | Qty. per pack. | Qty. per pallet |         |
| D | IM RK H120 5401  | Handle grip for width 120 mm | 19  | 1              |                 | REPLAST |
|   | IM RK H160 5401  | Handle grip for width 160 mm | 19  | 1              |                 | REPLAST |
|   | IM RK H240 5401  | Handle grip for width 240 mm | 23  | 1              |                 | REPLAST |
| E | IM RK D120 6896  | Divider for width 120 mm     | 22  | 1              |                 |         |
|   | IM RK D160 6896  | Divider for width 160 mm     | 28  | 1              |                 |         |
|   | IM RK D240 6896  | Divider for width 240 mm     | 50  | 1              |                 |         |
| F | IM LB 08024 2401 | Divider label 120 mm         |     | 1              |                 |         |
|   | IM LB 12124 1601 | Divider label 160 - 240 mm   |     | 1              |                 |         |
| G | IM LB 08142 1201 | Front Label for W=120 mm     |     | 1              |                 |         |
|   | IM LB 12144 0801 | Front Label for W=160 mm     |     | 1              |                 |         |
|   | IM LB 20043 0601 | Front Label for W=240 mm     |     | 1              |                 |         |



DATASHEET

| D                                      |               |
|----------------------------------------|---------------|
| Handle for RK 5012                     | 70 x 90 H mm  |
| Handle for RK 5016                     | 110 x 90 H mm |
| Handle for RK 5024                     | 120 x 80 H mm |
| E                                      |               |
| Divider size RK 5012                   | 100 x 90 H mm |
| Divider size RK 5016                   | 145 x 90 H mm |
| Divider size RK 5024                   | 225 x 90 H mm |
| F                                      |               |
| Sheet of 24 labels for RK D120         | 80 x 24 mm    |
| Sheet of 16 labels for RK D160/RK D240 | 121 x 24 mm   |
| G                                      |               |
| Sheet of 12 labels for RK 5012         | 81 x 42 mm    |
| Sheet of 8 labels for RK 5016          | 121 x 44 mm   |
| Sheet of 6 labels for RK 5024          | 200 x 43 mm   |

FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

FAMEPLA  
MORE THAN EFFICIENCY

Depth 600 mm

Width 160 mm H 100

|           | ARTICLE        | BASE<br>WALLS<br>HANDLES | TRANSVERSE<br>DIVIDERS<br>APPLICABLE | LONGITUDINAL<br>DIVIDERS<br>APPLICABLE | GR. | PACKA-<br>GING |                |
|-----------|----------------|--------------------------|--------------------------------------|----------------------------------------|-----|----------------|----------------|
|           |                |                          |                                      |                                        |     | Qty per pack.  | Qty per pallet |
| REPLAST A | IMRK 6016 5401 | ■ Closed                 | 10                                   | 1                                      | 692 | 24             | 192            |

A



A

|                            |                                                                                          |                                                                                           |
|----------------------------|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| Usable internal dimensions | 560 x 136 x 97 H mm                                                                      |                                                                                           |
| Pieces per pack / pallet   |  24 |  192 |
| Package dimensions         | 970 x 620 x 390 H mm                                                                     |                                                                                           |
| Pallet dimensions          | 1300 x 1000 x 1700 H mm                                                                  |                                                                                           |

DATASHEET


# Depth 600 mm

NOW

Width 160 mm

| ARTICLE |                  | DESCRIPTION                  | GR. | PACKA-<br>GING |                 |  |
|---------|------------------|------------------------------|-----|----------------|-----------------|--|
|         |                  |                              |     | Qty. per pack. | Qty. per pallet |  |
| B       | IM RK H160 5401  | Handle grip for width 160 mm | 19  | 1              |                 |  |
| C       | IM RK D160 6896  | Divider for width 160 mm     | 28  | 1              |                 |  |
| D       | IM LB 12124 1601 | Divider label 160 mm         |     | 1              |                 |  |
| E       | IM LB 12144 0801 | Front Label for W=160 mm     |     | 1              |                 |  |

REPLAST



## DATASHEET

| B                              |               |
|--------------------------------|---------------|
| Handle for RK 6016             | 120 x 90 H mm |
| C                              |               |
| Divider size RK 6016           | 145 x 90 H mm |
| D                              |               |
| Sheet of 16 labels for RK D160 | 121 x 24 mm   |
| E                              |               |
| Sheet of 8 labels for RK 6016  | 121 x 44 mm   |

FAMEPLA reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



# GENERAL TERMS AND CONDITIONS OF SALE FOR FAMEPLA PRODUCTS

## 1. DEFINITIONS

11 WITHIN THIS AGREEMENT, THE TERMS SPECIFIED BELOW SHALL HAVE THE FOLLOWING MEANING:

- A) BUYER: ANY TRADER WHO PURCHASES OR PROPOSES TO PURCHASE FROM FAMEPLA THE PRODUCTS MARKETED BY FAMEPLA;
- B) ORDER CONFIRMATION: REFERS TO THE DOCUMENT WITH WHICH FAMEPLA ACCEPTS A PROPOSAL;
- C) INCOTERMS2010: INCOTERMS OF THE INTERNATIONAL CHAMBER OF COMMERCE, IN THE TEXT IN FORCE AT THE DATE OF FINALISING THE ORDER;
- D) ORDER(S): MEANS THE CONTRACT, FORMED BY THE PROPOSAL SUBMITTED BY THE BUYER AND THE ORDER CONFIRMATION ISSUED BY FAMEPLA, WHICH REGULATES THE SUPPLY OF PRODUCTS;
- E) PARTS: FAMEPLA AND THE BUYER;
- F) PRODUCTS: GOODS COVERED BY A SALE OR SALE NEGOTIATION;
- G) PROPOSAL(S): THE REQUEST(S) TO PURCHASE THE PRODUCTS SENT BY THE BUYER TO FAMEPLA.

## 2. FIELD OF APPLICATION

- 21 THESE CONDITIONS OF SALE (HEREINAFTER THE "CONDITIONS") APPLY BETWEEN FAMEPLA SRL (HEREINAFTER "FAMEPLA") AND THE BUYER EVEN WHEN THEY HAVE NOT BEEN AGREED UPON OR REFERRED TO BY THE PARTIES.
- 22 ANY EXCEPTIONS SHALL BE VALID ONLY IF CONTAINED IN SEPARATE DOCUMENTS SIGNED BY THE PARTIES.
- 23 THE GENERAL TERMS AND CONDITIONS OF SALE ARE AN INTEGRAL PART OF ALL ORDERS, INCLUDING WHEN FINALISED BY TELEPHONE, VERBALLY, BY FAX, EMAIL OR INTERNET.
- 24 IN THE EVENT OF DISCREPANCIES BETWEEN THE PROVISIONS REFERRED TO HEREIN AND THOSE CONTAINED IN THE ORDER, THE LATTER SHALL IN ANY CASE PREVAIL.

## 3. FINALISATION OF THE ORDER

- 31 THE BUYER MAY SUBMIT PROPOSALS TO FAMEPLA EITHER DIRECTLY OR THROUGH AGENTS AND THEIR REPRESENTATIVES. HOWEVER, AN ORDER SHALL BE FINALISED ONLY AFTER AN ORDER CONFIRMATION HAS BEEN SENT BY FAMEPLA FOR EACH INDIVIDUAL PROPOSAL.
- 32 FAMEPLA EXPRESSLY RESERVES THE RIGHT TO EVALUATE ANY PROPOSAL AND SHALL NOT BE BOUND TO THE ACCEPTANCE THEREOF.
- 33 ANY SUPPLY OFFERS FROM FAMEPLA TO THE BUYER SHALL ONLY BE CONSIDERED FIRM AND IRREVOCABLE IF QUALIFIED AS SUCH IN WRITING BY FAMEPLA.
- 34 THE REGISTERED OFFICES OF FAMEPLA SHALL ALWAYS BE THE PLACE OF FINALISATION OF THE ORDER, INCLUDING ORDERS THAT ARE FINALISED ELECTRONICALLY.

## 4. DELIVERY TERMS

- 41 FAMEPLA SHALL DELIVER THE PRODUCTS EX-WORKS (EXW INCOTERMS2010). IF REQUESTED, FAMEPLA SHALL TAKE CARE OF THE TRANSPORTATION OF THE PRODUCTS, AT THE RISK, COST AND EXPENSE OF THE BUYER.  
THE PAYMENT OF TRANSPORT COSTS BY FAMEPLA SHALL NOT AFFECT THE RISKS OF THE SHIPMENT, WHICH SHALL CONTINUE TO BE BORNE BY THE BUYER AT THE LATEST UPON DELIVERY OF THE PRODUCTS TO THE FIRST CARRIER.
- 42 THE DELIVERY OF THE PRODUCTS MUST TAKE PLACE BY THE DEADLINE SPECIFIED IN THE ORDER, CALCULATED IN WORKING DAYS. HOWEVER, THE DELIVERY DEADLINE IS PURELY INDICATIVE AND IS NOT AN ESSENTIAL TERM OF THE CONTRACT AND, IN ANY CASE, DOES NOT INCLUDE TRANSPORT TIME.
- 43 UPON RECEIPT OF THE NOTICE OF GOODS READY FOR PICK-UP, THE BUYER MUST COLLECT THE PRODUCTS WITHIN A DEADLINE OF 10 (TEN) DAYS. SHOULD THE BUYER DEFAULT, THE PRODUCTS MAY BE STORED OUTDOORS, WITH FAMEPLA RELEASED FROM ANY LIABILITY, AND ALL GUARANTEES BEING FORFEITED IN FAVOUR OF FAMEPLA. THE BUYER SHALL BE CHARGED FOR ANY HANDLING AND STORAGE COSTS INCURRED BY FAMEPLA, WHICH MAY ALSO, AT ITS DISCRETION, HAVE THE PRODUCTS PLACED IN STORAGE AT THE BUYER'S EXPENSE.
- 44 FAMEPLA SHALL BE ENTITLED TO ISSUE A REGULAR INVOICE WITHIN 10 (TEN) DAYS FROM THE NOTICE OF GOODS READY FOR PICK UP.

## 5. COMPLAINTS

- 51 ANY COMPLAINTS REGARDING THE PACKAGING CONDITION, QUANTITY, NUMBER OR EXTERNAL CHARACTERISTICS OF THE PRODUCTS (APPARENT DEFECTS) MUST BE SUBMITTED TO FAMEPLA IN WRITING, UNDER PENALTY OF FORFEITURE, WITHIN 8 (EIGHT) BUSINESS DAYS FROM THE DATE OF RECEIPT OF THE PRODUCTS.
- 52 ANY COMPLAINTS RELATING TO DEFECTS THAT CANNOT BE IDENTIFIED THROUGH DILIGENT CONTROL UPON RECEIPT (HIDDEN DEFECTS) MUST BE SUBMITTED TO FAMEPLA, UNDER PENALTY OF FORFEITURE, WITHIN 8 (EIGHT) DAYS FROM THE DATE OF DISCOVERY OF THE DEFECT AND REPORTED TO FAMEPLA IN THE MANNER PROVIDED UNDER THE COMPLAINTS / RETURNS CONDITIONS.
- 53 IN NO CASE SHALL AGENTS, CUSTOMERS OR INTERMEDIARIES OF FAMEPLA HAVE THE POWER TO REPRESENT FAMEPLA OR TAKE ANY BINDING OBLIGATIONS ON BEHALF OF FAMEPLA VIS À VIS THE BUYER OR OTHER THIRD PARTIES. TO THIS END, ANY NOTICE RELATING TO FAULTS OR DEFECTS OF THE PRODUCTS SHALL BE INVALID AND INEFFECTIVE IF MADE TO AGENTS, CUSTOMERS OR INTERMEDIARIES OF FAMEPLA.

## 6. PRICES

- 61 THE PRICES OF THE PRODUCTS SHALL BE THOSE SPECIFIED IN THE FAMEPLA PRICE LIST IN FORCE AT THE TIME THE ORDER IS FINALISED OR, IF THE PRODUCT IS NOT INCLUDED IN THE PRICE LIST OR THE PRICE LIST IS NOT AVAILABLE, THOSE SPECIFIED IN THE ORDER CONFIRMATION.
- 62 UNLESS OTHERWISE AGREED, THE AFOREMENTIONED PRICES SHALL BE CALCULATED EX WORKS (EXW INCOTERMS2010). THESE PRICES DO NOT INCLUDE THE COSTS OF SPECIAL PACKAGING, SHIPPING AND TRANSPORT FROM FAMEPLA'S PREMISES, WHICH SHALL BE BORNE BY THE BUYER, UNLESS OTHERWISE AGREED. THE BUYER SHALL ALSO BEAR ALL EXPENSES, TAXES OR DUTIES INHERENT IN THE SALE OF THE PRODUCTS, INCLUDING THE COSTS OF ALL CUSTOMS FORMALITIES (AS WELL AS ANY DUTIES, TAXES AND OTHER OFFICIAL CHARGES TO BE PAID FOR EXPORTING THE PRODUCTS).

## 7. PAYMENT CONDITIONS

- 71 WHERE THE TERMS OF PAYMENT ARE NOT SPECIFIED IN THE ORDER, THE PAYMENT MUST BE MADE WITHIN 30 DAYS FROM THE END OF MONTH INVOICE DATE, BY BANK TRANSFER. THE PAYMENT SHALL BE CONSIDERED PAID MADE WHEN THE SUM BECOMES AVAILABLE TO FAMEPLA AT ITS BANK IN ITALY.
- 72 IF THE PARTIES AGREED ON AN ADVANCE PAYMENT WITHOUT FURTHER SPECIFICATIONS, IT IS ASSUMED THAT THE ADVANCE PAYMENT REFERS TO THE ENTIRE PRICE OF THE PRODUCTS INCLUDED IN THE SUPPLY ORDER.
- 73 IF THE PARTIES HAVE AGREED ON PAYMENT BY DIRECT REMITTANCE, THIS SHALL BE DONE BY SWIFT TRANSFER - WITH FIXED VALUE DATE IN FAVOUR OF FAMEPLA ON THE DAY THE PAYMENT IS DUE - AT THE BANK SPECIFIED BY FAMEPLA.
- 74 IN THE EVENT OF PAYMENT DELAYED UNTIL AFTER THE AGREED DATE, DEFAULT INTEREST AT THE STATUTORY RATE SHALL BE APPLIED TO THE BUYER. IN ADDITION, FAMEPLA SHALL BE REIMBURSED FOR ANY COSTS INCURRED IN THE RECOVERY OF SUMS NOT PROMPTLY PAID.
- 75 THE BUYER IS NOT AUTHORISED TO MAKE ANY DEDUCTION FROM THE AGREED PRICE (E.G. IN CASE OF ALLEGED PRODUCT DEFECTS), WITHOUT PRIOR WRITTEN AGREEMENT WITH FAMEPLA.

## 8. FORCE MAJEURE

- 81 BOTH THE BUYER AND FAMEPLA MAY SUSPEND THE PERFORMANCE OF THEIR CONTRACTUAL OBLIGATIONS WHEN SUCH PERFORMANCE BECOMES IMPOSSIBLE OR UNREASONABLY BURDENSOME DUE TO AN UNFORESEEABLE IMPEDIMENT NOT UNDER THEIR CONTROL, SUCH AS FOR EXAMPLE, STRIKES, BOYCOTTS, LOCKOUTS, FIRES, WARS, RIOTS AND REVOLUTIONS, REQUISITIONS, EMBARGOES OR INTERRUPTIONS IN ENERGY SUPPLY.
- 82 THE PARTY WISHING TO INVOKE THIS CLAUSE MUST IMMEDIATELY INFORM THE OTHER IN WRITING THAT A FORCE MAJEURE CIRCUMSTANCE HAS OCCURRED AS WELL AS WHEN SUCH CIRCUMSTANCE NO LONGER EXISTS.
- 83 IF THE SUSPENSION DUE TO FORCE MAJEURE LASTS MORE THAN EIGHT WEEKS, EACH PARTY SHALL HAVE THE RIGHT TO TERMINATE THE ORDER, SUBJECT TO 10 DAYS' NOTICE, TO BE CONVEYED TO THE OTHER IN WRITING.

## 9. CHANGE IN THE BUYER'S FINANCIAL SITUATION

- 91 FAMEPLA SHALL BE ENTITLED TO SUSPEND THE FULFILMENT OF THE OBLIGATIONS ARISING FROM THE SUPPLY OF THE PRODUCTS IN THE EVENT THAT THE BUYER'S FINANCIAL SITUATION BECOMES SUCH AS TO SERIOUSLY ENDANGER THE BUYER'S PERFORMANCE OF ITS OWN OBLIGATIONS, UNLESS A SUITABLE GUARANTEE IS GIVEN.

## 10. APPLICABLE LAW AND JURISDICTION

- 101 THE GENERAL TERMS AND CONDITIONS OF SALE AND THE ORDERS ENTERED INTO BETWEEN FAMEPLA AND THE BUYER SHALL BE GOVERNED BY ITALIAN LAW.
- 102 FOR ANY DISPUTE REGARDING THE INTERPRETATION, PERFORMANCE, BREACH OR TERMINATION OF THESE GENERAL TERMS AND CONDITIONS OF SALE, THE COURT OF VICENZA SHALL HAVE EXCLUSIVE JURISDICTION, INCLUDING IN THE EVENT OF JOINDER OF PROCEEDINGS.

## 11. FINAL CLAUSES

- 111 SHOULD ONE OF THE PARTIES FAIL TO TAKE LEGAL ACTION OR EXERCISE A RIGHT UNDER THESE GENERAL TERMS AND CONDITIONS OF SALE, SUCH ACQUIESCENT CONDUCT MAY NOT BE INTERPRETED AS A FINAL WAIVER TO TAKE SUCH LEGAL ACTION OR EXERCISE SUCH RIGHTS IN THE FUTURE.
- 112 THE SALE OF PRODUCTS BY FAMEPLA TO THE BUYER DOES NOT GIVE THE LATTER ANY EXCLUSIVE TERRITORIAL RIGHT NOR DOES IT ALLOW THE BUYER TO TAKE ON THE STATUS OF DISTRIBUTOR OR RESELLER OF FAMEPLA.
- 113 ANY COMMUNICATION FROM THE BUYER TO FAMEPLA IN RELATION TO THESE GENERAL TERMS AND CONDITIONS OF SALE MUST BE SENT TO THE FOLLOWING CERTIFIED E-MAIL ADDRESS: AIACE\_SRL@LEGALMAIL.IT. THE AFOREMENTIONED COMMUNICATIONS SHALL TAKE EFFECT UPON RECEIPT BY THE RECIPIENT.

## 12. PRIVACY

- 121 IN ACCORDANCE WITH THE PROVISIONS OF LEGISLATIVE DECREE 196/03, BY ACCEPTING THIS CONTRACT, THE BUYER DECLARES THAT IT IS AWARE, AND EXPRESSLY AGREES, THAT ITS "PERSONAL DATA", PROVIDED (ALSO VERBALLY) BY ITSELF OR ACQUIRED DURING SALE TRANSACTIONS, IS KEPT WITH FAMEPLA IN ITS (PAPER, ELECTRONIC OR TELECOMMUNICATIONS) ARCHIVES AND PROCESSED AS PART OF THE CONDUCT OF BUSINESS ACTIVITIES OF FAMEPLA FOR MANAGEMENT PURPOSES, THE FULFILMENT OF LEGAL OBLIGATIONS, AND FOR STATISTICAL, COMMERCIAL, MARKETING, PROMOTIONAL AND CREDIT PROTECTION PURPOSES. SUCH DATA MAY ALSO BE: (A) DISCLOSED TO COMPANIES, ENTITIES, CONSORTIA OR ASSOCIATIONS RESPONSIBLE FOR CREDIT PROTECTION, (B) DISCLOSED/DISSEMINATED TO SUBSIDIARIES, PARENT COMPANIES OR ASSOCIATES ENGAGED IN COMMERCIAL, MARKET RESEARCH, MARKETING, MANAGEMENT OR IT MANAGEMENT ACTIVITIES; OR SUCH COMPANIES CAN BE GIVEN ACCESS TO THE AFOREMENTIONED ARCHIVES, IN RELATION TO THE PROCESSING OF SAID DATA. THE BUYER MAY EXERCISE THE RIGHTS INDICATED IN ART. 7 LEGISLATIVE DECREE 196/03 AND FAMEPLA HAS AN OBLIGATION TO COMMUNICATE WITHOUT DELAY ANY REQUESTS PURSUANT TO THAT ARTICLE. THE DATA CONTROLLER IS FAMEPLA IN THE PERSON OF ITS PRO-TEMPORE LEGAL REPRESENTATIVE. THE DATA CAN BE PROCESSED AT THE COMPANY'S REGISTERED OFFICES OR AT TAX CONSULTING FIRMS, AS WELL AS AT THE PREMISES OF ANY OTHER PROFESSIONALS THAT HAVE BEEN TASKED WITH PROCESSING THE ACCOUNTS AND ANY OTHER RELEVANT ASSIGNMENTS.



**Famepla srl**

Via Asolana 28/F  
31017 Pieve del Grappa (TV) - Italy

T. +39 0423 930700  
info@famepla.it  
www.fameplastorage.com



FLANOW 0724A41T